

# MIL-STD-2549 ERRATA LIST

As of 1998 March 31

1. SCOPE. This document has been prepared by the DOD Configuration Management Advisory Group (CMAG). It contains the planned corrective actions for all errors and enhancements that have been identified to the CMAG and for which a resolution has been determined. It is the CMAG's intent that this document will be updated in March, July, and November, each year until it is incorporated into MIL-STD-2549 Revision A to be published at the conclusion of testing (currently planned for mid 1999).
2. APPLICABILITY. Although this is a "working document", it is the official view of the CMAG as of the date of the document and it is recommended that it be used in conjunction with the approved MIL-STD-2549 in the interim until MIL-STD-2549A is released.
3. RECORD OF CHANGES. This document supersedes the DOD CMAG MIL-STD-2549 Errata List dated November 1997. All changes from the previous issue are highlighted.

a. All items numbered 1-xxx first appeared in the November 1997 issue of this errata listing. Most of these changes are corrections of typographical errors. Content was not intentionally changed.

b. All items numbered 2-xxx first appeared in the March 31, 1998 issue of this errata listing. Most of these changes are changes necessary to move toward a harmonization with ISO 10303 (STEP). Although this errata appears to be quite extensive, most of the changes are driven by a single change that will have minimal impact on programming. Specifically, the decision was made to allow the document-type-code to be user-assigned, including blank. To accomplish this, it was treated as a concatenated field with document-source--assigned-identifier to form document-identifier. Within a physical database, these two fields could be treated as separate fields or as a single field; if treated as separate fields, there should be minimal programming impact. Because the document-type-code was used so extensively in the conceptual schema, its removal (by incorporation into document-identifier) causes a ripple of changes throughout the document.

Errata

Num. page,para,fig,etc

change

## BASIC DOCUMENT

2-1 12, Para 4.2.5

Change first sentence to read: "Each document will be identified by a document source<sup>2</sup> and a unique identifier (including the document type or series, if necessary) assigned by the document source.

Errata

Num. page,para,fig,etc

change

1-1	21, Para. 6.2	Delete the last sentence.
2-2	21, Para 6.5.b	Replace first sentence with "MIL-HDBK-61, Configuration Management Guidance." Replace URL at end of last sentence with " <a href="http://www.acq.osd.mil/cals/cm_info/mil_61.html">http://www.acq.osd.mil/cals/cm_info/mil_61.html</a> "
2-3	22, Para. 6.2.d	Replace last sentence with "In process ISO documents, and Express for in process or published ISO documents can be accessed on the Internet at <a href="http://www.nist.gov/sc4/">http://www.nist.gov/sc4/</a> . Published ISO documents can be ordered from the USA ISO member American National Standards Institute (ANSI). ANSI may be contacted through the following: Address: American National Standards Institute 11 West 42nd Street, 13th floor New York, N.Y. 10036 E-mail: <a href="mailto:info@ansi.org">info@ansi.org</a> Internet: <a href="http://www.ansi.org/">http://www.ansi.org/</a>

DATA INFORMATION PACKET 1

1-2	23, Para. DIP1.2	Fourth line, change "shall be followed by the various" to read "shall be followed by the date of this document (or the revision, notice, etc., used) in YYYYMMDD format followed by the various".
2-4	23, DIP1.2.2.2.a	Change "type" to "category".
1-3	23, Para. DIP1.2.2.2.c	Line 3, change "210.ENTIDN002" to read "210.DESENT210".
2-5	24, Table DIP1-I	Sequence 1, Field Name column, change to read "Document category code".
2-6	24, Table DIP1-I	Sequence 5, content and validation instructions column, line 3, change "must be 120" to read "must be 248"; line 6, change "DED 0120" to read "DED0265".
1-4	24, Table DIP1-I	Superseded by 2-6.
1-5	25, Table DIP1-I	Sequence 32, Data Element Tag column, change to read "051.CONTYP051 or 912.CONTYP912 <sup>4.1</sup> ".
1-6	25, Table DIP1-I	Sequence 33, subpacket 1D and 1E columns, change to read 'M'.
2-7	25, Footnote 4	Change "Document type" to read "Document category code".
1-7	25, Footnote 4	Incorporated into 2-7.
1-8	25, Footnote 4.1 (added)	Insert a new footnote 4.1 that reads "4.1 If the value of 'document-source-type-code' (sequence 2) is 'C', use 051.CONTYP051; otherwise, use 912.CONTYP912."
1-9	25, Footnote 5	Change the footnote to read: "For subpacket 1B: If the value of 'document source type code' (sequence 2) is 'C', use the Tag that starts with 100; if the

Errata

Num. page,para,fig,etc

change

		value of 'document source type code' is 'M', use the Tag that starts with 913; must be blank for all other cases.
		For subpacket 1C: If the value of 'document source type code' (sequence 2) is 'O', use the Tag that starts with 400; if the value of 'document source type code' is 'M', use the Tag that starts with 914; must be blank for all other cases.
		For subpacket 1F, use the Tag that starts with 150."
2-8	26, Table DIP1-I	Sequence 37, column 1B, insert footnote "7.1"; column 1C, insert "M <sup>7.1</sup> ".
2-9	26, Footnote 7.1 (added)	Insert new footnote 7.1 as follows: "7.1 Must be nonblank."
2-10	26, Footnote 8	Two places, change "document type code" to read "document category code".
2-11	26, Footnote 13	Change "document type code" to read "document category code".
1-10	26, Footnote 14	Change "(sequence 41)" to read "(sequence 46)".
2-12	27, Table DIP1-I	Sequence 49, Field Name column, change "type" to read "category"; Data Element Tag column, replace entire entry with "DIP.01I049001"; Content and validation instructions column, at end of entry insert "and DIP1.3.a"
2-13	27, Table DIP1-I	Sequence 51, content & validation instructions column, line 4, change "120" to read "240"; line 7, change "0008" to read "0265".
1-11	27, Table DIP1-I	Superseded by 2-13.
2-14	27, Footnote 15	Three places, change "document type" to read "document category".
2-15	27, Footnote 16	Change "document type' (sequence" to read "document category code' (sequence)".
1-12	27, Footnote 16	Incorporated into 2-15.
2-16	27, Footnote 17	Six places, change "document type" to read "document category".
1-13	28, Footnote 18	Second line, change "(sequence 64)" to read "(sequence 65)".
2-17	28, Footnote 19	Change "document type code" to read "document category code".
1-14	28, Footnote 21	Third line, change "62)" to read "63)".
1-15	28, Footnote 21	Third line, change "(sequence 63)" to read "(sequence 64)".
1-16	29, Table DIP1-I	Insert new line for sequence 62.1 with the following values: Seq #: 62.1 <sup>27</sup> Field Name: Defined material identifier type code 1B: O <sup>25.1</sup> 1C: O <sup>25.1</sup> Data Element Tag: 921.PIDTYP921 For content and validation instructions, see: Appendix C, DED 0123
1-17	29, Table DIP1-I	Sequence 63, Seq # column, change to read "63 <sup>27</sup> ". In the 'For content and validation instructions see' column, change to read "The transmitted field must be 120 characters, left justified and consisting of a material specification identifier (Appendix C, DED 0192),

Errata

Num. page,para,fig,etc

change

		unless the value of 'defined material identifier type code' (sequence 62.1) is 'NAM', in which case, it should consist of a commercial material name (Appendix C, DED 0191)."
2-18	29, Footnote 22	Two places, change "document type code" to read "document category code".
1-18	29, Footnote 25.1 (added)	Insert a new footnote that reads "25.1 Mandatory entry if the value of 'product type code' (sequence 33) is 'M' and the value of 'document source type code' (sequence 2) is 'M'; must be blank for all other cases."
1-19	29, Footnote 27	Change "62, 63, and 65" to read "62, 63, 64, and 66".
2-19	30, Table DIP1-I	Sequence 65, content & validation instructions column, change to read "Appendix C, DED 0024. The transmitted field must be 32 characters, left justified. If the value of document-source-type-code (sequence 2) is 'M', use part-product-basic-identifier (DED 0024) as the first 30 characters followed by either two blanks or the part-product-revision-identifier (Appendix C, DED 0181)."
1-20	30, Table DIP1-I	Superseded by 2-19.
1-21	30, Table DIP1-I	Sequence 66, Seq # column, change to read "66 <sup>27</sup> ".
2-20	30, Footnote 29	Change "document type code" to read "document category code".
1-22	31, Footnote 35	First line, change "and 'Equivalent vendor part number' (sequence 67)" to read "and 'Equivalent vendor part number' (sequence 68)".
1-23	31, Footnote 38	Change "(sequence 66)" to read "(sequence 67)".
2-21	31, Footnote 39	Change "document type code" to read "document category code".
2-22	32, Footnote 42	Change "document type code" to read "document category code".
2-23	33, Footnote 45	Change "document type code" to read "document category code".
1-24	33, Footnote 47	Change the first "(sequence 61)" to read "(sequence 62)".
2-24	33, Footnote 48	Line 1, change "document type code" to read "document category code".
1-25	34, Para. DIP1.2.2.2.d	Second line, change "200.SRCTYP200 is 'S'," to read "205.DOCTYP205 is 'P-SPEC',".
1-26	34, Para. DIP1.2.2.2.d	Third line, change "200.ENTIDN002," to read "200.DESENT200,".
2-25	34, Para. DIP1.2.2.4.a	Change "document type code" to read "document category code".
1-27	34, Para. DIP1.2.2.4	Add new subparagraphs d and e which read: "d. The value of 170.SWPARA170 is the same as the value of 150.SWPARA150 (sequence 33). e. If the value of 010.ENTTYP010 (sequence 2) is 'C', then the value of 173.SRCTYP173 is 'CAG'; if the value of 010.ENTTYP010 is 'M', then the value of 173.SRCTYP173 is 'COM'."
2-26	34, Para. DIP1.2.2.5.a	Line 1, change "document type code" to read "document category code".
1-28	34, Para. DIP1.2.2.5.a	Third line, change "66" to "71".

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
1-29	34, Para. DIP1.2.2.5.b	Third line, change "66" to "71".
1-30	34, Para. DIP1.2.2.5	Add new subparagraphs c and d which read: "c. The value of 170.SWPARA170 is the same as the value of 150.SWPARA150 (sequence 33). d. If the value of 010.ENTTYP010 (sequence 2) is 'C', then the value of 173.SRCTYP173 is 'CAG'; if the value of 010.ENTTYP010 is 'M', then the value of 173.SRCTYP173 is 'COM'."
2-27	34, Para. DIP1.2.2.6 (added)	Add new paragraph that reads "DIP1.2.2.6 Subpackets 1A through 1D. If the value of document source type code (sequence 2) is 'M' and the value of 210.PARNUM210 (sequence 65) is non-null, parse the value of PARNUM210 and store the first 30 characters as 925.BPINNO919 and the last 2 characters as 925.PINREV925 in the appropriate parent record of the record in Table 910."
1-31	34, Para. DIP1.2.2.6 (added)	Superseded by 2-27.
2-28	34, Para. DIP1.3.a (added)	Add new paragraph that reads "Entry is used to validate tags used for reference document in sequences 50, 51, 52."

## DATA INFORMATION PACKET 2

1-32	35, Para. DIP2.2	Fourth line, change "shall be followed by the various" to read "shall be followed by the date of this document (or the revision, notice, etc., used) in YYYYMMDD format followed by the various".
2-29	35, Table DIP2-I	Sequence 1, Field Name column, change "type" to "category".
2-30	35, Footnote 1	Change "be 'ANALYS', 'BOOK', 'DID', 'MISC', 'PERIODL', 'PLNPROC', 'REPORT', 'TECHMAN', or 'TRD'. (For" to read "be 'DID', 'MISC', or 'TECHMAN'. (For".
2-31	36, Footnote 2	Line 1, change "type" to read "category".
1-33	36, Table DIP2-I	Sequence number 11, Data Element Tag column, change to read "010.CCCENT010".
2-32	37, Table DIP2-I	Insert new Sequence numbers 19.1, 19.2, and 19.3 that read as follows: Sequence 19.1 <sup>5.1</sup> Field Name: Part design organization identifier Subpacket 2A: O <sup>5.2</sup> Data Element Tag: 566.DESENT210 Content & validation instructions: DIP2.2.1.c and Appendix C, DED 0052 Sequence 19.2 <sup>5.1</sup> Field Name: Part number Subpacket 2A: O <sup>5.2</sup> Data Element Tag: 566.PARNUM210

## Errata

Num. page,para,fig,etcchange

		Content & validation instructions: DIP2.2.1.c and Appendix C, DED 0024
		Sequence 19.3
		Field Name: Product nomenclature
		Subpacket 2A: O <sup>5.2</sup>
		Data Element Tag: 550.CINOMN690
		Content & validation instructions: Appendix C, DED 0047
2-33	37, Para. DIP2.2.1.a	Line 2, change "0008" to read "0265".
2-34	37, Footnotes 5.1, 5.2 (added)	Insert new footnotes that read:
		"5.1 Part design organization identifier' and 'Part number' (sequence 19.1 and 19.2) must either both be blank, or both be nonblank. These fields may be repeated for each technical manual identified by sequence 1 through 8.
		5.2 Must be blank unless the value of document-category-code (sequence 1) is 'TM'."
2-35	37, Para. DIP2.2.1.c (added)	Insert new paragraph that reads: "c. If the technical manual is to be used to maintain or operate one or more specific parts, enter the part identification."
2-36	38, Para. DIP2.2.2.1	Change "type" to read "category".

## DATA INFORMATION PACKET 3

1-34	39, Para. DIP3.2	Fourth line, change "shall be followed by the various" to read "shall be followed by the date of this document (or the revision, notice, etc., used) in YYYYMMDD format followed by the various"
2-37	39, Para. DIP3.2.1.d	Replace with "d. Enter the identifier and document category code of the document that defines the part or material. The document category code is limited to 'DWG' (for parts defined by engineering drawings), 'P-SPEC' (for parts or materials defined by a program-unique specification), 'STDDOC' (for parts or materials defined by a standardization document), or 'NONE' (for commercial materials for which there is no defining document given)."
2-38	40, Table DIP3-I	Sequence 3, content & validation instructions column, change to read: "DIP3.2.1.b. For part numbers (###.PARNUM210) see Appendix C, DED 0024. The transmitted field must be 32 characters, left justified. If the value of sequence 1 is 'COM', use part-product-basic-identifier (DED 0024) as the first 30 characters followed by either two blanks or the part-product-revision-identifier (DED 0181). For materials (###.MATGID200) the transmitted field must be 120 characters, left justified and consisting of a material specification identifier (Appendix C, DED 0192) unless the

Errata

Num. page,para,fig,etc

change

		value of 'material identifier type code' (sequence 1.1) is 'NAM', in which case it should consist of a commercial material name (Appendix C, DED 0191)."
1-35	40, Table DIP3-I	Incorporated into 2-38.
1-36	40, Table DIP3-I	Insert new line for sequence 1.1 with the following values: Seq #: 1.1 Field Name: Material identifier type code 3A O <sup>1.1</sup> Data Element Tag: 921.PIDTYP921 For content and validation instructions see: Appendix C, DED 0123
1-37	40, Footnote 1.1 (added)	Insert new footnote that reads "1.1 Mandatory if the value of sequence 1 is 'M' and the item is not identified by a part number."
2-39	41, Table DIP3-I	Insert new Sequence 8.1 with the following entries: Seq #: 8.1 Field Name: Defining document category code Subpacket 3A: M Data Element Tag: DIP.03I009001 Content & validation Instructions: DIP3.2.1.d
2-40	41, Footnote 6	Lines 2 & 3, replace with "If the value of sequence 7 is 'D', the transmitted field size is 45 and consists of the concatenation of the design CAGE code (DED 0001) and the drawing alphanumeric identifier (DED 0003)."
2-41	41, Footnote 6	Lines 9 & 10, replace with "If the value of sequence 7 is 'S', the transmitted field size is 70 and consists of the concatenation of the document source enterprise (30 characters, left justified which are either a CAGE code [DED 0001], an organization acronym [DED 0002], or a company name [DED 0170]) and a document alphanumeric identifier (DED 0003)."
2-42	41, Footnote 6	Lines 11 & 12, replace with "If the value of sequence 7 is 'U', the transmitted field size is 45 and consists of the concatenation of the design CAGE code of the specification (DED 0001) and the document alphanumeric identifier (DED 0003)."
2-43	42, Table DIP3-I	Sequence 9, Field Name column, delete "and type code"; Data Element Tag column, delete "and 053.DOCTYP010, ", "and 104.DOCTYP010, ", "and 211.DOCTYP010, ", "and 436.DOCTYP010, ", and "and 919.DOCTYP010, "; Content & validation instructions column, replace entry with "DIP3.2.1.d and for engineering drawings (053.DWGNUM050) see Appendix C, DED 0009; for document numbers (###.DOCNUM###), see Appendix C, DED 0003; for materials (###.MATDOC###), see

## Errata

Num. page,para,fig,etcchange

		Appendix C, DED 0192; for document identifiers (919.DOCIDN919), see Appendix C, DED 0003 (for alphanumeric identifiers) or 0265 (for document titles); for material names (924.MATNAM922), see Appendix C, DED 0191."
2-44	42, Footnote 7	Lines 1 & 2, replace with "If the "Part/material design enterprise type code" (sequence 1) is 'CAG', the item is identified by a part number, and the "Defining document category code" (sequence 8.1) is 'DWG', use the Tag that starts with 053; if the "Defining document category code" is 'P-SPEC', use the Tag that starts with 104; if the "Defining document category code" is 'STDDOC', use the Tag that starts with 211."
2-45	42, Footnote 7	Lines 3 & 4, replace with "If the "Part/material design enterprise type code" (sequence 1) is 'CAG', the item is <i>not</i> identified by a part number, and the "Defining document category code" (sequence 8.1) is 'P-SPEC', use the Tag that starts with 106; if the "Defining document category code" is 'STDDOC', use the Tag that starts with 434."
2-46	42, Footnote 7	Lines 7 & 8, replace with "If the "Part/material design enterprise type code" (sequence 1) is 'COM', the item is <i>not</i> identified by a part number, and the "Defining document category code" (sequence 8.1) is 'P-SPEC' or 'STDDOC', use the Tag that starts with 923; if the "Defining document category code" is 'NONE', use the Tag that starts with 924."
1-38	44, Table DIP3-I	Sequence number 14, Data Element Tag column, Fifth line, change to read "346.REPTYP346 or".
1-39	45, Table DIP3-I	Sequence number 18, Data Element Tag column, insert a new first line which reads "515.MFRTIM515 or".
2-47	49, Table DIP3-I	Sequence 28, Data Element Tag column, replace line 3 with "534.OMATID534 <sup>24</sup> ".
1-40	49, Table DIP3-I	Incorporated into 2-47.
1-41	51, Table DIP3-I	Sequence number 77, Data Element Tag column, change the fifth line to read "536.MINIDN460 <sup>30</sup> ".
2-48	51, Table DIP3-I	Sequence 78, Sequence # column, delete footnote 29; Field Name column, replace entry with "Reserved"; delete entries from all other columns.
2-49	51, Footnote 30	Lines 1 & 2, replace with "For subpacket 3B: For requests for deviation, use the Tag that starts with 535; for modification instructions, use the Tag that starts with 536.
2-50	51, Footnote 30	Line 3, replace with "For subpacket 3B: For requests for deviation, use the Tag that starts with 535."
2-51	51, Footnote 30	Line 4, change "3F: If the ... 'RFD' and the value" to read "3F: For requests for deviation, if the value".

Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-52	53, Para. DIP3.2.1.u	Delete entire paragraph.
1-42	53, Para. DIP3.2.2.1	Change "DIP3.2.2.1 <u>Subpacket 3A</u> . For the defining... (sequence2)." to read: "DIP3.2.2.1 <u>Subpacket 3A</u> . a. For the defining...(sequence 2). b. The values of 900.FILNAM900, 900.FILORG900, 900.FILADD900, 900.FILDAT900, and 900.FILTIM900 (sequence 40-44) are also used to populate 232.FILNAM900, 232.FILORG900, 232.FILADD900, 232.FILDAT900, and 232.FILTIM900, respectively."
2-53	53, Para. DIP3.2.2.1.c (added)	Add new paragraph that reads "c. If the value of part/material design enterprise type code (sequence 1) is 'COM' and the value of 210.PARNUM210 (sequence 3) is non-null, parse the value of PARNUM210 and store the first 30 characters as 925.BPINNO919 and the last 2 characters as 925.PINREV925 in the appropriate parent record of the record in Table 910."
1-43	53, Para. DIP3.2.2.1.c (added)	Superseded by 2-53.
2-54	54, Para. DIP3.2.2.3.f	Delete entire paragraph.
2-55	54, Para. DIP3.2.2.4.d	Delete entire paragraph.
2-56	54, Para. DIP3.2.2.5.b	Delete entire paragraph.
2-57	54, Para. DIP3.2.2.6.b	Delete entire paragraph.
2-58	54, Para. DIP3.3.a (added)	Insert new paragraph that reads "a. Subpacket 3C. If the value of 'Source of implemented/incorporated deviation/modification instruction' (sequence 76) is nonblank, the value of document-category-code (010.DOCTYP010) associated with the document identified in sequence 76 and 77 is 'RFD'."
2-59	54, Para. DIP3.3.b (added)	Insert new paragraph that reads "b. Subpackets 3D, 3E, and 3F. If the value of 'Source of implemented/incorporated deviation/modification instruction' (sequence 76) is nonblank, the value of document-category-code (010.DOCTYP010) associated with the document identified in sequence 76 and 77 is 'MODINST'."

DATA INFORMATION PACKET 4

2-60	56, Table DIP4-I	Sequence 4, content & validation instructions column, Last line, change "0008" to read "0265".
2-61	58, Table DIP4-I	Sequence 38, 4C column, insert "M".
2-62	59, Table DIP4-I	Sequence 41, Seq # column, insert footnote 16; subpackets 4A through 4F, delete footnote 16, Data Element Tag column, change "351.BLTYPE351" to read "369.BLTYPE369".
2-63	59, Table DIP4.I	Insert new sequence 41.1 with entries as follow: Seq #: 41.1

Errata

Num. page,para,fig,etc

change

		Field Name: Interfacing CIs affected indicator flag
		Subpackets 4A through 4F: M
		Data Element Tag: 251.ECP100251
		Content & validation instructions: Appendix C, DED 0129
1-44	59, Table DIP4-I	Sequence number 42, Data Element Tag column, change the first line to read "251.PECPFG251 or".
1-45	59, Table DIP4-I	Sequence number 43, Data Element Tag column, change the first line to read "251.PECPG251 or".
1-46	59, Table DIP4-I	Sequence number 43, Data Element Tag column, change the third line to read "493.ECPAG250 <sup>24</sup> ".
2-64	59, Footnote 17	Last line, change "351.BLTYPE351" to read "369.BLTYPE369".
1-47	59, Footnote 21	First line, change "250" to read "251".
1-48	59, Footnote 24	First line, change "253" to read "251".
1-49	60, Table DIP4-I	Sequence number 44, Data Element Tag column, change the first line to read "251.PECPNO251 or".
1-50	60, Table DIP4-I	Sequence number 44, Data Element Tag column, change the third line to read "493.ECPNUM250 <sup>24</sup> ".
1-51	60, Table DIP4-I	Sequence number 45, Data Element Tag column, change the first line to read "493.ECPREV251".
1-52	60, Table DIP4-I	Sequence number 48, Data Element Tag column, change to read "359.RFDREV351".
2-65	60, Table DIP4-I	Sequence 49, Data Element Tag column, change to read "251.ECPSEQ251".
1-53	60, Table DIP4-I	Incorporated into 2-65.
1-54	60, Table DIP4-I	Sequence number 51, Data Element Tag column, change the second line to read "351.SGM022351 <sup>28</sup> ".
1-55	61, Table DIP4-I	Sequence number 57, Data Element Tag column, change to read "289.RTROCD289".
1-56	61, Table DIP4-I	Sequence number 58, Data Element Tag column, change to read "290.SGM430290".
2-66	61, Table DIP4-I	Insert new sequence number 58.1 with entries as follow: Seq #: 58.1 Field Name: Estimated retrofit completion date for ECP <sup>31</sup> Subpacket 4D: O Subpacket 4E: O <sup>30</sup> Subpacket 4F: O <sup>30</sup> Data Element Tag: 290.RETCOM290 Content & validation instructions: DIP4.2.1.x1 and Appendix C, DED 0082.
2-67	61, Table DIP4-I	Insert new sequence number 58.2 with entries as follow: Seq #: 58.2 <sup>30.1</sup>

Errata

Num. page,para,fig,etc

change

2-68	61, Table DIP4-I	<p>Field Name: Order of retrofit incorporation<sup>31</sup>                  Subpacket 4D: O                  Subpacket 4E: O                  Subpacket 4F: O                  Data Element Tag: 267.RETSEQ267                  Content &amp; validation instructions: DIP4.2.1.x2 and Appendix C, DED 0119.                  Insert new sequence number 58.3 with entries as follow:                  Seq #: 58.3<sup>30.1</sup></p>
2-69	61, Table DIP4-I	<p>Field Name: CAGE code of ECP for which coordination of retrofit implementation is necessary<sup>31</sup>                  Subpacket 4D: O                  Subpacket 4E: O                  Subpacket 4F: O                  Data Element Tag: 267.APPCAG267                  Content &amp; validation instructions: DIP4.2.1.x2 and Appendix C, DED 0001.                  Insert new sequence number 58.4 with entries as follow:                  Seq #: 58.4<sup>30.1</sup></p>
2-70	61, Table DIP4-I	<p>Field Name: Identifying number of ECP for which coordination of retrofit implementation is necessary<sup>31</sup>                  Subpacket 4D: O                  Subpacket 4E: O                  Subpacket 4F: O                  Data Element Tag: 267.APPNUM267                  Content &amp; validation instructions: DIP4.2.1.x2 and Appendix C, DED 0003.                  Insert new sequence number 58.1 with entries as follow:                  Seq #: 58.5<sup>30.1</sup></p>
2-71	61, Table DIP4-I	<p>Field Name: Identifying revision of ECP for which coordination of retrofit implementation is necessary<sup>31</sup>                  Subpacket 4D: O                  Subpacket 4E: O                  Subpacket 4F: O                  Data Element Tag: 267.APPREV267                  Content &amp; validation instructions: DIP4.2.1.x2 and Appendix C, DED 0009.</p>
2-72	61, Table DIP4-I	<p>Sequence 59, in Seq # column, insert footnote 30.2.                  Sequence 60, in Seq # column, insert footnote 30.3.</p>
2-73	61, Table DIP4-I	<p>Insert new sequence number 61.1 with entries as follow:                  Seq #: 61.1<sup>30.2,30.3,32</sup>                  Field Name: Estimated retrofit completion date for site<sup>31</sup></p>

Errata

Num. page,para,fig,etc

change

		Subpacket 4D: O
		Subpacket 4E: O
		Subpacket 4F: O
		Data Element Tag: 260.RETCOM260
		Content & validation instructions: DIP4.2.1.x3 and Appendix C, DED 0082.
2-74	61, Table DIP4-I	Insert new sequence number 62.1 with entries as follow: Seq #: 62.1 <sup>30.2,30.3,32</sup> Field Name: Manufacturer's CAGE code <sup>31,32.1</sup>
		Subpacket 4D: O
		Subpacket 4E: O
		Subpacket 4F: O
		Data Element Tag: 268.MFRCAG515
		Content & validation instructions: DIP4.2.1.x4 and Appendix C, DED 0001.
2-75	61, Table DIP4-I	Insert new sequence number 62.2 with entries as follow: Seq #: 62.2 <sup>30.2,30.3,32</sup> Field Name: Type of tracking identifier <sup>31,32.1</sup>
		Subpacket 4D: O
		Subpacket 4E: O
		Subpacket 4F: O
		Data Element Tag: 268.TRKTYP515
		Content & validation instructions: DIP4.2.1.x4 and Appendix C, DED 0057.
2-76	61, Table DIP4-I	Insert new sequence number 62.3 with entries as follow: Seq #: 62.3 <sup>30.2,30.3,32</sup> Field Name: Starting effectivity <sup>31,32.1</sup>
		Subpacket 4D: O
		Subpacket 4E: O
		Subpacket 4F: O
		Data Element Tag: 268.STREFF259
		Content & validation instructions: DIP4.2.1.x4 and Appendix C, DED 0058.
2-77	61, Footnote 30.1 (added)	Insert new footnote 30.1 that reads: "30.1 The series of fields 'Order of retrofit incorporation', (sequence 58.2) and the ECP identified in sequence 58.3 through 58.4 must either all be blank, or all be nonblank. This series may be repeated as necessary."
2-78	61, Footnote 30.2 (added)	Insert new footnote 30.2 that reads: "30.2 The sequence of fields (sequence 59, 61.1, 62.1, 62.2, and 62.3) may be repeated for each class of ship affected."

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-79	61, Footnote 30.3 (added)	Insert new footnote 30.3 that reads: "30.3 The sequence of fields (sequence 60, 61.1, 62.1, 62.2, and 62.3) may be repeated for each class of vehicle affected."
2-80	61, Footnote 31	Change "289.ECP001289" to read "289.RTROCD289".
1-57	61, Footnote 31	Superseded by 2-80.
2-81	61, Footnote 32	Replace with "32 The sequence of fields (sequence 61, 61.1, 62, 62.1, 62.2, and 62.3) may be repeated for each location affected."
2-82	61, Footnote 32.1 (added)	Insert new footnote 32.1 that reads: "32.1 This sequence of fields (sequence 62.1, 62.2, and 62.3) must be all blank or all nonblank. If nonblank, there must be an identical series of entries in sequence 75, 76, and 77 respectively with the value of the associated sequence 79 ('Forward/Retro fit') equal to 'R'. This series may be repeated for each block of assets at the site cited in sequence 59, 60, or 61."
2-83	62, Table DIP4-I	Sequence 64, Sequence number column, delete footnotes; Field name column, change entry to read "Reserved"; delete the entries from all other columns
1-58	62, Table DIP4-I	Superseded by 2-83
2-84	62, Footnote 34	Line 1 delete " 'Supplemental/affected document type,'" ; line 1 & 2, change "63 through 66" to read "63, 65, and 66".
1-59	62, Footnote 34	Superseded by 2-84
1-60	62, Footnote 35	First line, change "the 'Description of Change'" to read "the 'Summary of description of change'".
1-61	62, Footnote 35	Second line, change "the 'Need for Change'" to read "the 'Summary of need for change'".
1-62	62, Footnote 39	First line, change "50" to read "63".
1-63	62, Footnote 39	At the end of the footnote, insert a new line that reads "For subpacket 4J: Use the Tag that starts with 301."
1-64	63, Table DIP4-I	Sequence 65, Data Element Tag column, insert "304.DESCAG100 or 305.SRCORG024 or 306.DESCAG050 or 307.DESCAG050 or" immediately before "352.SRCIDN010".
1-65	63, Table DIP4-I	Sequence 66, Data Element Tag column, insert "304.DOCNUM020 or 305.DOCNUM020 or 306.DWGNUM050 or 307.DWGNUM050 or" immediately before "352.DOCIDN010".
2-85	63, Table DIP4-I	Sequence 66, content & validation instructions column, Line 2, change "240" to read "248"; Last line, change "0008" to read "0265".
1-66	63, Table DIP4-I	Sequence 67, Data Element Tag column, insert "304.DOCREV101 or 305.DOCREV011 or 306.DOCREV051 or 307.DOCREV051 or" immediately before "352.DOCREV011".
1-67	63, Footnote 41	Replace footnote text with the following: "For subpacket 4I: If the value of 'Modification instruction type code' (sequence 26) is 'MWO', use the Tag that starts with

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
		468; if the value of sequence 26 is 'RAC', use the Tag that starts with 464; for all other values of sequence 26, use the Tag that starts with 461.
		For subpacket 4J: If the value of 'Affected document type code' (sequence 64) is 'P-SPEC', use the Tag that starts with 304; if the value of sequence 64 is 'STDDOC', use the Tag that starts with 305; if the value of sequence 64 is 'DWG', use the Tag that starts with 306; if the value of sequence 64 is 'PL', use the Tag that starts with 307."
1-68	64, Footnote 48	Change the second line to read "For subpacket 4G: Use the Tag that starts with 353, 360, and 365 for software, parts, and materials, respectively.
1-69	65, Footnote 49	Change "(sequence 60)" to read "(sequence 71)".
1-70	66, Table DIP4-I	Sequence 75, Data Element Tag column, change 364.MFGCAG515" to read "366.MFGCAG515".
1-71	66, Table DIP4-I	Sequence 76, Data Element Tag column, change 364.TRKTYP515" to read "366.TRKTYP515".
1-72	66, Table DIP4-I	Sequence 77, Data Element Tag column, change 364.STREFF364" to read "366.STREFF366".
1-73	66, Table DIP4-I	Sequence 78, Data Element Tag column, change 364.ENDEFF364" to read "366.ENDEFF366".
1-74	66, Footnote 53	Second line, change "documents and the Tag that starts with 366 for software" to read "parts and the Tag that starts with 366 for materials"
1-75	68, Table DIP4-I	Sequence 88, Data Element Tag column, change to read "263.RNRTIM263".
1-76	68, Footnote 62	Change "(sequence 51)", "(sequence 78)", and "(sequence 79)" to read "(sequence 57)", "(sequence 88)", and "(sequence 89)", respectively.
1-77	69, Table DIP4-I	Sequence 96, Data Element Tag column, change to read "255.CLINUM959 or 355.CLINUM959 <sup>65</sup> ".
1-78	69, Table DIP4-I	Sequence 98, Data Element Tag column, change to read "289.SGM342289".
1-79	69, Table DIP4-I	Sequence 99, Data Element Tag column, change to read "289.SGM341289".
1-80	69, Table DIP4-I	Sequence 100, column 4G, change to read 'O'; in column 4J, change the entry to blank.
2-86	70, Table DIP4-I	Sequence 111, column 4F, change to read 'O'.
1-81	70, Table DIP4-I	Sequence 112 through 119, column 4F, change to read 'O'.
1-82	71, Table DIP4-I	Sequence 120 through 124, column 4F, change to read 'O'.
1-83	71, Table DIP4-I	Sequence 124, Data Element Tag column, change to read "290.ECP50B290".

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
1-84	71, Table DIP4-I	Sequence 126 through 132, column 4F, change to read 'O'.
2-87	71, Table DIP4-I	Sequence 134, in column 4F, change to read 'O'.
1-85	71, Table DIP4-I	Rescinded.
1-86	72, Table DIP4-I	Sequence 136 through 138, column 4F, change to read 'O'.
1-87	72, Footnote 69	Line 1, change "(sequence 136) and 'Link to other or unusual effect' (sequence 137)" to read "(sequence 137) and 'Link to description of other or unusual effect' (sequence 138)".
1-88	72, Footnote 70	First line, delete "ECP ".
1-89	73, Table DIP4-I	Sequence 185, 4J column, insert "O".
1-90	73, Table DIP4-I	Sequence 185, Data Element Tag column, after the word "or", insert "314.FILORG900 or" and change "358.FILORG900" to read "358.FILORG900 <sup>72.2</sup> ".
1-91	73, Table DIP4-I	Sequence 186, 4J column, insert "O <sup>72.1</sup> ".
1-92	73, Table DIP4-I	Sequence 186, Data Element Tag column, after the word "or", insert "314.FILADD900 or" and change "358.FILADD900" to read "358.FILADD900 <sup>72.2</sup> ".
1-93	73, Table DIP4-I	Sequence 187, 4J column, insert "O <sup>72.1</sup> ".
1-94	73, Table DIP4-I	Sequence 187, Data Element Tag column, after the word "or", insert "314.FILIDN900 or" and change "358.FILIDN900" to read "358.FILIDN900 <sup>72.2</sup> ".
1-95	73, Table DIP4-I	Sequence 188-189, 4J column, insert "O <sup>72.1</sup> ".
1-96	73, Table DIP4-I	Sequence 188-189, Data Element Tag column, after the word "or", insert "314.FILDAT900 and 314.FILTIM900, or" and change "358.FILTIM900" to read "358.FILTIM900 <sup>72.2</sup> ".
1-97	73, Table DIP4-I	Sequence 190-223, 4J column, insert "O <sup>72.1</sup> ".
1-98	73, Table DIP4-I	Sequence 224, column 4G, change the entry to blank; in the Data Element Tag column, delete "or 358.FILORG900".
1-99	73, Table DIP4-I	Sequence 225, column 4G, change the entry to blank; in the Data Element Tag column, delete "or 358.FILADD900".
1-100	73, Table DIP4-I	Sequence 226, column 4G, change the entry to blank; in the Data Element Tag column, delete "or 358.FILIDN900".
1-101	73, Table DIP4-I	Sequence 227-228, column 4G, change the entry to blank; in the Data Element Tag column, delete ", or 358.FILDAT900 and 358.FILTIM900".
2-88	73, Footnote 72.1 (added)	Add new footnote 72.1 that reads as follows: "Must be blank if expanded text file originator (sequence 185) is blank; otherwise must be nonblank."
1-102	73, Footnote 72.1 (added)	Incorporated into 2-88.
1-103	73, Footnote 72.2 (added)	Add a new footnote 72.2 that reads as follows: "For subpackets 4D through 4F: Use the Tags that start with 261. For subpacket 4G: Use the Tags that start with 358. For subpacket 4J: Use the Tags that start with 314."

Errata

Num. page,para,fig,etc

change

1-104	74, Table DIP4-I	Sequence 229-261, column 4G, change the entry to blank.
1-105	74, Table DIP4-I	Sequence 300, Data Element Tag column and in the 'content & validation instructions' column, change "4G" to read "4J".
1-106	74, Table DIP4-I	<p>At the end of the table, add two new sequence numbers with the following entries:</p> <p>Seq#: 331<sup>77.1</sup></p> <p>Field name: Type of change to defined part</p> <p>4J: O<sup>77.2</sup></p> <p>Data Element Tag: 317.CHGTYP317</p> <p>For content and validation instructions see: DIP4.2.1.ad and Appendix C, DED 0261</p> <p>Seq#: 332<sup>77.1</sup></p> <p>Field name: Part identifier</p> <p>4J: O<sup>77.2</sup></p> <p>Data Element Tag: 317.PARNUM317</p> <p>For content and validation instructions see: DIP4.2.1.ad and Appendix C, DED 0024</p>
1-107	74, Footnotes 77.1 and 77.2 (added)	<p>Insert two new footnotes that read:</p> <p>"77.1 Repeat the series of fields 'Type of change to defined part' and 'Part identifier' (sequence 331 and 332) as necessary.</p> <p>77.2 The value of 'Type of change to defined part' and 'Part identifier' (sequence 331 and 332) must either both be blank, or both be nonblank."</p>
1-108	75, Para. DIP4.2	<p>Fourth line, change "...shall be followed by the various..." to read "...shall be followed by the date of this document (or the revision, notice, etc., used) in YYYYMMDD format followed by the various..."</p>
2-89	77, DIP4.2.1.x1 & DIP4.2.1.x2 (added)	<p>Between paragraphs DIP4.2.1.m and DIP4.2.1.n, insert the new paragraphs that read:</p> <p>"x1. Enter the estimated completion date for retrofitting all assets identified for retrofit by this ECP.</p> <p>x2. If the retrofit implementation of this ECP must be coordinated with the retrofit implementation of any other approved ECPs, identify the other ECP(s) and the order of retrofit implementation of this ECP relative to the other ECP."</p> <p>(Note: actual paragraph numbers will be assigned, and succeeding paragraphs renumbered, at time of publication.)</p>

Errata

Num. page,para,fig,etc

change

2-90	77, DIP4.2.1.x3 & DIP4.2.1.x4 (added)	Between paragraphs DIP4.2.1.n and DIP4.2.1.o, insert the new paragraphs that read: "x3. Enter the estimated completion date for retrofitting all assets in the specified class of ships or vehicles, or at the specified location. x4. If the exact tracking numbers (serial, lot, etc.) affected in the specified ship class, vehicle class, or location is known, enter the information here. Note that this information is also entered in ECP effectivity (sequence 75-78) and this series of entries only serves as a link between the block(s) of assets to be retrofit and the site of the block(s)." (Note: actual paragraph numbers will be assigned, and succeeding paragraphs renumbered, at time of publication.)
1-109	80, Para. DIP4.2.1.ad (added)	Insert a new paragraph DIP4.2.1.ad that reads "Specify the addition or deletion of a part to/from the set of parts defined by the drawing."
2-91	80, Para. DIP4.2.2.1.d	Change "type" to read "category".
2-92	81, Para. DIP4.2.2.1.f	Change to read "Reserved."
1-110	81, Para. DIP4.2.2.1.f	Superseded by 2-92.
1-111	81, Para. DIP4.2.2.1.f	Superseded by 2-92.
1-112	81, Para. DIP4.2.2.1.g	Line 1, change "250.PECPFG250" to read "251.PECPFG251".
1-113	81, Para. DIP4.2.2.1.g	Line 2, change "250.ECPSEQ250" to read "251.ECPSEQ251".
1-114	81, Para. DIP4.2.2.1.2.c	Delete the entire paragraph.
2-93	80, Para. DIP4.2.2.2.d	Change "type" to read "category".
1-115	82, Para. DIP4.2.2.2.f	Last line, change "359.RFD TYP340" to read "359.RFD TYP350".
2-94	80, Para. DIP4.2.2.3	Change "type" to read "category".
2-95	80, Para. DIP4.2.2.4.a	Change "type" to read "category".
1-116	82, Para. DIP4.2.2.4.d	Last line, change "467.TMNTYP550" to read "464.TMNTYP550".
2-96	80, Para. DIP4.2.2.5.d	Change "type" to read "category".
1-117	82, Para. DIP4.2.2.5	Insert a new subparagraph f which reads: "f. If the value of affected-document-type-code, 301.ADOCTY301, is 'P-SPEC', then the value of 304.DOCTYP010 must also be 'P-SPEC'. If the value of 301.ADOCTY301 is 'STDDOC', then the value of 305.DOCTYP010 must also be 'STDDOC'. If the value of 301.ADOCTY301 is 'DWG', then the value of 306.DOCTYP010 must also be 'DWG'. If the value of 301.ADOCTY301 is 'PL', then the value of 307.DOCTYP010 must also be 'PL'."

DATA INFORMATION PACKET 5

1-118	91, Para. DIP5.2	Fourth line, change "...shall be followed by the various..." to read "...shall be followed by the date of this document (or the revision,
-------	------------------	---

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
		notice, etc., used) in YYYYMMDD format followed by the various..."
2-97	91, Para. Table DIP5-I	Sequence 4, Field Name column, change "document type" to read "document category"; Data Element Tag column, change "262.ECPTYP250 or 370.RFDTYP350" to read "DIP.05I004001"; Content and validation instructions column, replace with "For subpacket 5A, DIP5.2.1.c, DIP5.3.a, and Appendix C, DED 0004; for subpacket 5B, Appendix C, DED 0070."
2-98	91, Footnote 1	Replace text with "If the value of 'Document category code' (sequence 4) is 'ECP', use the Tag that starts with 262; if the value of 'Document category code' is 'RFD', use the Tag that starts with 370."
2-99	91, Footnote 2	Line 1, change "Table 262 for ECPs and Table 370 for RFDs." to read "the Tag that starts with DIP."; Line 2, change "Table" to read "the Tag that starts with".
1-119	92-94, Table DIP5-I	In the entries for sequence 10 through 30, sequence column insert a reference to footnote 2.1.
2-100	92, Table DIP5-I	Sequence 20, Field Name column, change "type" to read "category"; Data Element Tag column, replace entry with "DIP.05I020001"; Content and validation instructions column, after "DIP5.2.1.k" insert ", DIP5.3.b,".
1-120	92, Footnote 2.1 (added)	At the bottom of the page insert new footnote 2.1 that reads: "Repeat the sequence of fields sequence 10 through 30 for each action item.
2-101	92, Footnote 3	Line 1, Replace "Use...RFDs." with "If the value of 'Document category code' (sequence 4) is 'ECP', use the Tag that starts with 262; if the value of 'document category code' is 'RFD' use the Tag that starts with 370. Line 2, replace "Table" with the phrase "the Tag that starts with".
2-102	93, Table DIP5-I	Sequence 22, Subpacket 5B column, insert footnote 5.1.
2-103	93, Table DIP5-I	Sequence 24, content & validation instructions column, Line 1, change "240" to read "248"; Line 6, change "0008" to read "0265".
2-104	93, Footnote 5	Line 1, change "type" to "category".
2-105	93, Footnote 5.1 (added)	Insert new footnote that reads "5.1 Must be blank if the 'Violated document category' (sequence 20) is 'CONTRCT', or if the 'Violated document source' (sequence 23) is nonblank."
2-106	93, Footnote 6	Line 1, change "type" to "category".
2-107	93, Footnote 8	Line 1, change "type" to "category".
2-108	93, Footnote 10	Line 1, Replace "Use...RFDs." with "If the value of 'Document category code' (sequence 4) is 'ECP', use the Tag that starts with 262; if the value of 'document category code' is 'RFD' use the Tag

## Errata

Num. page,para,fig,etcchange

		that starts with 370. Line 2, replace "Table" with the phrase "the Tag that starts with".
2-109	95, Para. DIP5.2.1.k	Line 1, change "type" to "category"; Line 2, change "item. <sup>11</sup> " to read "item. This must be either 'CONTRCT' or 'MISC'. <sup>11</sup> ".
1-121	95, Para. DIP5.2.2.1.a	Line 1, change "262.TMNTYP552" to read "262.TMNTYP550".
2-110	95, Para. DIP5.2.2.2	Line 1, change "type" to read "category".
2-111	95, Para. DIP5.3.a (added)	Insert new paragraph that reads "a. This field is used to validate the use of Tags in sequence 5 and 6."
2-112	95, Para. DIP5.3.b (added)	Insert new paragraph that reads "b. This field is used to validate the use of sequences 21 through 25."

## DATA INFORMATION PACKET 6

2-113	97, Para. DIP6.1.1	In entry for 6C1, change Applicability to read "Define contract/modification"
1-122	97, Para. DIP6.1.1	After the entry for 6C5, insert a new line that reads "6C6 DD Form 250"
1-123	97, Para. DIP6.2	Fourth line, change "...shall be followed by the various..." to read "...shall be followed by the date of this document (or the revision, notice, etc., used) in YYYYMMDD format followed by the various..."
1-124	98, Table DIP6-I	Sequence 10, Data Element Tag column, change to read "004.ENTNAM004 or 006.COMNAM005 or 007.DODORG034 <sup>8.1</sup> ".
1-125	98, Footnote 3	Change "...is 'ORG'; must be..." to read "...is 'ORG' or 'CAG'; must be..."
1-126	98, Footnote 8.1 (added)	At the bottom of the page insert new footnote 8.1 that reads: "If the value of 'enterprise identification type code' (sequence 2) is 'ORG', use the Tag that starts with 004. If the value of sequence 2 is 'CAG' and the value of 'CAGE type code' (sequence 3) is 'C', use the Tag that starts with 006. If the value of sequence 2 is 'CAG' and the value of sequence 3 is 'G', use the Tag that starts with 007."
1-127	98, Footnote 9	Change "(sequence 10)" to read "(sequence 12)".
1-128	99, Table DIP6-II	Seq # 7, Field Name column, delete "identifier".
1-129	101, Footnote 16	Change "(sequence 9)" to read "(sequence 10)".
1-130	101, Footnote 17	Second line, change "(sequence 9)" to read "(sequence 10)".
1-131	101, Footnote 19	Change footnote to read "If the 'CCB chairperson' (sequence 15) is nonblank, the 'CCB chairperson/member address' (sequence 17) must be nonblank and contain the address of the CCB chairperson."
1-132	101, Footnote 20	Change footnote to read "If the 'CCB member name' (sequence 16) is nonblank, the 'CCB chairperson/member address' (sequence 17) must be nonblank and contain the address of the CCB member."

Errata

Num. page,para,fig,etc

change

- 1-133 102, Para. DIP6.2.2.2.1.a Line 1, change "CI designation name" to read "CI name".
- 1-134 103, Para. DIP6.2.3.2 (added) Insert a new paragraph that reads  
 "DIP6.2.3.2 Constants. The following fields associated with the subpackets indicated are necessary to properly populate the DOD CSA database, but have the constant value indicated. Because they have constant values, they do not have to be transmitted as part of the information packet.  
 DIP6.2.3.2.1 For subpacket 6C1.  
 a. The value of 975.AGR TYP975 is 'C'.  
 b. The value of 'contract identifier' (sequence 1) must be parsed to populate or verify existence of parent records. The contract-document-alphanumeric-identifier (DED 0226) portion must exist as 020.DOCNUM020, 976.AGRIDN976, and 977.CONNUM977. The document-source-enterprise-identifier (DED 0052) portion must exist as 002.ENTIDN002 and 020.SRCENT020. The document-type-code (DED 0004) portion must exist in a parent record in Table 020 with the values of 020.DOCNUM020 and 020.SRCENT020.  
 DIP6.2.3.2.2 For subpacket 6C6. If the value of DIP6C6.61 (sequence 61) is blank and the value of DIP6C6.43 (sequence 43) is nonblank, then the value of 'DD 250 identifier' (sequence 32.1) is used to populate 953.SHPIDN960 for the instance in Table 953 identified by the values in sequence 1, 2, 36, and 43. If the value of DIP6C6.61 (sequence 61) is nonblank, then the value of 'DD 250 identifier' (sequence 32.1) is used to populate 954.SHPIDN960 for the instance in Table 954 identified by the values in sequence 1, 2, 36, 43, and 61.
- 1-135 104-109, Table DIP6-IV Under the heading 'Data Information subpacket', insert a new column labeled '6C6' to the right of the column labeled 6C5.
- 1-136 104, Table DIP6-IV Sequence 1, 6C6 column, change to read 'M'. In the Data Element Tag column, after "950.CONIDN950", insert " or 960.CONIDN950".
- 1-137 104, Table DIP6-IV Sequence 2, 6C6 column, change to read 'M'. In the Data Element Tag column, after "951.CONMOD951", insert " or 960.CONMOD951<sup>23.1</sup>".
- 1-138 104, Footnote 23 Change  
 "... starts with 961:  
 For all other..."  
 to read  
 "... starts with 961.

Errata

Num. page,para,fig,etc

change

- For subpacket 6C6: Use the Tag that starts with 960.  
For all other..."
- 1-139 104, Footnote 23.1 (added) Insert new footnote that reads  
"23.1 For subpacket 6C6: Use the Tag that starts with 960.  
For all other subpackets: Use the Tag that starts with 951.
- 2-114 105, Table DIP6-IV Sequence numbers 15 through 32, column 6C1, change "O" to "M"
- 1-140 105, Table DIP6-IV Insert a new line for sequence 32.1 with the following values:  
Seq #: 32.1  
Field name: DD 250 identifier  
6C6: M  
Data Element Tag: 960.SHPIDN960  
For content and validation  
instructions see: Appendix C, DED 0003
- 1-141 105, Table DIP6-IV Sequence 33, 6C6 column, change to read 'M'. In the Data Element  
Tag column, after "958.CLINUM959" and before the footnote,  
insert " or 960.CLINUM959".
- 1-142 105, Footnote 28 Change the footnote to read:  
"28 For subpackets 6C1 through 6C5: If 'Contract exhibit  
identifier' (sequence 36) is nonblank, use the Tag that  
starts with 958; otherwise, use the Tag that starts with  
959.  
For subpacket 6C6: Use the Tag that starts with 960."
- 1-143 106, Table DIP6-IV Sequence 34, 35, and 36, Seq # column, change footnote '28' to '27'.
- 1-144 106, Table DIP6-IV Sequence 36, 6C6 column, change to read 'M'. In the Data Element  
Tag column, after "958.CONEXH952" and before the footnote,  
insert " or 960.CONEXH952".
- 1-145 106, Table DIP6-IV Sequence 43, Seq # column, change to read "43<sup>30.1</sup>". In the 6C6  
column, change to read "O<sup>30.2</sup>". In the Data Element Tag column,  
after "953.CDRLIN953", insert " or DIP6C6.43<sup>30.3</sup>".
- 1-146 106, Footnote 30 Change the footnote to read:  
"30 For subpackets 6C1 through 6C5: If 'Contract line item  
number' (sequence 33) is nonblank, use the Tag that  
starts with 958; otherwise, use the Tag that starts with  
952.  
For subpacket 6C6: Use the Tag that starts with 960."
- 1-147 106, Footnotes 30.1 through 30.3 (added) Insert new footnotes that read  
"30.1 Repeat the series of fields sequence 43 and sequence 61 as  
necessary.  
30.2 Mandatory if the DD Form 250 is being used to request  
payment for delivery of a contract data item.  
30.3 For subpackets 6C1 through 6C5: Use 953.CDRLIN953.

Errata

Num. page,para,fig,etc

change

- 1-148 107, Footnote 36 For subpacket 6C6: Use DIP6C6.43." Change "(sequence 70)" to read "(sequence 71)".
- 1-149 108, Table DIP6-IV Sequence 61, Seq # column, change to read "61<sup>38.1</sup>". In the 6C6 column, change to read "O". In the Data Element Tag column, after "954.CDRLSB954", insert " or DIP6C6.61<sup>38.1</sup>".
- 1-150 108, Table DIP6-IV Sequence 66, Field name column, change to read "Quantity of documents (or items) to be delivered". In the 6C6 column, change to read "O". In the Data Element Tag column, change to read "960.SHPQTY960 and 960.UOMCOD960, or 962.DOCQTY962, or 964.DOCQTY964<sup>41</sup>". In the content and validation instructions column, change "Appendix C, DED 0158 and for 6C1: ... 14a and 14b." to read "For 6C1, 6C2 and 6C5: Appendix C, DED 0158. For 6C1: ... 14a and 14b. For 6C6: Appendix C, DEDs 0148 and 0054."
- 1-151 108, Footnote 38.1 (added) Insert new footnote that reads "38.1 For subpackets 6C1 through 6C5: Use 954.CDRLSB954. For subpacket 6C6: Use DIP6C6.61."
- 1-152 108, Footnote 41 Add a third line to the footnote that reads: For subpacket 6C6: Use the Tags that start with 960."
- 1-153 109, Table DIP6-IV Sequence 72, Field name column, change to read "Data submittal/DD Form 250 status". In the 6C6 column, change to read "M". In the Data Element Tag column, change to read "956.SUBSTA956 or 973.SHPSTA973<sup>41.1</sup>".
- 1-154 109, Table DIP6-IV Sequence 73, Field name column, change to read "Data submittal/DD Form 250 status date". In the 6C6 column, change to read "M". In the Data Element Tag column, change to read "956.STATDT956 or 973.STATDT973<sup>41.1</sup>".
- 2-115 109, Table DIP6-IV Sequence 78, Sequence number column, delete footnote 42; Field name column, replace entry with "(Reserved)"; delete entries in all other columns.
- 1-155 109, Table DIP6-IV At the end of the table, add three new lines with the following entries:  
 Seq #: 123  
 Field name: Price of goods transferred by DD Form 250  
 6C6: O  
 Data Element Tag: 960.SHPAMT960  
 For content and validation instructions see: Appendix C, DED 0146
- Seq #: 124  
 Field name: Description of goods transferred by DD Form 250  
 6C6: O

Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
		Data Element Tag: 960.SHPDES960 For content and validation instructions see: Appendix C, DED 0147
		Seq #: 125 Field name: Shipping date 6C6: O Data Element Tag: 960.SHPDAT960 For content and validation instructions see: Appendix C, DED 0082
1-156	109, Footnote 41.1 (added)	Insert new footnote that reads "41.1 For subpacket 6C5: Use the Tag that starts with 956. For subpacket 6C6: Use the Tag that starts with 973."
1-157	110, Para. DIP6.2.4.2.5 (added)	Insert a new paragraph DIP6.2.4.2.5 that reads " <u>Subpacket 6D6</u> . If the value of 967.DOCREV011 (sequence 10) is nonblank, then, 965.DOCREV011 has the same value."
2-116	110, Para. DIP6.2.4.2.6 (added)	Insert a new paragraph DIP6.2.4.2.6 that reads " <u>Subpacket 6D8</u> . The value of document category code (010.DOCTYP010) for the document identified in sequence 7 and 8 must be 'ECP'.
1-158	110, Para. DIP6.2.4.2.6	Incorporated into 2-109.
1-159	111, Table DIP6-V	Sequence 7, Data Element Tag column, change "250.ECPCAG250" to read "251.ECPCAG251" and delete "294.ECPCAG250 or 373.RFDCAG350 or".
1-160	111, Footnote 45	In the entry for subpacket 6D5, change (a) to read "(a) For CDCA disposition of the document as part of the document revision approval process, use the Tag that starts with 850".
1-161	111, Footnote 45	Subpacket 6D6, change item (a) to read "If the CDCA of the document contained in the data item submittal submitted the data item, use the Tag that starts with 966."
1-162	111, Footnote 45	In the entry for subpacket 6D6, change item (b) to read "If an AA of the document contained in the data item submittal submitted the data item, use the Tag that starts with 967."
1-163	112, Table DIP6-V	Sequence 8, Data Element Tag column, change "250.ECPNUM250" to read "251.ECPNUM251" and delete "294.ECPNUN250 or 373.RFDNUM350 or".
2-117	112, Table DIP6-V	Sequence 8, Content & validation instructions column, Line 2, change "240" to read "248"; Last line, change "0008" to read "0265".
2-118	112, Table DIP6-V	Sequence 9, Field name column, change "type" to read "category"; Subpacket 6D1, 6D2, 6D3, 6D4, 6D6, 6D7, and 6D8 columns, delete the "M"; Data Element Tag column, replace entry with "DIP.06V009001".
1-164	112, Table DIP6-V	Incorporated into 2-111.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
1-165	112, Table DIP6-V	Superseded by 2-111.
1-166	112, Table DIP6-V	Sequence 10, Data Element Tag column, lines 1 & 2, delete "294.ECPREV251 or 373.RFDREV351 or"; line 5, delete "956.DOCREV011 or"; line 6, after "965.DOCREV011" and before footnote 46, insert "967.DOCREV011".
2-119	112, Table DIP6-V	Sequence 10, Content and validation instructions column, last line, change "type." to read "category (see Appendix B, Table B-I)."
1-167	112, Footnote 46	In the entry for subpacket 6D5, change (a) to read "(a) For CDCA disposition of the document as part of the document revision approval process, use the Tag that starts with 850".
1-168	112, Footnote 46	In the entry for subpacket 6D6, change "Use the Tag that starts with 965." to read "(a) if the CDCA of the document contained in the data item submittal submitted the data item, use the Tag that starts with 965. (b) If an Application Activity for a document contained in the data item submittal submitted the data item, use the Tag that starts with 967."
1-169	113, Table DIP6-V	Sequence 12, Data Element Tag column, last line, change footnote "45" to "47".
1-170	113, Table DIP6-V	Sequence 14, Data Element Tag column, change to read "806.RELLIM806".
1-171	113, Footnote 47	Subpacket 6D6, change item (a) to read "If the CDCA of the document contained in the data item submittal submitted the data item, use the Tag that starts with 966."
1-172	113, Footnote 47	Subpacket 6D6, change item (b) to read "If an AA of the document contained in the data item submittal submitted the data item, use the Tag that starts with 967."
1-173	114, Table DIP6-V	Sequence 54, Data Element Tag column, second line, change "968.FILORG968" to read "968.RFILOR968".
2-120	115, Footnote 56	Subpacket 6D5 (a), line 1, change "type" to "category".
2-121	116, Footnote 57	Subpacket 6D5 (a), line 1, change "type" to "category".
1-174	116, Footnote 60	Change "approval status (sequence" to read "approval process 'Disposition status code' (sequence)".
1-175	117, Table DIP6.V	Sequence 76 erroneously added by the Errata dated Nov. 1987 is deleted by the Errata dated 31 March 1998.
1-176	117, Footnote 63	Change "process status (sequence 66)" to read "process 'Disposition status code' (sequence 68)".
1-177	117, Footnotes 63.1 & 63.2 (added)	Insert new footnotes 63.1 and 63.2 that read as follows: "63.1 Must be nonblank if 'disposition status code' (sequence 68) has a value of 'APV' or 'ADOPT' and the value of 'document type code' (sequence 9) is 'NOR'; otherwise must be blank.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
		63.2 If the value of application activity identifier' (sequence 62) is nonblank, use 863.IMPCOD863; otherwise, use 309.IMPCOD309."
2-122	119, Table DIP6-VI	Sequence 9, Field name column, change entry to read "Document category or media type code"; Subpacket 6E1 column, delete entry; Data Element Tag column, replace entry with "194.MEDTYP194 or 670.DOCTYP670 <sup>72.1</sup> "; Content & validation instructions column, replace entry with "For Tag 194.MEDTYP194: Appendix C, DED 0238; for Tag 670.DOCTYP670: DIP6.2.5.X.a and Appendix C, DED 0004."
2-123	119, Table DIP6-VI	Sequence 10, Content and validation instructions column, last line, change "type" to read "category (see Appendix B, Table B-I)."
2-124	119, Para. DIP6.2.5.X (added)	Insert a new paragraph before paragraph DIP6.2.5.1 that reads "DIP6.2.5.X Content instructions for subpackets 6E1 through 6E3. a. The value of 'document category' (sequence 9) must be either 'ECP' or 'RFD'.". (Succeeding paragraphs will be renumbered at publication.)
2-125	119, Footnote 72.1 (added)	Insert new footnote that reads "72.1 For subpacket 6E2: Use the Tag that starts with 194. For subpacket 6E3: Use the Tag that starts with 670."
2-126	120, Para. DIP6.2.5.1.2	Delete entire paragraph.
2-127	120, Table DIP6-VII	Sequence 1, Field name column, change "type" to read "category"; Subpacket 6F2, 6F3, and 6F4 columns, delete entry; Data Element Tag column, replace with "DIP.6VII01001".
2-128	120, Table DIP6-VII	Sequence 2, Data Element Tag column, delete footnote 77.
2-129	120, Table DIP6-VII	Sequence 3, Data Element Tag column, delete footnote 77.
2-130	120, Footnote 76	Delete entire footnote.
1-178	121	Insert a new para DIP6.2.6.2 as follows: "DIP.6.2.6.2 <u>Constants for subpackets 6F1 through 6F4.</u> a. For subpacket 6F4, if the value of sequence 10 (Add/Change/Delete action) is either 'AA' or 'DG', then the value of 033.GLAACD033 must be 'N'. If the value of sequence 10 is either 'AB' or 'AG', then the value of 033.GLAACD033 must be 'Y'."
2-131	121, DIP6.3.1 (added)	Add new paragraph that reads "DIP6.3.1 Subpacket 6D5. The document category code (DIP.06V009001, sequence 9) is used to validate Tags used in sequences 7, 8, 10, 68, and 69."
2-132	121, Footnote 78	Change "type" to read "category".

## Errata

Num. page,para,fig,etc change

## DATA INFORMATION PACKET 7

2-133	123, Table DIP7-I	Sequence 3, Field Name column, replace entry with "Reserved"; Delete contents of all other columns.
1-179	123, Table DIP7-I	Sequence 4, Data Element Tag column, change to read "302.DOCREV051".
2-134	125, Para. DIP7.2.1.b	Replace with "Reserved"
1-180	125, Footnote15	Line 1, change "and 'Unit'" to read "and 'Component unit'".
1-181	126, Para. DIP7.2.1.j	In the last line, change "(sequence 14 and 15)" to read "(sequence 15 and 16)".
2-135	127, Para. DIP7.2.2.3.1	Lines 1 & 3, delete "'Document type code','"; Line 2, change "1 through 4" to read "1, 2, and 4"; Line 3, delete "1, "; Line 4, delete "224.DOCTYP010, ".
2-136	127, Para. DIP7.3.a & DIP7.3.b (added)	Insert new paragraphs that read: "a. For subpacket 7A, the value of the document category code in sequence 1 of the calling subpacket 1A must be either 'DWG' or 'PL'. b. For subpacket 7B, the value of the affected document category code in sequence 64 of the calling subpacket 4J must be either 'DWG' or 'PL'."

## DATA INFORMATION PACKET 8

1-182	130, Table DIP8-I	Sequence 9, content and validation instructions column, at the end of the entry insert "and Appendix C, DED 0170".
1-183	130, Table DIP8-I	Sequence 16, M/O column, change footnote 9 to footnote 11.
1-184	130, Footnote 11	First line, change "of 'Government data rights code' is "N" or "U". For all other values of 'Government data rights code', this" to read "of 'Government rights in technical data code' (sequence 14) is "N" or "U". For all other values of sequence 14, this".
1-185	130, Footnote 12	Change "of 'Government data rights code' is" to read "of 'Government rights in technical data code' (sequence 14) is".
1-186	130, Footnote 13	Line 1, change "of 'Government data right code' is" to read "of 'Government rights in technical data code' (sequence 14) is".

## DATA INFORMATION PACKET 9

1-187	133, Table DIP9-I	Sequence 1, change the entries in the following columns to read as indicated: Field Name:      Filename (identifier)
-------	-------------------	--

Errata

Num. page,para,fig,etc

change

		Data Element Tag: 900.FILIDN900 For content and validation instructions, see: Appendix C, DED 0206
1-188	134, Table DIP9-I	Sequence 11, Data Element Tag column, change to read "902.APPLOC902".
1-189	134, Table DIP9-I	Sequence 12, Data Element Tag column, change to read "902.LAUNCH902".
2-137	134, Table DIP9-I	Insert new sequence 32.1 that reads as follows: Sequence: 32.1 <sup>5.1</sup> Field Name: File size (bytes) Subpacket 9A: O <sup>6</sup> Subpacket 9B: O <sup>6</sup> Data Element Tag: DIP.09I033001 Content & validation instructions: Must be a right-justified integer with a value that is greater than 0 and less than or equal to 999,999,999,999,999.
2-138	134, Table DIP9-I	Sequence 33, Seq # column, insert footnote 5.1; Data Element Tag column, change to read "DIP.09I034001".
1-190	134, Table DIP9-I	Superseded by 2-131.
2-139	134, Table DIP9-I	Insert new sequence 34 that reads as follows: Sequence: 34 Field Name: Drawing sheet number Subpacket 9B: O <sup>9</sup> Data Element Tag: 820.SHTNUM052 Content & validation instructions: Appendix C, DED 0026.
2-140	134, Footnote 5	Change "sequence 33 must" to read "sequence 32.1 and 33 must be blank."
2-141	134, Footnote 5.1 (added)	Insert new footnote that reads "The entries in 'File size (bytes)' and 'File' (sequence 32.1 and 33) must either both be blank, or both be nonblank."
2-142	134, Footnote 5.2 (added)	Insert new footnote that reads "Because 'File' (sequence 33) is a variable length element, the value in this field will be used to determine the end of the data-stream for sequence 33."
1-191	134, Footnote 7 (added)	Superseded by 2-135.
2-143	134, Footnote 9 (added)	Insert new footnote that reads "Must be blank unless the value of the document category code (see calling DIP for sequence number) is 'DWG'."

Errata

Num. page,para,fig,etc change

DATA INFORMATION PACKET 10

1-192 135, Table DIP10-I Sequence 3, content and validation instructions column, change to read "DIP10.2.1.a The transmitted field must be 36 characters, left justified."

APPENDIX A

1-193 A-4, Table A-I In the entry for paragraph A.4.7.2, Type of Data column, change to read "PCA action item status".

1-194 A-4, Table A-I Between the entries for paragraph A.4.7.1 and A.4.7.2, insert a new row as follows:

<u>Column</u>	<u>Contents</u>
Paragraph	A.4.7.2
Type of Data	FCA action item status
Design Definition, NR	E
Design Definition, R, P-B	E
Design Definition, R, D-B	E
All other columns	blank

2-a1 A-6, Para. A.4.2.1.1.d In line 2, change "indigenous" to "organic".

2-a2 A-16, Para. A.4.3.1.d In line 2, change "indigenous" to "organic".

APPENDIX B

2-b1 B-5, Para. B.4.4 Second & third lines, change "Quality Databases) and the type of" to read "Quality Databases) and if necessary for a source entity to uniquely identify the document, the type of"

2-b2 B-5, Para B.4.4 Line 6, change "the type "ECP")" to read "the category "ECP")"

2-b3 B-5, Para B.4.4 Line 7, change "by a CAGE code, and" to read "by an organization, and"

2-b4 B-9, Fig. 01GEN2 Replace Figure 01GEN2 with Figure 01GEN2 Errata 2-b4. (See new figures at end of errata list.)

2-b5 B-10, Fig. 01GEN3 Replace Figure 01GEN3 with Figure 01GEN3 Errata 2-b5. (See new figures at end of errata list.)

1-195 B-10, Fig. 01GEN3 Incorporated into 2-b5.

2-b6 B-11, Fig. 01GEN4 Replace Figure 01GEN4 with Figure 01GEN4 Errata 2-b6. (See new figures at end of errata list.)

2-b7 B-12, Fig. 01GEN5 Replace Figure 01GEN5 with Figure 01GEN5 Errata 2-b7. (See new figures at end of errata list.)

1-196 B-12, Fig. 01GEN5 Incorporated into 2-b7.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b8	B-13, Fig. 01GEN6	Replace Figure 01GEN6 with Figure 01GEN6 Errata 2-b8. (See new figures at end of errata list.)
2-b9	B-14, Para. B.5.1.4	Line 2, change "COM-CAGE/034 and GOV-CAGE/035" to read "COM-CAGE/006 and GOV-CAGE/007".
1-197	B-15, Para. B.5.1.10.a.	Fifth and sixth lines, change "...first 30 characters ... 703 or 941. The next..." to read "...first 36 characters ... 703 or 941 followed by 6 blanks. The next...".
2-b10	B-15, Para. B.5.1.10.a	Line 10, change "document-type-code" to "document-category-code".
2-b11	B-16, Table B-I	Change title of table to: "Categories of documents supported"
2-b12	B-16, Table B-I	Change first column header from "Document Type" to "Document Category"
2-b13	B-16 & B-17, Table B-I	Delete the entries (entire row) for Document Categories "ANALYS", "BOOK", "DIRECTV", "PERIODL", "PLNPROC", "REPORT", and "TRD".
2-b14	B-17, Table B-I	Note at end of table, change "document-type, document-identification-type and source-identifier-type" to read "document category, document identification type and source identifier type"
2-b15	B-17, Para. B.5.1.10.b	Line 2, change "type" to "category" and delete "'ANALYS', " and "'REPORT', "
2-b16	B-17, Para. B.5.1.10	In the list, delete entire entry for DOCTYP010.
2-b17	B-17, Para. B.5.1.10	In the list, immediately after the entry for CCCADT010, insert the new line "DOCTYP010 document-category-code 0004 M" in the appropriate columns.
2-b18	B-17, Para. B.5.1.10	In the list, in the entry for ICDCOD010, in the Key column, insert "M".
2-b19	B-19, Para. B.5.1.11	In the list, delete entire entry for DOCTYP010.
2-b20	B-21, Para. B.5.1.19	In the list, delete entire entry for DOCTYP010.
2-b21	B-22, Para. B.5.1.20	Lines 3 & 4. Delete "For all...ENTERPRISE/002."
2-b22	B-22, Para. B.5.1.20.b	Delete entire paragraph.
2-b23	B-22, Para. B.5.1.20	In the list, delete entire entry for DOCTYP010.
2-b24	B-22, Para. B.5.1.20	In the list, change the entry for SRCENT020 to read "SRCIDN010 document-source-entity-identifier 0033 FK".
2-b25	B-22, Para. B.5.1.21.c	Delete entire paragraph.
2-b26	B-22, Para. B.5.1.21	In the list, delete entire entry for DOCTYP010.
2-b27	B-22, Para. B.5.1.21	In the list, change the entry for SRCENT020 to read "SRCIDN010 document-source-entity-identifier 0033 FK".
2-b28	B-23, Para. B.5.1.22	In the list, delete entire entry for DOCTYP010.
2-b29	B-23, Para. B.5.1.22.b	Replace with "Due to similar categorization, it can be shown by observation that this table is a de facto child of Table CAGE/003."
2-b30	B-23, Para. B.5.1.22.c	Line 1, change "enterprise" to read "entity"; lines 2 and 3, change "SRCENT020" to read "SRCIDN010" in two places.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b31	B-23, Para. B.5.1.23.b	Change "document-type-code (DOCTYP010). Because" to read "document-category-code (DOCTYP010 of the parent instance in Table 010). Because"
2-b32	B-23, Para. B.5.1.23.c	Line 1, change "-enterprise-identifier (SRCENT020)" to read "-entity-identifier (SRCIDN010)"; Line 3, change "SRCENT020" to read SRCIDN010".
2-b33	B-23, Para. B.5.1.23	In the list, delete entire entry for DOCTYP010.
2-b34	B-23, Para. B.5.1.24.b	Line 1, change "-enterprise-" to read "-entity-"; Lines 2 & 3, change "SRCENT020" to read SRCIDN010".
2-b35	B-24, Para. B.5.1.24	In the list, delete entire entry for DOCTYP010.
2-b36	B-24, Para. B.5.1.25.b	Change "document-type-code (DOCTYP010). Because" to read "document-category-code (DOCTYP010 of the parent instance in Table 010). Because"
2-b37	B-24, Para. B.5.1.25.c	Line 1, change "-enterprise-identifier (SRCENT020)" to read "-entity-identifier (SRCIDN010)"; Line 3, change "SRCENT020" to read SRCIDN010".
2-b38	B-24, Para. B.5.1.25	In the list, delete entire entry for DOCTYP010.
2-b39	B-24, Para. B.5.1.26	Change "document-type-code (DOCTYP010). They" to read "document-category-code (DOCTYP010 of the parent instance in Table 010). They"
2-b40	B-24, Para. B.5.1.26.a	Line 1, change "-enterprise-" to read "-entity-"; Lines 2 & 3, change "SRCENT020" to read SRCIDN010".
2-b41	B-24, Para. B.5.1.26	In the list, delete entire entry for DOCTYP010.
2-b42	B-25, Para. B.5.1.27.b	Change "document-type-code (DOCTYP010). Because" to read "document-category-code (DOCTYP010 of the parent instance in Table 010). Because"
2-b43	B-25, Para. B.5.1.27.c	Line 1, change "-enterprise-identifier (SRCENT020)" to read "-entity-identifier (SRCIDN010)"; Line 3, change "SRCENT020" to read SRCIDN010".
2-b44	B-25, Para. B.5.1.27	In the list, delete entire entry for DOCTYP010.
2-b45	B-25, Para. B.5.1.29	In the list, delete entire entry for DOCTYP010.
2-b46	B-25, Para. B.5.1.30.a	Line 1, change "inherited from" to read "defined in".
2-b47	B-26, Para. B.5.1.30	In the list, in the entry for DODTYP034, in the Key column, delete "FK".
2-b48	B-27, Para. B.5.1.36.a	Line 1, change "document-name" to read "document-unique-name".
2-b49	B-27, Para. B.5.1.36	In the list, in the entry for DOCTIT040, change the Data Element Title to read "document-unique-name" and change the DED to read "0265".
2-b50	B-27, Para. B.5.1.36	In the list, delete entire entry for DOCTYP010.
2-b51	B-27, Para. B.5.1.37.b	Line 2, change "document-name" to read "document-unique-name".

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b52	B-28, Para. B.5.1.37	In the list, in the entry for DOCTIT040, change the Data Element Title to read "document-unique-name" and change the DED to read "0265".
2-b53	B-28, Para. B.5.1.37	In the list, delete entire entry for DOCTYP010.
2-b54	B-28, Para. B.5.1.38	At the end of the paragraph, insert "The kinds of documents that would be included in this table are books and periodicals."
2-b55	B-28, Para. B.5.1.38.a	Replace with "Reserved"
2-b56	B-28, Para. B.5.1.38	In the list, in the entry for DOCTIT040, change the Data Element Title to read "document-unique-name" and change the DED to read "0265".
2-b57	B-28, Para. B.5.1.38	In the list, delete entire entry for DOCTYP010.
2-b58	B-28, Para. B.5.1.39.b	Replace with "Reserved"
2-b59	B-28, Para. B.5.1.39	In the list, in the entry for DOCTIT040, change the Data Element Title to read "document-unique-name" and change the DED to read "0265".
2-b60	B-28, Para. B.5.1.39	In the list, delete entire entry for DOCTYP010.
2-b61	B-29, Para. B.5.1.40	In the list, in the entry for DOCTIT040, change the Data Element Title to read "document-unique-name" and change the DED to read "0265".
2-b62	B-29, Para. B.5.1.40	In the list, delete entire entry for DOCTYP010.
2-b63	B-28, Para. B.5.1.41	In the list, in the entry for DOCTIT040, change the Data Element Title to read "document-unique-name" and change the DED to read "0265".
2-b64	B-29, Para. B.5.1.41	In the list, delete entire entry for DOCTYP010.
2-b65	B-29, Para. B.5.1.42.b	Change "document-type-code (DOCTYP010). They" to read "document-category-code (DOCTYP010 of the parent instance in Table 010). They"
2-b66	B-30, Para. B.5.1.42	In the list, in the entry for DOCTIT040, change the Data Element Title to read "document-unique-name"; change the DED to read "0265".
2-b67	B-30, Para. B.5.1.42	In the list, delete entire entry for DOCTYP010.
1-198	B-30, Para. B.5.1.43	Replace entire paragraph with the following: "B.5.1.43 <u>Table 047</u> . Reserved."
2-b68	B-30, Para. B.5.1.44.b	Change "document-type-code (DOCTYP010). They" to read "document-category-code (DOCTYP010 of the parent instance in Table 010). They"
2-b69	B-30, Para. B.5.1.44	In the list, in the entry for DOCTIT040, change the Data Element Title to read "document-unique-name" and change the DED to read "0265".
2-b70	B-30, Para. B.5.1.44	In the list, delete entire entry for DOCTYP010.
1-199	B-31, Para. B.5.1.45	Replace the entire paragraph with the following: "B.5.1.45 <u>Table 049</u> . Reserved."

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b71	B-32, Para. B.5.2.1	Line 3, change "document-type-code (DOCTYP010) has" to read "document-category-code (DOCTYP010 of the parent instance in Table 010) has"
2-b72	B-32, Para. B.5.2.1	In the list, delete entire entry for DOCTYP010.
2-b73	B-32, Para. B.5.2.2.x	Insert new subparagraph between subparagraphs a and b that reads "x. If the value of DOCTYP010 (of the parent instance in Table 010) is 'DWG', then the value of FRSTR051 must be nonblank; otherwise it must be blank." (paragraphs will be renumbered at publication).
2-b74	B-33, Fig. 02DWG1	Replace Figure 02DWG1 with Figure 02DWG1 Errata 2-b74. (See new figures at end of errata list.)
2-b75	B-34, Fig. 02DWG2	Replace Figure 02DWG2 with Figure 02DWG2 Errata 2-b75. (See new figures at end of errata list.)
2-b76	B-35, Fig. 02DWG3	Replace Figure 02DWG3 with Figure 02DWG3 Errata 2-b76. (See new figures at end of errata list.)
2-b77	B-36, Fig. 02DWG4	Replace Figure 02DWG4 with Figure 02DWG4 Errata 2-b77. (See new figures at end of errata list.)
2-b78	B-37, Fig. 02DWG5	Replace Figure 02DWG5 with Figure 02DWG5 Errata 2-b78. (See new figures at end of errata list.)
2-b79	B-38, Para. B.5.2.2	In the list, delete entire entry for DOCTYP010.
2-b80	B-38, Para. B.5.2.2	In the list, in the entry for FRSTR051, change the Key to "M"
2-b81	B-38, Para. B.5.2.3	In the list, delete entire entry for DOCTYP010.
2-b82	B-39, Para. B.5.2.4.a	Change "document-type-code (DOCTYP010) must" to read "document-category-code (DOCTYP010 of the parent instance in Table 010) must"
2-b83	B-39, Para. B.5.2.4.b	Change "DOCTYP010 must be the same as the value of document-type-code" to read "DOCTYP010 (of the parent instance in Table 010) must be the same as the value of document-category-code"
2-b84	B-39, Para. B.5.2.4	In the list, delete entire entry for DOCTYP010.
2-b85	B-39, Para. B.5.2.5	In the list, delete entire entry for DOCTYP010.
2-b86	B-40, Para. B.5.2.9.a	Change "document-type-code (DOCTYP010) must" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) must"
2-b87	B-41, Para. B.5.2.9	In the list, delete entire entry for DOCTYP010.
2-b88	B-41, Para. B.5.2.10	Change "document-type-code (DOCTYP010) in Table 051 with" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) with"
2-b89	B-41, Para. B.5.2.10	In the list, delete entire entry for DOCTYP010.
2-b90	B-41, Para. B.5.2.11	Change "Table DWG/050 which contains" to read "Table DWG/050 for the case of document-category-code (DOCTYP010 in the parent instance in Table 010) with a value of 'PL'. It"

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b91	B-41, Para. B.5.2.11	At the end of the para, insert "The values of the document-source--assigned-identifier embedded in the parts-list-drawing-document-alphanumeric-identifier (PLNUMB062) and in the graphic-engineering-drawing-document-alphanumeric-identifier (GDWGNO062) should be the same."
2-b92	B-41, Para. B.5.2.11.a	Replace with "a. Attribute engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 060 assumes the role graphic-engineering-drawing-document-alphanumeric-identifier (GDWGNO062)."
2-b93	B-41, Para. B.5.2.11.b	Replace with "b. Attribute engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 050 assumes the role parts-list-drawing-document-alphanumeric-identifier (PLNUMB062)."
2-b94	B-41, Para. B.5.2.11	In the list, change "DWGNUM050 engineering-drawing-document-alphanumeric-identifier" to read "PLNUMB062 parts-list-drawing-document-alphanumeric-identifier"
2-b95	B-41, Para. B.5.2.11	In the list, delete entire entries for PLTYPE062 and DWGTYP062.
2-b96	B-41, Para. B.5.2.11	In the list, below the heavy line, insert "GDWGNO062 graphic-engineering-drawing-document-alphanumeric-identifier 0003 FK" in the appropriate columns.
2-b97	B-41, Para. B.5.2.12	Change "document-type-code (DOCTYP010) in Table 051 with" to read "document-category-code (DOCTYP010 for the parent instance in Table 010) with"
2-b98	B-41, Para. B.5.2.12.a	Delete entire paragraph.
2-b99	B-42, Para. B.5.2.12	In the list, delete entire entry for DOCTYP010.
2-b100	B-42, Para. B.5.2.13	At the end of the para, insert "The values of the document-source--assigned-identifier embedded in the index-list-drawing-document-alphanumeric-identifier (PLNUMB064) and in the graphic-engineering-drawing-document-alphanumeric-identifier (GDWGNO064) should be the same."
2-b101	B-42, Para. B.5.2.13.a	Replace with "a. Attribute engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 061 assumes the role graphic-engineering-drawing-document-alphanumeric-identifier (DWGNUM064)."
2-b102	B-42, Para. B.5.2.13.d	Replace with "d. Attribute engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 063 assumes the role parts-list-drawing-document-alphanumeric-identifier (PLNUMB064)."
2-b103	B-42, Para. B.5.2.13	In the list, change "DWGNUM050 engineering-drawing-document-alphanumeric-identifier" to read "GDWGNO064 graphic-engineering-drawing-document-alphanumeric-identifier"
2-b104	B-42, Para. B.5.2.13	In the list, delete entire entries for DWGTYP064 and PLTYPE064.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b105	B-42, Para. B.5.2.13	In the list, immediately after the entry for GDWGRV064, insert "PLNUMB064 parts-list-drawing-document-alphanumeric-identifier 0003 FK" in the appropriate columns.
2-b106	B-42, Para. B.5.2.14	Change "DWG/050 which contains" to read "DWG/050 for the case of document-category-code (DOCTYP010 in the parent instance in Table 010) with a value of 'IL'. It contains"
2-b107	B-42, Para. B.5.2.14	At the end of the para, insert "The values of the document-source--assigned-identifier embedded in the index-list-drawing-document-alphanumeric-identifier (ILNUMB065) and in the graphic-engineering-drawing-document-alphanumeric-identifier (GDWGNO065) should be the same."
2-b108	B-42, Para. B.5.2.14.a	Replace with "a. Attribute engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 060 assumes the role graphic-engineering-drawing-document-alphanumeric-identifier (DWGNUM065)."
2-b109	B-42, Para. B.5.2.14.b	Replace with "b. Attribute engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 050 assumes the role index-list-drawing-document-alphanumeric-identifier (ILNUMB065)."
2-b110	B-43, Para. B.5.2.14	In the list, change "DWGNUM050 engineering-drawing-document-alphanumeric-identifier" to read "ILNUMB065 index-list-drawing-document-alphanumeric-identifier"
2-b111	B-43, Para. B.5.2.14	In the list, delete entire entries for ILTYPE065 and DWGTYP065.
2-b112	B-43, Para. B.5.2.14	In the list, below the heavy line, insert "GDWGNO065 graphic-engineering-drawing-document-alphanumeric-identifier 0003 FK" in the appropriate columns.
2-b113	B-43, Para. B.5.2.15	Change "document-type-code (DOCTYP010) with" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) with"
2-b114	B-43, Para. B.5.2.15	At the end of the para., insert "This table is a de facto child of Table 065."
2-b115	B-43, Para. B.5.2.15.a	Delete entire paragraph.
2-b116	B-43, Para. B.5.2.15.b	Delete entire paragraph.
2-b117	B-43, Para. B.5.2.15	In the list, delete entire entry for ILTYPE065.
2-b118	B-44, Para. B.5.2.16	In the list, delete entire entry for ILTYPE065.
2-b119	B-44, Para. B.5.2.17.g	Delete entire paragraph.
2-b120	B-45, Para. B.5.2.17	In the list, delete entire entries for ILTYPE065 and PLTYPE068.
2-b121	B-45, Para. B.5.2.18	Change "DWG/050 which contains" to read "Table DWG/050 for the case of document-category-code (DOCTYP010 in the parent instance in Table 010) with a value of 'DL'. It contains"
2-b122	B-45, Para. B.5.2.18	At the end of the para, insert "The values of the document-source--assigned-identifier embedded in the data-list-drawing-document-

Errata

Num. page,para,fig,etc

change

		alphanumeric-identifier (DLNUMB069) and in the graphic-engineering-drawing-document-alphanumeric-identifier (GDWGNO069) should be the same."
2-b123	B-45, Para. B.5.2.18.a	Replace with "a. Attribute engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 050 assumes the role data-list-drawing-document-alphanumeric-identifier (DLNUMB062)."
2-b124	B-45, Para. B.5.2.18.b	Replace with "b. Attribute engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 060 assumes the role graphic-engineering-drawing-document-alphanumeric-identifier (GDWGNO069)."
2-b125	B-45, Para. B.5.2.18	In the list, change "DWGNUM050 engineering-drawing-document-alphanumeric-identifier" to read "DLNUMB050 data-list-drawing-document-alphanumeric-identifier"
2-b126	B-45, Para. B.5.2.18	In the list, delete entire entries for DLTYPE069 and DWGTYP069.
2-b127	B-45, Para. B.5.2.18	In the list, below the heavy line, insert "GDWGNO069 graphic-engineering-drawing-document-alphanumeric-identifier 0003 FK" in the appropriate columns.
2-b128	B-45, Para. B.5.2.19	Change "document-type-code (DOCTYP010) with" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) with"
2-b129	B-45, Para. B.5.2.19	At the end of the para., insert "This table is a de facto child of Table 069."
2-b130	B-45, Para. B.5.2.19.a	Delete entire paragraph.
2-b131	B-45, Para. B.5.2.19.b	Delete entire paragraph.
2-b132	B-45, Para. B.5.2.19	In the list, delete entire entry for DLTYPE069.
2-b133	B-46, Para. B.5.2.20.a	Change "value of component-document-type-code (CDOCTY071) may" to read "value of document-category-code (DOCTYP010 in the parent instance in Table 010) may"
2-b134	B-46, Para. B.5.2.20.c	Replace with "Reserved"
2-b135	B-46, Para. B.5.2.20	In the list, delete entire entries for CDOCTY071 and DLTYPE069.
2-b136	B-47, Para. B.5.2.22	In the list, delete entire entry for DOCTYP010.
2-b137	B-47, Para. B.5.2.23	In the list, delete entire entry for DOCTYP010.
2-b138	B-47, Para. B.5.2.24.a	Change "...DWGNUM050, CDWGTY082, and CDWGRV082 ... DOCIDN010, RDOCTY082, and the optional ... (DESCAG050), engineering-drawing-... (DWGNUM050), and controlling-engineering-drawing-document-type-code (CDWGTY082) cannot be ... (SRCIDN010), document-identifier (DOCIDN010), and referenced document-type-code (RDOCTY082) for the same instance." to read "...DWGNUM050, and CDWGRV082 ... DOCIDN010, and the optional...(DESCAG050), and engineering-

Errata

Num. page,para,fig,etc

change

		drawing-... (DWGNUM050) cannot be ... (SRCIDN010), and document-identifier (DOCIDN010) for the same instance."
2-b139	B-47, Para. B.5.2.24.c	Replace with "Reserved"
2-b140	B-47, Para. B.5.2.24.e	Delete entire paragraph
2-b141	B-48, Para. B.5.2.24	In the list, delete entire entries for CDWGTY082 and RDOCTY082.
2-b142	B-48, Para. B.5.2.25.a	Line 1, delete "DOCTYP010, "
2-b143	B-48, Para. B.5.2.25	In the list, delete entire entry for DOCTYP010.
2-b144	B-48, Para. B.5.2.26.a	Line 1, delete "DOCTYP010, "
2-b145	B-49, Para. B.5.2.26	In the list, delete entire entry for DOCTYP010.
2-b146	B-49, Para. B.5.2.27.b	Delete entire paragraph.
2-b147	B-49, Para. B.5.2.27	In the list, delete entire entries for CDWGTY082 and RDOCTY082.
2-b148	B-49, Para. B.5.2.28	In the list, delete entire entry for DOCTYP010.
2-b149	B-50, Para. B.5.2.29	In the list, delete entire entry for DOCTYP010.
2-b150	B-51, Para. B.5.3.1	Line 3, change "document-type-code is" to "document-category-code (DOCTYP010 for the parent instance in Table 010) is"
2-b151	B-51, Para. B.5.3.1	In the list, delete entire entry for DOCTYP010.
2-b152	B-52, Fig. 03SPEC1	Replace Figure 03SPEC1 with Figure 03SPEC1 Errata 2-b152. (See new figures at end of errata list.)
1-200	B-52, Fig. 03SPEC1	Superseded by 2-b152.
2-b153	B-53, Fig. 03SPEC2	Replace Figure 03SPEC2 with Figure 03SPEC2 Errata 2-b153. (See new figures at end of errata list.)
1-201	B-53, Fig. 03SPEC2	Incorporated into 2-b153.
2-b154	B-54, Fig. 03SPEC3	Replace Figure 03SPEC3 with Figure 03SPEC3 Errata 2-b154. (See new figures at end of errata list.)
2-b155	B-55, Para. B.5.3.2	Line 2, change "document-type-code (DOCTYP010) having" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) having"
2-b156	B-55, Para. B.5.3.2	In the list, delete entire entry for DOCTYP010.
2-b157	B-55, Para. B.5.3.3	In the list, delete entire entry for DOCTYP010.
2-b158	B-55, Para. B.5.3.4	Line 2, change "materials which" to "materials (or parts) which".
2-b159	B-55, Para. B.5.3.4.a	Delete entire paragraph.
2-b160	B-55, Para. B.5.3.4	In the list, replace "MATDOC103 material-document-identifier 0192" with "DOCNUM020 document-alphanumeric-identifier 0003"
2-b161	B-56, Para. B.5.3.5.a	Replace paragraph with "The value of DOCTYP010 in Table 010 of the parent of the record inherited from Table 102 must be the same as the value of document-category-code (DOCTYP212) for the super-type in Table 212."
2-b162	B-56, Para. B.5.3.5	In the list, delete entire entry for DOCTYP010.
2-b163	B-56, Para. B.5.3.6.a	Replace with "Reserved"

Errata

Num. page,para,fig,etc

change

2-b164 B-56, Para. B.5.3.6  
2-b165 B-57, Para. B.5.3.7.b

In the list, delete entire entry for DOCTYP010.  
Line 1, change "material-document-identifier (MATDOC103)" to read "document-alphanumeric-identifier (DOCNUM020)". In the last line, change "MATDOC103" to read "MATDOC106".

2-b166 B-57, Para. B.5.3.7  
2-b167 B-57, Para. B.5.3.8

In the list, change "MATDOC103" to read "MATDOC106".  
In the list, change "MATDOC103" to read "MATDOC106", and delete entire entry for DOCTYP010.

2-b168 B-57, Para. B.5.3.10.a

Line 1, change "referenced-document-type-code (RDOCTY110)" to read "document-category code (DOCTYP010 in Table 010) for the parent instance of the referenced document inherited from Table 010 (and optionally, from Table 011)".

2-b169 B-58, Para. B.5.3.10.c

Replace with "Reserved"

2-b170 B-58, B.5.3.10.e

Delete paragraph entirely.

2-b171 B-58, Para. B.5.3.10

In the list, delete entire entries for RDOCTY110 and SPECTY110.

2-b172 B-58, Para. B.5.3.11

In the list, delete entire entry for DOCTYP010.

2-b173 B-59, Para. B.5.4.1

Line 3, change "type" to read "category".

2-b174 B-59, Para. B.5.4.1

In the list, delete entire entry for DOCTYP010.

2-b175 B-60, Figures 04SW1  
and 04SW2

Replace Figures 04SW1 and 04SW2 with Figures 04SW1 Errata 2-b175 and 04SW2 Errata 2-b175, respectively. (See new figures at end of errata list.)

2-b176 B-62, Fig. 04SW3

Replace Figure 04SW3 with Figure 04SW3 Errata 2-b176. (See new figures at end of errata list.)

1-203 B-62, Fig. 04SW3

Incorporated into 2-b176.

1-204 B-62, Fig. 04SW3

Incorporated into 2-b176.

1-205 B-62, Fig. 04SW3

Incorporated into 2-b176.

1-206 B-62, Fig. 04SW3

Incorporated into 2-b176.

1-207 B-62, Fig. 04SW3

Incorporated into 2-b176.

2-b177 B-64, Para. B.5.4.2

Line 2, change "document-type-code" to read "document-category-code (DOCTYP010 in Table 010 for the parent instance)".

2-b178 B-64, Para. B.5.4.2

In the list, delete entire entry for DOCTYP010.

2-b179 B-64, Para. B.5.4.3

In the list, delete entire entry for DOCTYP010.

2-b180 B-65, Para. B.5.4.4

In the list, delete entire entry for DOCTYP010.

2-b181 B-65, Para. B.5.4.5

In the list, delete entire entry for DOCTYP010.

2-b182 B-66, Para. B.5.4.8

In the list, delete entire entry for DOCTYP010.

2-b183 B-67, Para. B.5.4.9

In the list, delete entire entry for DOCTYP010.

2-b184 B-67, Para. B.5.4.10

In the list, delete entire entry for DOCTYP010.

2-b185 B-67, Para. B.5.4.11

At the end of the paragraph, insert "Using this method requires that the document-type-code portion of the document-identifier be used to differentiate between the software drawing and the software code."

2-b186 B-67, Para. B.5.4.11

In the list, delete entire entry for DOCTYP010.

Errata

Num. page,para,fig,etc

change

2-b187	B-68, Para. B.5.4.12	In the list, delete entire entry for DOCTYP010.
2-b188	B-68, Para. B.5.4.13	In the list, delete entire entry for DOCTYP010.
2-b189	B-68, Para. B.5.4.14.c and B.5.4.14.d	Delete paragraphs entirely.
2-b190	B-69, Para. B.5.4.14	In the list, delete entire entry for DWGTYP163 and SWTYPE163.
2-b191	B-69, Para. B.5.4.15.d	Replace with "Reserved"
2-b192	B-69, Para. B.5.4.15	In the list, delete entire entries for DWGTYP163 and SWTYPE164.
2-b193	B-70, Para. B.5.4.16.c and B.5.4.16.d	Delete paragraphs entirely.
2-b194	B-70, Para. B.5.4.16	In the list, delete entire entries for DWGTYP165 and SWTYP165.
2-b195	B-70, Para. B.5.4.17.c	Delete paragraph entirely.
2-b196	B-70, Para. B.5.4.17	In the list, delete entire entries for DWGTYP165 and SWTYP166.
2-b197	B-71, Para. B.5.4.19	In the list, delete entire entry for SVDTYP180.
2-b198	B-71, Para. B.5.4.20	In the list, delete entire entry for DOCTYP010.
2-b199	B-72, Para. B.5.4.21	In the list, delete entire entry for DOCTYP010.
2-b200	B-73, Para. B.5.4.26	Last line, change "document-type-code" to read "document-category-code (DOCTYP010)".
2-b201	B-73, Para. B.5.4.26.b	Delete entire paragraph.
2-b202	B-73, Para. B.5.4.26	In the list, delete entire entry for SVDTYP180.
2-b203	B-73, Para. B.5.4.28	Last line, change "document-type-code" to read "document-category-code".
2-b204	B-73, Para. B.5.4.28	In the list, delete entire entry for DOCTYP010.
2-b205	B-74, Para. B.5.4.29	Line 2, change "GENERIC-DOCREV/011 and contains" to read "GENERIC-DOCREV/011 for the case where the value of document-category-code (DOCTYP010 for the parent instance in Table 010) has a value of 'SWDOC'; it contains".
2-b206	B-74, Para. B.5.4.29.a	Line 2, delete "alphanumeric-".
2-b207	B-74, Para. B.5.4.29.d	Delete entire paragraph.
2-b208	B-74, Para. B.5.4.29	In the list, in entry for SSDIDN186, in Data Element Title column, delete "alphanumeric-".
2-b209	B-74, Para. B.5.4.29	In the list, delete entire entry for SSDTYP186.
2-b210	B-74, Para. B.5.4.29	In the list, in entry for SSDIDN186, in the Data Element Title column, delete "alphanumeric-".
2-b211	B-74, Para. B.5.4.30	In the list, delete entire entry for SSDTYP186.
2-b212	B-78, Fig. 05PIN1	Replace Figure 05PIN1 with Figure 05PIN1 Errata Errata 2-b212. (See new figures at end of errata list.)
1-208	B-78, Fig. 05PIN1	Superseded by 2-b212.
2-b213	B-79, Fig. 05PIN2	Replace Figure 05PIN2 with Figure 05PIN2 Errata 2-b213. (See new figures at end of errata list.)
2-b214	B-80, Fig. 05PIN3	Replace Figure 05PIN3 with Figure 05PIN3 Errata 2-b214. (See new figures at end of errata list.)
1-209	B-80, Fig. 05PIN3	Incorporated into 2-b214.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b215	B-81, Fig. 05PIN4	Replace Figure 05PIN4, with Figure 05PIN4.1 Errata 2-b215 and Figure 05PIN4.2 Errata 2-b215. (See new figures and end of errata list.)
1-210	B-81, Fig. 05PIN4	Incorporated into 2-b215.
1-211	B-82, Fig. 05PIN5	In lower left hand corner, change "(Part 2 OF 2)" to read "(Part 3 of 3)".
2-b216	B-82, Figure 05PIN5	Table 236, change "assembled-product-cage-code.design-cage-code" to read "assembled-product-design-cage-code.design-cage-code".
2-b217	B-82, Figure 05PIN5	Table 239, change "assembled-product-cage-code" to read "assembled-product-design-cage-code".
2-b218	B-83, Figure 05PIN6	In Table 240, change "product-tracking-base-identifier" to read "product--tracking-base--identifier".
2-b219	B-84, Figure 05PIN7	In Table 240, change "product-tracking-base-identifier" to read "product--tracking-base--identifier".
2-b220	B-84, Figure 05PIN7	In Table 241, change "product-tracking-base-identifier" to read "product--tracking-base--identifier".
2-b221	B-84, Figure 05PIN7	In Table 515, change "product-tracking-base-identifier" to read "product--tracking-base--identifier".
2-b222	B-85, Figure 05PIN8	In Table 241, change "product-tracking-base-identifier" to read "product--tracking-base--identifier".
2-b223	B-86, Para. B.5.5.2.c	Second and third lines, change "material-document-identifier" to read "document-alphanumeric-identifier". Last line, change "MATDOC421" to read "MATDOC201".
2-b224	B-86, Para. B.5.5.2	In the list, change "MATDOC421" to read "MATDOC201".
2-b225	B-86, Para B.5.5.4	In the list, immediately below the heavy line, insert the new line "DOCTYP205 document-category-code 0004 M" in the appropriate columns.
1-212	B-86, Para B.5.5.4	Superseded by 2-b225.
2-b226	B-89, Para. B.5.5.10	In the list, delete entire entry for DOCTYP010.
2-b227	B-90, Para. B.5.5.11	In the list, in the last entry, change "document-type-code" to read "document-category-code".
2-b228	B-91, Para. B.5.5.16	In the list, delete entire entry for DOCNUM020.
2-b229	B-92, Para. B.5.5.16	In the list, delete entire entry for DOCTYP010.
1-213	B-92, Para. B.5.5.17	In the list, delete the entire entry for FINDID219.
1-214	B-92, Para. B.5.5.18	In the list, delete the entire entry for FINDID219.
1-215	B-93, Para. B.5.5.19	In the list, delete the entire entry for FINDID219.
1-216	B-93, Para. B.5.5.19	In the list, move the heavy line from below the entry for SWIDEN170 to above the entry for SWIDEN170.
1-217	B-93, Para. B.5.5.20	In the list, after the entry for DOCREV051, insert the new line "PLSEQN224 document-parts-list-entry-sequence-identifier 0259 FK" in the appropriate columns.

Errata

Num. page,para,fig,etc

change

2-b230 B-93, Para. B.5.5.20

In the list, delete entire entry for DOCTYP010.

2-b231 B-94, Para. B.5.5.21

In the list, move the entry for FINDID219 to immediately before the entry for ALTFLG224.

1-218 B-94, Para. B.5.5.21

Incorporated into 2-b231.

2-b232 B-94, Para. B.5.5.21

In the list, delete entire entry for DOCTYP010.

1-219 B-94, Para. B.5.5.22

In the list, delete the entire entry for FINDID219.

2-b233 B-94, Para. B.5.5.23

In the list, delete entire entry for DOCTYP010.

1-220 B-95, Para. B.5.5.23

In the list, delete the entire entry for FINDID219.

1-221 B-95, Para. B.5.5.23

In the list for table 226, immediately after the entry for NOTNUM080 (and above the heavy line), insert the following new entry in the appropriate columns: "PLSEQN224 document-parts-list-entry-sequence-identifier 0259 FK"

2-b234 B-95, Para. B.5.5.26

Replace the last sentence with "This table is a special case of the de facto subtype of GENERIC-DOCUMENT/010 for the case of document-category-code (DOCTYP010) with a value of 'SW'."

2-b235 B-95, Para. B.5.5.26.c

Delete entire paragraph.

2-b236 B-95, Para. B.5.5.26

In the list, delete entire entry for SWTYP230.

2-b237 B-96, Para. B.5.5.27.d

Delete entire paragraph.

2-b238 B-96, Para. B.5.5.27

In the list, delete entire entry for SWTYP230.

2-b239 B-96, Para. B.5.5.28

In the list, delete entire entry for SWTYP230.

2-b240 B-97, Para. B.5.5.29

In the list, delete entire entry for SWTYP230.

1-222 B-97, Para. B.5.5.30

First line, change "(ASSY-COMPIN)" to read "(ASSY-COMPPIN)".

1-223 B-99, Para. B.5.5.33

Line 1, change "(COMPIN-EFF)" to read "(COMPPIN-EFF)".

2-b241 B-107, Para. B.5.6.1

Line 1, change "document-type-code in Table 010 has" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) has".

2-b242 B-107, Para. B.5.6.1.c

Delete entire paragraph.

2-b243 B-107, Para. B.5.6.1

In the list, delete entire entry for ECPTYP250.

2-b244 B-108, Fig. 06ECP1

Replace Figure 06ECP1 with Figure 06ECP1 Errata 2-b244. (See new figures and end of errata list.)

1-224 B-108, Fig. 06ECP1

Incorporated into 2-b244.

1-225 B-108, Fig. 06ECP1

Incorporated into 2-b244.

2-b245 B-109, Fig. 06ECP2

Replace Figure 06ECP2 with Figure 06ECP2 Errata 2-b245. (See new figures and end of errata list.)

1-226 B-109, Fig. 06ECP2

Incorporated into 2-b245.

1-227 B-109, Fig. 06ECP2

Incorporated into 2-b245.

1-228 B-109, Fig. 06ECP2

Incorporated into 2-b245.

1-229 B-109, Fig. 06ECP2

Incorporated into 2-b245.

2-b246 B-110, Fig. 06ECP3

Replace Figure 06ECP3 with Figure 06ECP3 Errata 2-b246. (See new figures and end of errata list.)

1-230 B-110, Fig. 06ECP3

Incorporated into 2-b246.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b247	B-111, Figures 06ECP4 and 06ECP5	Replace Figures 06ECP4 and 06ECP5 with Figure 06ECP4 Errata 2-b247 and 06ECP5 Errata 2-b247, respectively. (See new figures and end of errata list.)
1-231	B-113, Para. B.5.6.2.a	Second and third lines, change "... (PECPFG250) must ... sequence-code (ECPSEQ250) must ..." to read "... (PECPFG251) must ... sequence-code (ECPSEQ251) must ...".
2-b248	B-113, Para. B.5.6.2.b	Fourth and fifth lines, delete "engineering-change-proposal-document-type-code (PECPTY250)". Last sentence, change "These four elements" to read "These three elements".
2-b249	B-113, Para. B.5.6.2.c	Third and fourth lines, change "PECPCG250, PECPNO250, and PECPTY250." to read "PECPCG250 and PECPNO250."
2-b250	B-113, Para. B.5.6.2.d	Lines 3 & 4, delete "and engineering-change-proposal-document-type-code (ECPTY250)". Last two lines, change "(PECPCG250), primary-engineering-change-proposal-document-alphanumeric-identifier (PECPNO250), and primary-engineering-change-proposal-document-type-code (PECPTY250)." to read "(PECPCG250) and primary-engineering-change-proposal-document-alphanumeric-identifier (PECPNO250)."
2-b251	B-114, Para. B.5.6.2.n and B.5.6.2.q	Replace with "Reserved."
2-b252	B-114, Para. B.5.6.2	In the list, delete entire entries for ECPTY250 and PECPTY251.
2-b253	B-114, Para B.5.6.2	In the list, in entries for ECP100251 and ECP170251, change Key to "M"
2-b254	B-115, Para. B.5.6.3	In the list, delete entire entry for ECPTY250.
2-b255	B-116, Para. B.5.6.4.a	Replace paragraph with "The value of document-category-code (DOCTYP010 in Table 010 of the parent instance of the supplemental document) must be 'DWG', 'MISC', 'PL', 'P-SPEC', or 'STDDOC'."
2-b256	B-116, Para. B.5.6.4	In the list, delete entire entries for DOCTYP010 and ECPTY250.
2-b257	B-116, Para. B.5.6.5.a	Change "type' (BLTYPE254)" to read "type-code' (BLTYPE254)".
2-b258	B-116, Para. B.5.6.5	In the list, delete entire entry for ECPTY250.
2-b259	B-117, Para. B.5.6.6	In the list, delete entire entry for ECPTY250.
1-232	B-117, Para. B.5.6.7	First line, change "(APPRECP-COMPIN)" to read "(APPRECP-COMPPIN)".
2-b260	B-117, Para. B.5.6.7.a	Line 1, change "The values of document-alphanumeric-identifier (DOCNUM256) and document-type-code (DOCTYP010)" to read "The value of document-alphanumeric-identifier (DOCNUM256)".
2-b261	B-117, Para. B.5.6.7.b	Replace with "The value of the document-category-code (DOCTYP010 in Table 010) of the parent instance of the document-source-entity-identifier and document-identifier record inherited from Table 271 must be either 'P-SPEC', 'DWG', or 'PL'."

Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b262	B-117, Para. B.5.6.7	In the list, delete entire entry for ECPTYP250.
2-b263	B-118, Para. B.5.6.7	In the list, delete entire entry for DOCTYP010.
2-b264	B-118, Para. B.5.6.8	In the list, delete entire entry for ECPTYP250.
2-b265	B-118, Para. B.5.6.9.a	Lines 2 & 3, change "(DOCNUM258), document-type-code (DOCTYP010), part-product-identifier" to read "(DOCNUM258), and part-product-identifier".
2-b266	B-119, Para. B.5.6.9	In the list, delete entire entries for ECPTYP250 and DOCTYP010.
2-b267	B-119, Para. B.5.6.10	In the list, delete entire entry for ECPTYP250.
2-b268	B-119, Para. B.5.6.11	Change "locations, identity, and quantity of the units to be retrofit." to read "quantity of units at each location where retrofit is to be performed. When retrofit of all units at a location is to be accomplished, regardless of the serial/lot number of the specific units, this table should be used in lieu of Table 259 for retrofit effectivity.
2-b269	B-119, Para. B.5.6.11.a	Line 3-5, Delete "The product-quantity...blank."
2-b270	B-119, Para B.5.6.11.b (added)	Insert a new paragraph that reads "b. The product-proposed-retrofit-completion-date (RETCOM260) is the date proposed for completion of the retrofit of all units at a specific location."
2-b271	B-119, Para B.5.6.11.c (added)	Insert a new paragraph that reads "c. The product-quantity (QUANTY260) and product-measurement-unit-code (LOCUOM260) must either be both blank or both nonblank."
2-b272	B-120, Para. B.5.6.11	In the list, delete entire entries for ECPTYP250, MFRCAG515, STREFF259, and TRKTYP515.
2-b273	B-120, Para. B.5.6.11	In the list, in the entry for RETCOM260, change Data Element Title to read "product-proposed-retrofit-completion-date".
2-b274	B-120, Para. B.5.6.12	In the list, delete entire entry for ECPTYP250.
2-b275	B-121, Para. B.5.6.13	In the list, delete entire entry for ECPTYP250.
2-b276	B-122, Para. B.5.6.14	In the list, delete entire entry for ECPTYP250.
2-b277	B-122, Para. B.5.6.15	In the list, delete entire entry for ECPTYP250.
2-b278	B-123, Para. B.5.6.16	In the list, delete entire entry for ECPTYP250.
2-b279	B-123, Para. B.5.6.17.a	Line 1, change "document-type-code (DOCTYP010) are" to read "document-category-code (DOCTYP010 in Table 010) of the parent instance of the record inherited from Table 011 are".
2-b280	B-123, Para. B.5.6.17	In the list, delete entire entries DOCTYP010 and ECPTYP250.
2-b281	B-124, Para. B.5.6.X	Between paragraphs B.5.6.17 and B.5.6.18, insert new paragraph that reads "Table 267, Coordination of retrofit implementation (RETRO-ORDER). This table identifies approved ECP(s) with which this ECP must coordinate implementation for efficiency, to prevent conflicts, or for any other reason. This is read 'The proposed ECP must be implemented (before/with/after) the approved ECP.' where the 'before/with/after' is specified by the

Errata

Num. page,para,fig,etc

change

engineering-change-proposal-document-implementation-sequence-code (RETSEQ251).

- a. Attribute engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code (ECPCAG250) inherited from Table 295 assumes the role approved-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code (APPCAG267).
- b. Attribute engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250) inherited from Table 295 assumes the role approved-engineering-change-proposal-document-alphanumeric-identifier (APPNUM267).
- c. Attribute engineering-change-proposal-document-alphanumeric-revision-identifier (ECPREV251) inherited from Table 295 assumes the role approved-engineering-change-proposal-document-alphanumeric-revision-identifier (APPREV267).
- d. Attribute engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code (ECPCAG250) inherited from Table 290 assumes the role proposed-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code (PRPCAG267).
- e. Attribute engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250) inherited from Table 290 assumes the role proposed-engineering-change-proposal-document-alphanumeric-identifier (PRPNUM267).
- f. Attribute engineering-change-proposal-document-alphanumeric-revision-identifier (ECPREV251) inherited from Table 290 assumes the role proposed-engineering-change-proposal-document-alphanumeric-revision-identifier (PRPREV267).

Code	Data Element Title	DED	Key
APPCAG267	approved-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code	0001	FK

Errata

Num. page,para,fig,etc

change

APPNUM267	approved-engineering-change-proposal-document- alphanumeric-identifier	0003	FK
PRPCAG267	proposed-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code	0001	FK
PRPNUM267	proposed-engineering-change-proposal-document- alphanumeric-identifier	0003	FK
PRPREV267	proposed-engineering-change-proposal-document- alphanumeric-revision-identifier	0009	FK
APPREV267	approved-engineering-change-proposal-document- alphanumeric-revision-identifier	0009	FK
RETSEQ267	engineering-change-proposal-document-implementation-sequence-code	0119	FK
REVSTA850	document-revision-approval-process-disposition-status-code	0021	FK
STADAT850	document-revision-approval-process-disposition-status-date	0082	FK

2-b282 B-124, Para. B.5.6.XX

Between paragraphs B.5.6.X and B.5.6.18, insert new paragraph that reads "Table 268, Proposed ECP retrofit effectivity (ECP-PROPRETROEFF). This table is a subcategory of Table ECP-

## Errata

Num. page,para,fig,etcchange

PROPEFF/259 for the case where the value of the product-change-effectivity-timing-type-code (EFFTIM259 in Table 259) is 'R'. It identifies those blocks of product for which the ECP proposes implementation by retrofit. (Note: the ending effectivity for the block is in Table 259, but does not migrate to the subtype). If the value of either the geographic-place-name (RETLOC260), ship-asset-identifier (RETSHP260), or vehicle-asset-identifier (RETVEH260) are nonblank and nondash, then the effectivity block pertains only to that location or asset.

Code	Data Element Title	DED	Key
ECPCAG250	engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code	0001	FK
ECPNUM250	engineering-change-proposal-document-alphanumeric-identifier	0003	FK
ECPREV251	proposed-engineering-change-proposal-document-alphanumeric-revision-identifier	0009	FK
MFRCAG515	manufacturer-enterprise-defense-logistics--assigned-identification-code	0001	FK
STREFF259	product-starting-effectivity-sequential-tracking-identifier	0058	FK
TRKTYP515	product-change-effectivity-tracking-type-code	0057	FK
RETLOC260	geographic-place-name	0029	FK, O
RETSHP260	ship-asset-identifier	0031	FK, O

Errata

Num. page,para,fig,etc

change

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
		RETVEH260 vehicle-asset-identifier 0031 FK, O
2-b283	B-124, Para. B.5.6.18	Line 1, delete "267 through "
2-b284	B-124, Para. B.5.6.19	Second and third lines, change "entries with a document-type-code (DOCTYP010) of 'SW'. It contains the correlation of approved" to read "entries that correlate approved".
2-b285	B-124, Para B.5.6.19.x (added)	Insert a new subparagraph before subparagraph a that reads "The value of the document-category-code (DOCTYP010 in Table 010) for the parent instance of the document (not ECP) inherited through the paths Table 010 -> Table 011 -> Table 271 -> Table 270, Table 010 -> Table 011 -> Table 266 -> Table 270, and Table 010 -> Table 011 -> Table 151 -> Table 152 -> Table 153 -> Table 270 must be 'SW'.". (Succeeding paragraphs will be renumbered upon publication.)
2-b286	B-124, Para. B.5.6.19	In the list, delete entire entry for DOCTYP010.
2-b287	B-124, Para. B.5.6.20.a	Line 2, change "alphanumeric" to read "generic".
2-b288	B-124, Para. B.5.6.20	In the list, delete entire entries for DOCTYP010 and ECPTYP250.
2-b289	B-125, Para. B.5.6.20	In the list, in the entry for OLDREV271, change the DED Element Title to read "document-superseded-generic-revision-identifier"; change the DED to read "0243".
2-b290	B-125, Para. B.5.6.22.a	Replace paragraph with "The value of document-alphanumeric-identifier (DOCNUM284) in this table must be the same as the value for the same-named field in the parent instance in Table ECP-PART/258.
2-b291	B-125, Para. B.5.6.22.b	Replace paragraph with "The value of document-category-code (DOCTYP010 of the parent instance of the document inherited from Table 271) must be either 'DWG' or 'PL'."
2-b292	B-125, Para. B.5.6.22	In the list, delete entire entry for ECPTYP250.
2-b293	B-126, Para. B.5.6.22	In the list, delete entire entry for DOCTYP010.
2-b294	B-126, Para. B.5.6.23	Line 2, change "consisting of a correlation of approved" to read "consisting of those entries that correlate approved"
2-b295	B-126, Para. B.5.6.23.a	Replace the paragraph with "The value of the document-category-code (DOCTYP010) for the parent record of the document (not ECP) inherited through the paths Table 010 -> Table 011 -> Table 271 -> Table 285, Table 010 -> Table 011 -> Table 266 -> Table 271 -> Table 285, and Table 010 -> Table 011 -> Table 051 -> Table 285 must be 'DWG'."
2-b296	B-126, Para. B.5.6.23.e	Delete entire paragraph.
2-b297	B-126, Para. B.5.6.23	In the list, delete entire entries for DWGTYP285 and ECPTYP250.
2-b298	B-127, Para. B.5.6.24	Line 2, change "consisting of a correlation of approved" to read "consisting of those entries that correlate approved"
2-b299	B-127, Para. B.5.6.24.a	Replace the paragraph with "The value of the document-category-code (DOCTYP010) for the parent record of the document (not

Errata

Num. page,para,fig,etc

change

		ECP) inherited through the paths Table 010 -> Table 011 -> Table 271 -> Table 286, Table 010 -> Table 011 -> Table 266 -> Table 271 -> Table 286, and Table 010 -> Table 011 -> Table 051 -> Table 286 must be 'PL'."
2-b300	B-127, Para. B.5.6.24.e	Delete entire paragraph.
2-b301	B-127, Para. B.5.6.24	In the list, delete entire entries for ECPTYP250 and PLTYPE286.
2-b302	B-127, Para. B.5.6.25	Line 2, change "consisting of a correlation of approved" to read "consisting of those entries that correlate approved"
2-b303	B-127, Para. B.5.6.25.a	Replace the paragraph with "The value of the document-category-code (DOCTYP010) for the parent record of the document (not ECP) inherited through the paths Table 010 -> Table 011 -> Table 271 -> Table 287, Table 010 -> Table 011 -> Table 266 -> Table 271 -> Table 287, and Table 010 -> Table 011 -> Table 101 -> Table 287 must be 'P-SPEC'."
2-b304	B-128, Para. B.5.6.25	In the list, delete entire entries for DOCTYP010 and ECPTYP250.
2-b305	B-127, Para. B.5.6.26	Line 2, change "consisting of a correlation of approved" to read "consisting of those entries that correlate approved"
2-b306	B-128, Para. B.5.6.26.a	Replace the paragraph with "The value of the document-category-code (DOCTYP010) for the parent record of the document (not ECP) inherited through the paths Table 010 -> Table 011 -> Table 271 -> Table 288, Table 010 -> Table 011 -> Table 266 -> Table 271 -> Table 288, and Table 010 -> Table 011 -> Table 021 -> Table 401 -> Table 403 -> Table 288 must be 'STDDOC'."
2-b307	B-128 & B-129, Para. B.5.6.26	In the list, delete entire entries for DOCTYP010 and ECPTYP250.
2-b308	B-129, Para. B.5.6.27	In the list, delete entire entry for ECPTYP250.
2-b309	B-132, Para B.5.6.28.b (added)	Insert new paragraph that reads "b. The product-proposed-retrofit-completion-date (RETCOM290) is the date proposed in the ECP for completion retrofit of all units proposed for retrofit by the ECP.
2-b310	B-132, Para. B.5.6.28	In the list, delete entire entry for ECPTYP250.
2-b311	B-132, Para. B.5.6.28	In the list, after the entry for SGM430290, insert "RETCOM290 product-proposed-retrofit-completion-date 0082" in the appropriate columns.
2-b312	B-132, Para. B.5.6.29	In the list, delete entire entries for ECPTYP250 and TMNTYP550.
1-233	B-132, Para. B.5.6.30	First and second lines, change "(APPRECPREV-CONMOD)" to read "(APPRECP-CONMOD)".
1-234	B-133, Para. B.5.6.30	In the list, move the entry (entire line) for ECPREV251 to immediately after the heavy line.
2-b313	B-133, Para. B.5.6.30	In the list, delete entire entry for ECPTYP250.
2-b314	B-133, Para B.5.6.31.a	Replace paragraph with "The value of document-alphanumeric-identifier (DOCNUM293) in this table must be the same as the value for the same-named field in parent instance in Table ECP-PART/258."

Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b315	B-133, Para. B.5.6.31.b	Replace paragraph with "The value of document-category-code (DOCTYP010) of the parent record of the document inherited from Table 271 must be either 'DWG' or 'PL'."
1-235	B-133, Para. B.5.6.31	In the list, move the entry (entire line) for SWIDEN170 to immediately after the entry for STREFF293.
2-b316	B-133 & B-134, Para B.5.6.31	In the list, delete entire entries for ECPTYP250 and DOCTYP010.
1-236	B-134, Para. B.5.6.32	First line, change "(ECPREVSTAT)" to read "(ECPREV-STAT)".
1-237	B-134, Para. B.5.6.32	Fifth line, change "Table 850, and" to read "Table 850 (where the value of document-type-code in Table 850 is 'ECP'), and".
2-b317	B-134, Para. B.5.6.32.d	Delete entire paragraph.
2-b318	B-134, Para. B.5.6.32	In the list, delete entire entry for ECPTYP250.
1-238	B-134, Para. B.5.6.33	Third line, change "... must be 'APP'. Although..." to read "...must be 'APV'. Although...".
1-239	B-135, Para. B.5.6.33.a	First line, change "cannot be 'APP' unless" to read "cannot be 'APV' unless".
2-b319	B-135, Para. B.5.6.33.e	Delete entire paragraph.
2-b320	B-135, Para. B.5.6.33	In the list, delete entire entry for ECPTYP250.
2-b321	B-136, Para. B.5.7.1	Second and third lines, change "document-type-code in Table 022 has" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) has".
2-b322	B-136, Para. B.5.7.1.c	Delete entire paragraph.
2-b323	B-136, Para. B.5.7.1	In the list, delete entire entries for NORTYP300 and ECPTYP250.
2-b324	B-137, Figure 07NOR1	Replace Figure 07NOR1, with Figure 07NOR1 Errata 2-b324. (See new figures at end of errata list.)
2-b325	B-138, Fig. 07NOR2	Replace Figure 07NOR2, with Figure 07NOR2 Errata 2-b325. (See new figures at end of errata list.)
1-240	B-138, Fig. 07NOR2	Incorporated into 2-b325.
1-241	B-138, Fig. 07NOR2	Incorporated into 2-b325.
2-b326	B-139 & B-140, Figures 07NOR3 & 07NOR4	Replace Figures 07NOR3 and 07NOR4 with Figures 07NOR3 Errata 2-b326 and 07NOR4 Errata 2-b326, respectively. (See new figures at end of errata list.)
2-b327	B-141, Fig. 07NOR5	Replace Figure 07NOR5, with Figure 07NOR5.1 Errata 2-b327 and Figure 07NOR5.2 Errata 2-b327. (See new figures at end of errata list.)
1-242	B-141, Fig. 07NOR5	Incorporated into 2-b327.
2-b328	B-142, Para. B.5.7.2	Line 2, change "document-type-code (DOCTYP010) in Table 023 is" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) is".
2-b329	B-142, Para. B.5.7.2.e	Delete entire paragraph.
2-b330	B-142, Para. B.5.7.2	In the list, delete entire entry for NORTYP300.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b331	B-142, Para. B.5.7.2	In the list, in the entry for ADOCTY301, change the Data Element Title to read "affected-document-category-code"
2-b332	B-142, Para. B.5.7.3.a	Line 1, change "document-type-code (DOCTYP010) inherited" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) inherited"; Line 2, change "type" to read "category".
2-b333	B-143, Para. B.5.7.3	In the list, delete entire entries for NORTYP300 and DOCTYP010.
2-b334	B-143, Para. B.5.7.4	In the list, delete entire entries for ECPTYP250 and NORTYP300.
2-b335	B-143, Para B.5.7.5	Line 4, change "affected-document-type-code" to read "affected-document-category-code" and "SPEC" to read "P-SPEC".
2-b336	B-144, Para. B.5.7.5.b	Second and third lines, delete "+ NORTYP300" and "+DOCTYP010".
2-b337	B-144, Para. B.5.7.5	In the list, delete entire entries for NORTYP300 and DOCTYP010.
2-b338	B-144, Para B.5.7.6	Line 4, change "affected-document-type-code" to read "affected-document-category-code".
2-b339	B-144, Para. B.5.7.6.b	First and second lines, change "(SRCORG024), document-alphanumeric-identifier (DOCNUM020), and document-type-code (DOCTYP010) inherited" to read "(SRCORG024) and document-alphanumeric-identifier (DOCNUM020) inherited".
2-b340	B-144, Para. B.5.7.6.c	Second and third lines, delete "+ NORTYP300" and "+DOCTYP010".
2-b341	B-145, Para. B.5.7.6	In the list, delete entire entries for NORTYP300 and DOCTYP010.
1-243	B-145, Para. B.5.7.7	First and second lines, change "(NORREV-DWGREV)" to read "(NORREV-PICDWGREV)".
2-b342	B-145, Para B.5.7.7	Line 4, change "affected-document-type-code" to read "affected-document-category-code".
2-b343	B-145, Para. B.5.7.7.b	Second and third lines, delete "+ NORTYP300" and "+DOCTYP010".
2-b344	B-145, Para. B.5.7.7	In the list, delete entire entries for NORTYP300 and DOCTYP010.
2-b345	B-146, Para B.5.7.8	Line 3, change "affected-document-type-code" to read "affected-document-category-code".
2-b346	B-146, Para. B.5.7.8.b	Second and third lines, delete "+ NORTYP300" and "+DOCTYP010".
2-b347	B-146, Para. B.5.7.8	In the list, delete entire entries for NORTYP300 and DOCTYP010.
1-244	B-146, Para. B.5.7.9	Line 1, change "(NORREVSTAT)" to "(NORREV-STAT)".
2-b348	B-146, Para. B.5.7.9	Line 5, change "Table 850, and" to read "Table 850 (where the value of document-category-code in Table 010 of the parent instance is 'NOR'), and".
1-245	B-146, Para. B.5.7.9	Incorporated into 2-b348.
2-b349	B-147, Para. B.5.7.9.d	Delete entire paragraph.
2-b350	B-147, Para. B.5.7.9	In the list, delete entire entry for NORTYP300.
2-b351	B-147, Para. B.5.7.10	Line 3, change "APP" to read "APV"; Lines 7 and 8, change "[NORCAG300], revision-notice-document-alphanumeric-identifier

Errata

Num. page,para,fig,etc

change

<p>2-b352 B-147, Para. B.5.7.10.a 2-b353 B-148, Para. B.5.7.10</p>	<p>[NORNUM300], and revision-notice-document-type-code [NORTYP300] inherited" to read "[NORCAG300] and revision-notice-document-alphanumeric-identifier [NORNUM300] inherited". Line 11, delete " document-type-code [DOCTYP010],". Replace with "Reserved" In the list, delete entire entries for NORTYP300, ECPTYP250, and IMPCOD309.</p>
<p>2-b354 B-148, Para. B.5.7.11 2-b355 B-148, Para. B.5.7.11.a</p>	<p>Line 4, change "-type-" to "-category-". Lines 2 &amp; 3, change "(ECPCAG250), engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250), and engineering-change-proposal-document-type-code (ECPTYP251) must" to read "(ECPCAG250) and engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250) must"</p>
<p>2-b356 B-148, Para. B.5.7.11.b</p>	<p>Lines 2 &amp; 3, change "(SRCORG024), document-alphanumeric-identifier (DOCNUM020), and document-type-code (DOCTYP010) must" to read "(SRCORG024), and document-alphanumeric-identifier (DOCNUM020) must".</p>
<p>2-b357 B-149, Para. B.5.7.11.b</p>	<p>Last three lines, change "(NORCAG300), revision-notice-document-alphanumeric-identifier (NORNUM300), and revision-notice-document-type-code (NORTYP300)." to read "(NORCAG300), and revision-notice-document-alphanumeric-identifier (NORNUM300).".</p>
<p>2-b358 B-149, Para. B.5.7.11</p>	<p>In the list, delete entire entries for NORTYP300, DOCTYP010, and ECPTYP250.</p>
<p>2-b359 B-149, Para. B.5.7.12 2-b360 B-149, Para. B.5.7.12.a</p>	<p>Line 4, change "-type-" to "-category-". Lines 2 &amp; 3, change "(ECPCAG250), engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250), and engineering-change-proposal-document-type-code (ECPTYP251) must" to read "(ECPCAG250), and engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250) must".</p>
<p>2-b361 B-149, Para. B.5.7.12.b</p>	<p>Lines 2 &amp; 3, change "(DESCAG271), engineering-drawing-document-alphanumeric-identifier (DWGNUM050), and document-type-code (DOCTYP010) must" to read "(DESCAG271), and engineering-drawing-document-alphanumeric-identifier (DWGNUM050) must". Last two lines, change "(NORCAG300), revision-notice-document-alphanumeric-identifier (NORNUM300), and revision-notice-document-type-code (NORTYP300)." to read "(NORCAG300), and revision-notice-document-alphanumeric-identifier (NORNUM300).".</p>
<p>1-246 B-150, Para. B.5.7.12.c</p>	<p>First two lines, change "document-revision-identifier (DOCREV011) ... instance of document-revision-identifier (DOCREV011)" to read "document-alphanumeric-revision-</p>

Errata

Num. page,para,fig,etc

change

2-b362 B-150, Para. B.5.7.12	<p>identifier (DOCREV051) ... instance of document-alphanumeric-revision-identifier (DOCREV051)".</p> <p>In the list, delete entire entries for NORTYP300, DWGTYP285, and ECPTYP250.</p>
2-b363 B-150, Para. B.5.7.13	Line 4, change "-type-" to "-category-".
2-b364 B-150, Para. B.5.7.13.a	<p>Lines 2 &amp; 3, change "(ECPCAG250), engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250), and engineering-change-proposal-document-type-code (ECPTYP251) must" to read "(ECPCAG250), and engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250) must".</p>
2-b365 B-150, Para. B.5.7.13.b	<p>Lines 2 &amp; 3, change "(DESCAG050), engineering-drawing-document-alphanumeric-identifier (DWGNUM050), and parts-list-drawing-document-type-code (PLTYPE286) must" to read "(DESCAG050), and engineering-drawing-document-alphanumeric-identifier (DWGNUM050) must". Last two lines, change "(NORCAG300), revision-notice-document-alphanumeric-identifier (NORNUM300), and revision-notice-document-type-code (NORTYP300)." to read "(NORCAG300), and revision-notice-document-alphanumeric-identifier (NORNUM300)".</p>
1-247 B-151, Para. B.5.7.13.c	<p>First two lines, change "document-revision-identifier (DOCREV011) ... instance of document-revision-identifier (DOCREV011)" to read "document-alphanumeric-revision-identifier (DOCREV051) ... instance of document-alphanumeric-revision-identifier (DOCREV051)".</p>
2-b366 B-151, Para. B.5.7.13	<p>In the list, delete entire entries for NORTYP300, ECPTYP250, and PLTYPE286.</p>
2-b367 B-151, Para. B.5.7.14	<p>Line 4, change "-type-" to "-category-"; Line 5, change "SPEC" to read "P-SPEC".</p>
2-b368 B-151, Para. B.5.7.14.a	<p>Lines 2 &amp; 3, change "(ECPCAG250), engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250), and engineering-change-proposal-document-type-code (ECPTYP251) must" to read "(ECPCAG250), and engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250) must".</p>
2-b369 B-151, Para. B.5.7.13.b	<p>Lines 2 &amp; 3, change "(DESCAG100), document-alphanumeric-identifier (DOCNUM020), and document-type-code (DOCTYP010) must" to read "(DESCAG100), and document-alphanumeric-identifier (DOCNUM020) must". Last two lines, change "(NORCAG300), revision-notice-document-alphanumeric-identifier (NORNUM300), and revision-notice-document-type-code (NORTYP300)." to read "(NORCAG300), and revision-notice-document-alphanumeric-identifier (NORNUM300)".</p>

Errata

Num. page,para,fig,etc

change

1-248	B-151, B.5.7.14.c	First two lines, change "document-revision-identifier (DOCREV011) ... instance of document-revision-identifier (DOCREV011)" to read "document-alphanumeric-revision-identifier (DOCREV051) ... instance of document-alphanumeric-revision-identifier (DOCREV051)".
2-b370	B-152, Para. B.5.7.14	In the list, delete entire entries for NORTYP300, DOCTYP010, and ECPTYP250.
1-249	B-152, B.5.7.15.a	Last line, change "(NORREV251)" to read "(NORREV301)".
2-b371	B-152, Para. B.5.7.15	In the list, delete entire entry for NORTYP300.
2-b372	B-153, Para. B.5.7.16.b	Line 3, delete "document-type-code (DOCTYP010) in parent instance in Table 302), "
2-b373	B-153, Para. B.5.7.16	In the list, delete entire entry for NORTYP300.
2-b374	B-153, Para. B.5.7.17.b	Line 3, delete "document-type-code (DOCTYP010) in parent instance in Table 302), "
1-250	B-154, Para. B.5.7.17	In the list, move the entire entry for FINDID315 to immediately below the heavy line.
2-b375	B-154, Para. B.5.7.17	In the list, delete entire entry for NORTYP300.
1-251	B-155, Para. B.5.7.19.b	Third and fourth lines, delete "parts-list-document-item-identifier (FINDID315),".
2-b376	B-154, Para. B.5.7.18	In the list, delete entire entry for NORTYP300.
1-252	B-155, Para. B.5.7.19	In the list, delete the entire entry for FINDID315.
2-b377	B-155, Para. B.5.7.19	In the list, delete entire entry for NORTYP300.
1-253	B-156, Para. B.5.7.20.a	Third line, delete "parts-list-document-item-identifier (FINDID315),".
1-254	B-156, Para. B.5.7.20	In the list, delete the entire entry for FINDID315.
2-b378	B-156, Para. B.5.7.20	In the list, delete entire entry for NORTYP300.
1-255	B-156, Para. B.5.7.21.a	Third line, delete "parts-list-document-item-identifier (FINDID315),".
1-256	B-156, Para. B.5.7.21	In the list, delete the entire entry for FINDID315.
2-b379	B-156, Para. B.5.7.21	In the list, delete entire entry for NORTYP300.
1-257	B-157, Para. B.5.7.22.a	Third line, delete "parts-list-document-item-identifier (FINDID315),".
1-258	B-157, Para. B.5.7.22	In the list, delete the entire entry for FINDID315.
2-b380	B-157, Para. B.5.7.22	In the list, delete entire entry for NORTYP300.
1-259	B-157, Para. B.5.7.23.a	Third line, delete "parts-list-document-item-identifier (FINDID315),".
2-b381	B-157, Para. B.5.7.23.b	Line 2, change "(SRCIDN010), document-identifier (DOCIDN010), and document-type-code (DOCTYP010) cannot" to read "(SRCIDN010) and document-identifier (DOCIDN010) cannot".
2-b382	B-157 & B-158, Para. B.5.7.23.b	In the fourth and fifth lines of the paragraph, change "(DESCAG050), assembly-engineering-drawing-document-

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
		alphanumeric-identifier (ASSYNO316), and document-type-code (DOCTYP010 in the parent instance in Table 302)." to read "(DESCAG050) and assembly-engineering-drawing-document-alphanumeric-identifier (ASSYNO316)."
1-260	B-158, Para. B.5.7.23	In the list, delete the entire entry for FINDID315.
1-261	B-158, Para. B.5.7.23	In the list, before the entry for NORCAG300, insert the new lines: "ASSYNO316 assembly-engineering-drawing-document-alphanumeric-identifier 0003 FK" and "DESCAG050 design-enterprise-defense-logistics--assigned-identification-code 0001 FK".
2-b383	B-158, Para. B.5.7.23	In the list, delete entire entries for NORTYP300 and DOCTYP010.
1-262	B-158, Para. B.5.7.24	In the list, move the entire entry for CINOMN690 to immediately following the entry for REFDES323.
2-b384	B-158, Para. B.5.7.24	In the list, delete entire entry for NORTYP300.
1-263	B-158 & 159, Para B.5.7.25.a	Lines 4 & 5, delete "parts-list-document-item-identifier (FINDID315),".
1-264	B-159, Para. B.5.7.25	In the list, change the entry which reads "DWGNUM050 engineering-drawing-..." to read "ASSYNO316 assembly-engineering-drawing-...".
1-265	B-159, Para. B.5.7.25	In the list, delete the entire entry for FINDID315.
2-b385	B-159, Para. B.5.7.25	In the list, immediately after the entry for NORREV301 (above the heavy line), insert the following new entry in the appropriate columns: "PLSEQN316 document-parts-list-entry-sequence-identifier 0259 FK", and delete entire entry for NORTYP300. Incorporated into 2-b385.
1-266	B-159, Para. B.5.7.25	
2-b386	B-159, Para. B.5.7.26.a	Line 4, delete "document-type-code (DOCTYP010 in the parent instance in Table 302),".
2-b387	B-159, Para. B.5.7.26	In the list, delete entire entry for NORTYP300.
1-267	B-159, Para. B.5.7.27	First and second lines, change "(NOR-DWGFINDNOTE)" to read "(NOR-DWGPLNOTE)"
2-b388	B-160, Para. B.5.7.27.a	Line 4, delete "document-type-code (DOCTYP010 in the parent instance in Table 302),".
1-268	B-160, Para. B.5.7.27.a	Sixth line, change "parts-list-document-item-identifier (FINDID315)" to read "document-parts-list-entry-sequence-identifier (PLSEQN316)".
1-269	B-160, Para B.5.7.27.b (added)	Insert a new paragraph that reads "b. Attribute engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 325 and attribute assembly-engineering-drawing-document-alphanumeric-identifier (ASSYNO316) inherited from Table 316 must both have the same value. Therefore, they merge and assume the identity assembly-engineering-drawing-document-alphanumeric-identifier (ASSYNO316)."

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
1-270	B-160, Para. B.5.7.27	In the list, change the entry which reads "DWGNUM050 engineering-drawing-..." to read "ASSYNO316 assembly-engineering-drawing-..."
1-271	B-160, Para. B.5.7.27	In the list, delete the entire entry for FINDID315.
2-b389	B-160, Para. B.5.7.27	In the list, delete entire entry for NORTYP300.
1-272	B-160, Para. B.5.7.27	In the list, immediately after the entry for NOTNUM325 (and before the heavy line), insert the following new entry in the appropriate columns: "PLSEQN316 document-parts-list-entry-sequence-identifier 0259 FK".
2-b390	B-160, Para. B.5.7.28.a	Lines 3 & 4, delete "document-type-code (DOCTYP010 in the parent instance in Table 302), "
2-b391	B-160, Para. B.5.7.28	In the list, delete entire entry for NORTYP300.
2-b392	B-161, Para. B.5.8.1	In the list, delete entire entry for DOCTYP010.
2-b393	B-161, Para. B.5.8.2.a	Change "document-type-code (DOCTYP010)" to read "document-category-code (DOCTYP010 in the parent instance in Table 010)"
2-b394	B-161, Para. B.5.8.2.b	Line 1, delete "document-type-code (DOCTYP010), "
2-b395	B-162, Figure 08BL1	Replace Figure 08BL1, with Figure 08BL1 Errata 2-b395. (See new figures at end of errata list.)
2-b396	B-163, Para. B.5.8.3	In the list, delete entire entry for DOCTYP010.
2-b397	B-165, Para. B.5.10.1	Last line, change "document-type-code is" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) is".
2-b398	B-165, Para. B.5.10.1.c	Delete entire paragraph.
2-b399	B-165, Para. B.5.10.1	In the list, delete entire entry for RFDTYP350.
2-b400	B-165, Para. B.5.10.2	Line 2, change "document-type-code in Table 023 is" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) is".
2-b401	B-166, Figure 10RFD1	Replace Figure 10RFD1, with Figure 10RFD1 Errata 2-b401. (See new figures at end of errata list.)
2-b402	B-167, Figure 10RFD2	Replace Figure 10RFD2, with Figure 10RFD2 Errata 2-b402. (See new figures at end of errata list.)
2-b403	B-168, Figure 10RFD3	Replace Figure 10RFD3, with Figure 10RFD3 Errata 2-b403. (See new figures at end of errata list.)
2-b404	B-169, Figure 10RFD4	Replace Figure 10RFD4, with Figure 10RFD4 Errata 2-b404. (See new figures at end of errata list.)
2-b405	B-170, Figure 10RFD5	Replace Figure 10RFD5, with Figure 10RFD5 Errata 2-b405. (See new figures at end of errata list.)
2-b406	B-171, Para. B.5.10.2.h	Delete entire paragraph.
2-b407	B-171, Para. B.5.10.2	In the list, delete entire entries for RFDTYP350 and BLTYPE351.
2-b408	B-172, Para. B.5.10.3	Line 1, change "document-type-code (DOCTYP010) inherited from Table 010 must" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) must".

Errata

Num. page,para,fig,etc

change

2-b409 B-172, Para. B.5.10.3  
 2-b410 B-172, Para. B.5.10.4  
 2-b411 B-173, Para. B.5.10.5  
 2-b412 B-173, Para. B.5.10.6  
 2-b413 B-173, Para. B.5.10.7  
 2-b414 B-173, Para. B.5.10.8.a

In the list, delete entire entries for DOCTYP010 and RFDTYP350.  
 In the list, delete entire entry for RFDTYP350.  
 Replace paragraph with "The value of document-category-code (DOCTYP010 in the parent instance in Table 010) for the document (not the RFD) must be 'DWG', 'MISC', 'P-SPEC', or 'STDDOC'."

1-273 B-173, Para. B.5.10.8

In the list, after the entry for DOCIDN010, insert the new line: "DOCREV011 document-generic-revision-identifier 0243 FK" in the appropriate columns.

2-b415 B-173 & 174, Para. B.5.10.8  
 2-b416 B-174, Para. B.5.10.9  
 2-b417 B-174, Para. B.5.10.10.a

In the list, delete entire entries for DOCTYP010 and RFDTYP350.  
 In the list, delete entire entry for RFDTYP350.  
 Lines 2, 3, & 4, change "(ECPCAG250), engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250), and engineering-change-proposal-document-type-code (ECPTYP250) must be either all blank, or all non-blank." to read "(ECPCAG250) and engineering-change-proposal-document-alphanumeric-identifier (ECPNUM250) must be either both blank, or both nonblank."

2-b418 B-174, Para. B.5.10.10.d  
 2-b419 B-175, Para. B.5.10.10.e  
 2-b420 B-175, Para. B.5.10.10  
 2-b421 B-175, Para. B.5.10.11  
 2-b422 B-176, Para. B.5.10.12  
 2-b423 B-177, Para. B.5.10.13  
 2-b424 B-177, Para. B.5.10.14  
 2-b425 B-178, Para. B.5.10.15  
 2-b426 B-178, Para. B.5.10.16  
 2-b427 B-179, Para. B.5.10.17  
 2-b428 B-179, Para. B.5.10.18  
 2-b429 B-179, Para. B.5.10.X

Line 2, change "350" to read "351".  
 Line 1, change "350" to read "351".  
 In the list, delete entire entries for RFDTYP350 and ECPTYP250.  
 In the list, delete entire entry for RFDTYP350.  
 Change "369" to read "368".  
 Between paragraphs B.5.10.18 and B.5.10.19, insert new paragraph that reads "B.5.10.X Table 369, Baselines addressed by the RFD (RFD-BL). This table identifies the baseline(s) that contain the documents that are addressed by the RFD.  
 a. The value of 'product-baseline-type-code' (BLTYPE369) is limited to 'A', 'F', or 'P'.

Code	Data Element Title	DED	Key
BLTYPE369	product-baseline-type-code	0098	K

Errata

Num. page,para,fig,etc

change

RFDCAG350	deviation-request-document-source-enterprise-defense-logistics--assigned-identification-code	0001	FK
RFDNUM350	deviation-request-document-alphanumeric-identifier	0003	FK
RFDREV351	deviation-request-document-alphanumeric-revision-identifier	0009	FK

2-b430 B-180, Para. B.5.10.19  
 2-b431 B-180, Para. B.5.10.21  
 1-274 B-180, Para. B.5.10.22  
 2-b432 B-180, Para. B.5.10.22

In the list, delete entire entry for RFDTYP350.  
 In the list, delete entire entry for RFDTYP350.  
 First line, change "(RFDREVSTAT)" to read "(RFDREV-STAT)".  
 Line 4, change "Table 850, and" to read "Table 850 (where the value of document-category-code in the parent instance in Table 010 is 'RFD'), and".

1-275 B-180, Para. B.5.10.22  
 2-b433 B-181, Para. B.5.10.22.d  
 2-b434 B-181, Para. B.5.10.22  
 2-b435 B-181, Para. B.5.10.23  
 2-b436 B-181, Para. B.5.10.23.d  
 2-b437 B-182, Para. B.5.10.23  
 2-b438 B-183, Para. B.5.11.1

Superseded by 2-b432.  
 Delete entire paragraph..  
 In the list, delete entire entry for RFDTYP350.  
 Line 3, change "APP" to read "APV".  
 Delete entire paragraph.  
 In the list, delete entire entry for RFDTYP350.  
 Line 2, change "document-type-code is" to read "document-category-code (DOCTYP010 in the parent instance of Table 010) is".

2-b439 B-183, Para. B.5.11.1.a

Lines 3 & 4, change "(ENTIDN002), document-alphanumeric-identifier (DOCNUM020), and document-type-code (DOCTYP010)." to read "(ENTIDN002) and document-alphanumeric-identifier (DOCNUM020).".

2-b440 B-183, Para. B.5.11.1  
 2-b441 B-183, Para. B.5.11.2

In the list, delete entire entry for DOCTYP010.  
 Line 2, change "document-type-code is" to read "document-category-code (DOCTYP010 in the parent instance of Table 010) is".

2-b442 B-183, Para. B.5.11.2  
 2-b443 B-184, Figure 11STDS1

In the list, delete entire entry for DOCTYP010.  
 Replace Figure 11STDS1, with Figure 11STDS1 Errata 2-b443.  
 (See new figures at end of errata list.)

Errata

Num. page,para,fig,etc

change

2-b444	B-185, Figure 11STDS2	Replace Figure 11STDS2, with Figure 11STDS2 Errata 2-b444. (See new figures at end of errata list.)
1-276	B-185, Figure 11STDS2	Incorporated into 2-b444.
1-277	B-185, Figure 11STDS2	Incorporated into 2-b444.
2-b445	B-186, Figure 11STDS3	Replace Figure 11STDS3, with Figure 11STDS3 Errata 2-b445. (See new figures at end of errata list.)
2-b446	B-187, Figure 11STDS4	Replace Figure 11STDS4, with Figure 11STDS4 Errata 2-b446. (See new figures at end of errata list.)
1-278	B-187, Figure 11STDS4	Incorporated into 2-b446.
1-279	B-187, Figure 11STDS4	Incorporated into 2-b446.
1-280	B-187, Figure 11STDS4	Incorporated into 2-b446.
1-281	B-187, Figure 11STDS4	Incorporated into 2-b446.
1-282	B-187, Figure 11STDS4	Superseded by 2-b446.
2-b447	B-188, Figure 11STDS5	Replace Figure 11STDS5, with Figure 11STDS5 Errata 2-b447. (See new figures at end of errata list.)
1-283	B-188, Figure 11STDS5	Superseded by 2-b447.
1-284	B-188, Figure 11STDS5	Superseded by 2-b447.
2-b448	B-189, Para. B.5.11.3	In the list, delete entire entry for DOCTYP010.
2-b449	B-190, Para. B.5.11.4	In the list, delete entire entry for DOCTYP010.
2-b450	B-190, Para. B.5.11.5	In the list, delete entire entry for DOCTYP010.
2-b451	B-191, Para. B.5.11.6	In the list, delete entire entry for DOCTYP010.
2-b452	B-191, Para. B.5.11.7	In the list, delete entire entry for DOCTYP010.
2-b453	B-192, Para. B.5.11.8	In the list, delete entire entry for DOCTYP010.
2-b454	B-192, Para. B.5.11.9	In the list, delete entire entry for DOCTYP010.
2-b455	B-193, Para. B.5.11.10	In the list, delete entire entry for DOCTYP010.
2-b456	B-193, Para. B.5.11.11	In the list, delete entire entry for DOCTYP010.
2-b457	B-193, Para. B.5.11.12	In the list, delete entire entry for DOCTYP010.
2-b458	B-194, Para. B.5.11.13	In the list, delete entire entry for DOCTYP010.
2-b459	B-194, Para. B.5.11.14	In the list, delete entire entry for DOCTYP010.
2-b460	B-194, Para. B.5.11.16	Line 1, change "ORSSTDDOC-DEFPIN" to read "ORGSTDDOC-DEFPIN".
2-b461	B-194, Para. B.5.11.16	In the list, delete entire entry for DOCTYP010.
2-b462	B-195, Para. B.5.11.17.b	Delete entire paragraph.
2-b463	B-195, Para. B.5.11.17	In the list, immediately after the entry for DESORG421, insert the following "DOCNUM020 document-alphanumeric-identifier 0003 FK" in the appropriate columns.
2-b464	B-195, Para. B.5.11.17	In the list, delete entire entry for MATDOC421.
2-b465	B-195, Para. B.5.11.18.a	Line 1, delete "the combination of document-type-code (DOCTYP010) and ". Last line, change "MATDOC421" to read "MATDOC201".
1-285	B-195, Para. B.5.11.18	In the list, move the entry (entire line) for DOCNUM020 to immediately after the heavy line.

Errata

Num. page,para,fig,etc

change

2-b466	B-195, Para. B.5.11.18	In the list, delete entire entry for DOCTYP010.
1-286	B-195, Para. B.5.11.18	Superseded by 2-b466.
1-287	B-195, Para. B.5.11.18	Superseded by 2-b466.
2-b467	B-196, Para. B.5.11.19.a	Replace paragraph with "For each instance in this table, the value of document-alphanumeric-identifier (DOCNUM020) must be the same as the value of the same field for the parent instance in Table STDPIN/211."
2-b468	B-196, Para. B.5.11.19	In the list, delete entire entry for DOCTYP010.
2-b469	B-196, Para. B.5.11.21	In the list, delete entire entry for DOCTYP010.
2-b470	B-197, Para. B.5.11.22	In the list, delete entire entry for DOCTYP010.
2-b471	B-197, Para. B.5.11.23	In the list, delete entire entry for DOCTYP010.
2-b472	B-197, Para. B.5.11.24.b	Delete entire paragraph.
2-b473	B-197, Para. B.5.11.24	In the list, immediately after the entry for DESCAG433, insert the following "DOCNUM020 document-alphanumeric-identifier 0003 FK" in the appropriate columns.
2-b474	B-197, Para. B.5.11.24	In the list, delete entire entry for MATDOC433.
2-b475	B-198, Para. B.5.11.25.b	Lines 1 & 2, replace "material-document-identifier (MATDOC433)" with "document-alphanumeric-identifier (DOCNUM020)". last line, change "MATDOC433" to read "MATDOC434".
2-b476	B-198, Para. B.5.11.25	In the list, change "MATDOC433" to read "MATDOC434".
2-b477	B-198, Para. B.5.11.26.a	Line 1, delete "the combination of document-type-code (DOCTYP010) and ". Last line, change "MATDOC433" to read "MATDOC434".
1-288	B-198, Para. B.5.11.26	In the list, move the entry (entire line) for DOCNUM020 to immediately after the heavy line
2-b478	B-198, Para. B.5.11.26	In the list, delete entire entry for DOCTYP010.
1-289	B-198, Para. B.5.11.26	Superseded by 2-b478.
1-290	B-198, Para. B.5.11.26	Superseded by 2-b478.
2-b479	B-199, Para. B.5.11.27.a	Delete entire paragraph.
2-b480	B-199, Para. B.5.11.27	In the list, delete entire entry for DOCTYP010.
2-b481	B-199, Para. B.5.11.28.a	Replace paragraph with "For each instance in this table, the value of document-alphanumeric-identifier (DOCNUM020) must be the same as the value of the same field for the parent instance in Table CAGSTDDOC-PIN/436."
2-b482	B-199, Para. B.5.11.28	In the list, delete entire entry for DOCTYP010.
2-b483	B-200, Para. B.5.11.30	In the list, delete entire entry for DOCTYP010.
1-291	B-200, Para. B.5.11.31	Second line, change "(COMSTDDOCREV)" to read "(COMSTDNUMDOCREV)"
2-b484	B-200, Para. B.5.11.31	In the list, delete entire entry for DOCTYP010.
2-b485	B-201, Para. B.5.12.1	Lines 1 & 2, change "GENERIC-DOC/010 for the case where the value of document-type-code is" to read "GENERIC-

Errata

Num. page,para,fig,etc

change

		DOCUMENT/010 for the case where the value of document-category-code (DOCTYP010) is" .
2-b486	B-201, Para. B.5.12.1.a	Delete entire paragraph.
2-b487	B-201, Para. B.5.12.1	In the list, delete entire entry for MRQTYP450.
2-b488	B-201, Para. B.5.12.2	In the list, delete entire entry for MRQTYP450.
2-b489	B-202, Figure 12MOD1	Replace Figure 12MOD1, with Figure 12MOD1 Errata 2-b489. (See new figures at end of errata list.)
1-292	B-202, Figure 12MOD1	Incorporated into 2-b489.
2-b490	B-203, Figure 12MOD2	Replace Figure 12MOD2 with Figure 12MOD2 Errata 2-b490. (See new figures and end of errata list.)
1-293	B-203, Figure 12MOD2	Incorporated into 2-b490.
2-b491	B-204, Figure 12MOD3	Replace Figure 12MOD3, with Figure 12MOD3 Errata 2-b491. (See new figures at end of errata list.)
2-b492	B-205, Figure 12MOD4	Replace Figure 12MOD4, with Figure 12MOD4 Errata 2-b492. (See new figures at end of errata list.)
2-b493	B-206, Fig. 12MOD5	Replace Figure 12MOD5 with Figure 12MOD5 Errata 2-b493. (See new figures and end of errata list.)
1-294	B-206, Fig. 12MOD5	Incorporated into 2-b493.
2-b494	B-207, Para. B.5.12.3	In the list, delete entire entry for MRQTYP450.
2-b495	B-207, Para. B.5.12.4	In the list, delete entire entry for MRQTYP450.
2-b496	B-207, Para. B.5.12.5	In the list, delete entire entries for MRQTYP450 and ECPTYP250.
2-b497	B-207, Para. B.5.12.7	Line 2, change "DOC/010 for the case where the value of document-type-code is" to read "DOCUMENT/010 for the case where the value of document-category-code (DOCTYP010) is".
2-b498	B-208, Para. B.5.12.7.c	Replace with "Reserved".
2-b499	B-208, Para. B.5.12.7	In the list, delete entire entries for MINTYP460 and MRQTYP450.
2-b500	B-208, Para. B.5.12.8	In the list, delete entire entries for MINTYP460 and TMNTYP550.
2-b501	B-209, Para. B.5.12.9	In the list, delete entire entry for MINTYP460.
2-b502	B-209, Para. B.5.12.10	In the list, delete entire entry for MINTYP460.
2-b503	B-209, Para. B.5.12.11	In the list, delete entire entries for MINTYP460 and TMNTYP550.
2-b504	B-210, Para. B.5.12.12	In the list, delete entire entry for MINTYP460.
2-b505	B-210, Para. B.5.12.13	In the list, delete entire entry for MINTYP460.
2-b506	B-211, Para. B.5.12.14	In the list, delete entire entry for MINTYP460.
2-b507	B-211, Para. B.5.12.15	In the list, delete entire entries for MINTYP460 and TMNTYP550.
2-b508	B-211, Para. B.5.12.16	In the list, delete entire entry for MINTYP460.
2-b509	B-212, Para. B.5.12.17	In the list, delete entire entry for MINTYP460.
2-b510	B-212, Para. B.5.12.18	In the list, delete entire entry for MINTYP460.
2-b511	B-212, Para. B.5.12.19	In the list, delete entire entry for MINTYP460.
2-b512	B-212, Para. B.5.12.20	Replace para B.5.12.20 with new para. B.5.12.20 that reads: "Table 473, Field change instruction identification (FLDCHG). This table is a subcategory of DOD-MODINST/462 for the case where the value of the modification-instruction-document-

Errata

Num. page,para,fig,etc

change

subsidiary-type-code (MINSUB462) in Table 462 is 'FLDCHG'. It contains the unique and primary identification of Field Change Instructions as defined in MIL-STD-2039(SH).

Code	Data Element Title	DED	Key
MINNUM462	modification-instruction-document-alphanumeric-identifier	0003	FK
SRCDOD462	united-states-defense-department-document-source-enterprise-acronym-identification-code	0002	FK

1-295 B-212, Para. B.5.12.20  
 2-b513 B-213, Para. B.5.12.21  
 1-296 B-213, Para. B.5.12.22

2-b514 B-213, Para. B.5.12.22  
 1-297 B-213, Para. B.5.12.23

1-298 B-213, Para. B.5.12.23

2-b515 B-213, Para. B.5.12.23  
 2-b516 B-213, Para. B.5.12.23

1-299 B-213, Para. B.5.12.23  
 1-300 B-213, Para. B.5.12.23

1-301 B-214, Para. B5.12.24

2-b517 B-214, Para. B.5.12.24

2-b518 B-214, Para. B.5.12.25

Superseded by 2-b512.  
 In the list for Table 490, delete entire entry for MINTYP460.  
 In the list for Table 491, move the entry (entire line) for BASNUM500 from immediately below the heavy line to immediately before the entry for DESENT210.  
 In the list for Table 490, delete entire entry for MINTYP460.  
 In the list for Table 492, immediately before the entry for DESENT210, insert the new line: "BASNUM500 product--tracking-base--identifier 0056 FK" in the appropriate columns.  
 In the list for Table 492, immediately after the entry for KITIDN490, insert the new line: "MFR CAG515 manufacturer-enterprise-defense-logistics--assigned-identification-code 0001 FK" in the appropriate columns.  
 In the list for Table 492, delete entire entry for MINTYP460.  
 In the list for Table 492, move the entries for MINIDN460 and MINSRC460 (two entire lines) to immediately after the heavy line.  
 Superseded by 2-b516.  
 In the list for Table 492, immediately after the entry for PARNUM210, insert the two new lines: "STREFF491 product-starting-effectivity-sequential-tracking-identifier 0058 FK" and "TRKTYP515 product-change-effectivity-tracking-type-code 0057 FK" in the appropriate columns.  
 In the list for Table 493, move the entry (entire line) for ECPREV251 to immediately after the heavy line.  
 In the list for Table 493, delete entire entries for ECPTYP250 and MINTYP460.  
 In the list for Table 494, delete entire entry for MINTYP460.

Errata

Num. page,para,fig,etc

change

1-302	B-214, Para. B.5.12.25	In the list for Table 494, move the entry (entire line) for BASNUM500 to immediately before the entry for DESENT200.
1-303	B-212, Para. B.5.12.21 through B.5.12.26	Renumber paragraphs B.5.12.21 through B.5.12.26 as B.5.12.22 through B.5.12.27, respectively and insert new para B.5.12.21 that reads as follows: "B.5.12.21 Tables 474 through 489. Reserved."
2-b519	B-216, Figure 13TRK1	Replace Figure 13TRK1, with Figure 13TRK1 Errata 2-b519. (See new figures at end of errata list.)
2-b520	B-217, Figure 13TRK2	Replace Figure 13TRK2, with Figure 13TRK2 Errata 2-b520. (See new figures at end of errata list.)
2-b521	B-218, Figure 13TRK3	Replace Figure 13TRK3, with Figure 13TRK3 Errata 2-b521. (See new figures at end of errata list.)
2-b522	B-222, Para. B.5.13.9.b	Lines 2 & 3, change "(DESCAG022), document-alphaumeric-identifier (DOCNUM020), and document-type-code (DOCTYP010)." to read "(DESCAG022) and document-alphaumeric-identifier (DOCNUM020)."
2-b523	B-223, Para. B.5.13.9	In the list, delete entire entry for DOCTYP010.
1-304	B-223, Para. B.5.13.10	Second line, change "(SPEC-CIBASE)" to read "(PSPEC-CIBASE)"
2-b524	B-223, Para. B.5.13.10	In the list, delete entire entry for DOCTYP010.
2-b525	B-223, Para. B.5.13.11	In the list, delete entire entry for DOCTYP010.
2-b526	B-224, Para. B.5.13.12	In the list, delete entire entry for DOCTYP010.
1-305	B-227, Para. B.5.13.21	In the list, in the entry for DESENT210, change the Key to read "FK, AK1".
1-306	B-227, Para. B.5.13.21	In the list, in the entry for MFRCAG515, change the Key to read "FK, AK1".
1-307	B-227, Para. B.5.13.21	In the list, in the entry for PARNUM210, change the Key to read "FK, AK1".
1-308	B-227, Para. B.5.13.21	In the list, in the entry for MSNNUM516, change the Key to read "FK, AK1, O".
2-b527	B-234, Para. B.5.13.34	In the list, delete entire entry for RFDTYP350.
2-b528	B-234, Para. B.5.13.35	In the list, delete entire entry for MINTYP460.
2-b529	B-235, Para. B.5.14.1	Lines 1 & 2, change "GENERIC-DOC/010 for the case where the value of document-type-code" to read "GENERIC-DOCUMENT/010 for the case where the value of document-category-code" ..
2-b530	B-235, Para. B.5.14.1.b	Delete entire paragraph.
2-b531	B-235, Para. B.5.14.1	In the list, delete entire entry for TMNTYP550.
2-b532	B-235, Para. B.5.14.1	In the list, after the entry for ACQCOD550, enter "CINOMN690 configuration-item-product-nomenclature-text 0047 FK" in the appropriate columns.

Errata

Num. page,para,fig,etc

change

<p>2-b533 B-235, Para. B.5.14.2</p> <p>2-b534 B-235, Para. B.5.14.2</p> <p>2-b535 B-236, Figure 14TM1</p> <p>2-b536 B-237, Figure 14TM2</p> <p>2-b537 B-238, Figure 14TM3</p> <p>2-b538 B-239, Figure 14TM4</p> <p>2-b539 B-240, Para. B.5.14.3</p> <p>2-b540 B-240, Para. B.5.14.4</p> <p>2-b541 B-240, Para. B.5.14.5</p> <p>2-b542 B-241, Para. B.5.14.6</p> <p>2-b543 B-241, Para. B.5.14.7</p> <p>1-309 B-241, Para. B.5.14.7</p> <p>2-b544 B-241, Para. B.5.14.7</p> <p>1-310 B-241, Para. B.5.14.7</p> <p>1-311 B-242, Para. B.5.14.8</p> <p>2-b545 B-242, Para. B.5.14.8</p> <p>1-312 B-242, Para. B.5.14.9</p> <p>2-b546 B-242, Para. B.5.14.9</p> <p>2-b547 B-242, Para. B.5.14.10</p> <p>2-b548 B-243, Para. B.5.14.11</p> <p>2-b549 B-243, Para. B.5.14.13</p> <p>2-b550 B-244, Para. B.5.14.14</p> <p>2-b551 B-244, Para. B.5.14.16</p> <p>2-b552 B-244, Para B.5.14.X (added)</p>	<p>Line 2, change "document-type-code (DOCTYP010) is" to read "document-category-code (DOCTYP010 in the parent instance in Table 010) is"..</p> <p>In the list, delete entire entry for TMNTYP550.</p> <p>Replace Figure 14TM1, with Figure 14TM1 Errata 2-b535. (See new figures at end of errata list.)</p> <p>Replace Figure 14TM2, with Figure 14TM2 Errata 2-b536. (See new figures at end of errata list.)</p> <p>Replace Figure 14TM3, with Figure 14TM3 Errata 2-b537. (See new figures at end of errata list.)</p> <p>Replace Figure 14TM4, with Figure 14TM4 Errata 2-b538. (See new figures at end of errata list.)</p> <p>In the list, delete entire entry for TMNTYP550.</p> <p>In the list, delete entire entry for TMNTYP550.</p> <p>In the list, delete entire entry for TMNTYP550.</p> <p>In the list, delete entire entry for DOCTYP010.</p> <p>In the list, delete entire entry for DOCTYP010.</p> <p>In the list, move the entries for CTMIDN556 and CTMSRC556 (two complete lines) to immediately after the heavy line.</p> <p>In the list, delete entire entry for TMNTYP550.</p> <p>Superseded by 2-b544.</p> <p>First line, change "(ARMY-TM)" to read "(USATM)".</p> <p>In the list, delete entire entry for TMNTYP550.</p> <p>First line, change "(MARINE-TM)" to read "(USMCTM)".</p> <p>In the list, delete entire entry for DOCTYP010.</p> <p>In the list, delete entire entry for DOCTYP010.</p> <p>In the list, delete entire entries for TMNTYP550 and MINTYP460.</p> <p>In the list, delete entire entry for DOCTYP010.</p> <p>In the list, delete entire entry for DOCTYP010.</p> <p>In the list, delete entire entries for ECPTYP250 and TMNTYP550.</p> <p>Insert new paragraph between paragraphs B.5.14.16 and B.5.14.17 that reads: "B.5.14.X Table 566, Correlation of technical manuals and part numbers (TM-PIN). This table correlates technical manuals to the applicable part numbers."</p>
---	---

Code	Data Element Title	DED	Key
DESENT210	design-enterprise-identifier	0052	FK
DOCIDN010	document-identifier	0122	FK
PARNUM210	part-product-identifier	0024	FK

Errata

Num. page,para,fig,etc

change

	SRCIDN010	document-source-entity- identifier	0033	FK
		"		
		(succeeding paragraphs will be renumbered upon publication.)		
2-b553	B-244, Para. B.5.14.17	Change "566" to read "567".		
2-b554	B-244, Para. B.5.14.18	Line 2, change "of document-" to read "of technical-manual-document-".		
2-b555	B-245, Para. B.5.14.18	In the list, delete entire entry for TMNTYP550.		
2-b556	B-245, Para. B.5.14.19	Line 2, change "of document-" to read "of technical-manual-document-".		
1-313	B-245, Para. B.5.14.19	In the list, change "RTMIDN610" to read "RTMIDN571".		
2-b557	B-245, Para. B.5.14.19	In the list, delete entire entries for TMNTYP550 and DOCTYP010.		
1-314	B-245, Para. B.5.14.19	Superseded by 2-b557.		
2-b558	B-245, Para. B.5.14.20	Line 2, change "of document-" to read "of technical-manual-document-".		
2-b559	B-246, Para. B.5.14.20	In the list, delete entire entries for TMNTYP550 and DOCTYP010.		
1-315	B-246, Para. B.5.14.21	Second line, change "(DODTMSUPSET-TOPS)" to read "(DODTMSUPPKG-TOPS)".		
2-b560	B-246, Para. B.5.14.21	In the list, delete entire entries for DOCTYP010 and TMNTYP550.		
2-b561	B-247, Para. B.5.15.2	In the list, delete entire entry for DOCTYP010.		
1-316	B-247, Para. B.5.15.4.a	Third line, change "(DOCNUM554)" to read "(DOCNUM552)".		
2-b562	B-248, Figure 15SUP1	Replace Figure 15SUP1, with Figure 15SUP1 Errata 2-b562. (See new figures at end of errata list.)		
1-317	B-248, Figure 15SUP1	Incorporated into 2-b562.		
2-b563	B-249, Figure 15SUP2	Replace Figure 15SUP2, with Figure 15SUP2 Errata 2-b563. (See new figures at end of errata list.)		
2-b564	B-250, Figure 15SUP3	Replace Figure 15SUP3, with Figure 15SUP3 Errata 2-b564. (See new figures at end of errata list.)		
2-b565	B-251, Figure 15SUP4	Replace Figure 15SUP4, with Figure 15SUP4 Errata 2-b565. (See new figures at end of errata list.)		
2-b566	B-252, Figure 15SUP5	Replace Figure 15SUP5, with Figure 15SUP5 Errata 2-b566. (See new figures at end of errata list.)		
2-b567	B-253, Figure 15SUP6	Replace Figure 15SUP6, with Figure 15SUP6 Errata 2-b567. (See new figures at end of errata list.)		
2-b568	B-254, Para. B.5.15.4	In the list, delete entire entries for DOCTYP010 and TMNTYP550.		
2-b569	B-254 & 255, Para. B.5.15.5	In the list, delete entire entries for DOCTYP010 and TMNTYP550.		
2-b570	B-255, Para. B.5.15.6	In the list, delete entire entries for DOCTYP010 and TMNTYP550.		
2-b571	B-256, Para. B.5.15.7	In the list, delete entire entries for DOCTYP010 and TMNTYP550.		
1-318	B-256, Para. B.5.15.8	Line 1, change "(DOD-TMTPSUP)" to read "(DOD-TOPS)".		
2-b572	B-257, Para. B.5.15.8	In the list, delete entire entries for DOCTYP010 and TMNTYP550.		
2-b573	B-257, Para. B.5.15.9	In the list, delete entire entries for DOCTYP010, ECPTYP250, and TMNTYP550.		

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b574	B-258, Para. B.5.15.10	In the list, delete entire entries for DOCTYP010, ECPTYP250, and TMNTYP550.
2-b575	B-258 & 259, Para B.5.15.11	In the list, delete entire entries for DOCTYP010, ECPTYP250, and TMNTYP550.
2-b576	B-259, Para. B.5.15.12	In the list, delete entire entries for DOCTYP010, ECPTYP250, and TMNTYP550.
1-319	B-259, Para. B.5.15.12	In the list, move the entry (entire line) for PROGNM691 to immediately after the entry for ENTIDN002.
2-b577	B-260, Para. B.5.15.13	In the list, delete entire entries for DOCTYP010, ECPTYP250, and TMNTYP550.
1-320	B-260, Para. B.5.15.14	First line, change "(SCN)" to read "(DOD-SCN)".
2-b578	B-260, Para. B.5.15.14.c	Change to read "Reserved"
2-b579	B-261, Para. B.5.15.14.e	Change to read "Reserved"
2-b580	B-261, Para. B.5.15.14	In the list, delete entire entries for DSUPTY620, ECPTYP250, and SPCTYP620.
2-b581	B-262, Figure 16DID1	Replace Figure 16DID1, with Figure 16DID1 Errata 2-b581. (See new figures at end of errata list.)
2-b582	B-262, Para. B.5.16.1	Line 3, change "document-type-code (DOCTYP010) is 'DID'. Although" to read "document-category-code (DOCTYP010 in the parent instance of Table 010) is 'DID'. In practice, the issuance of DIDs is limited to enterprises and therefore, Table 650 is also a subcategory of Table 020 for the case where the value of entity-type-code (ENTTYP000 in Table 000) is 'E'. Therefore, although".
2-b583	B-262, Para. B.5.16.1.b	Replace with "Attribute document-source-entity-identifier (SRCIDN010) inherited from Table 020 assumes the role document-source-enterprise-identifier (SRCENT650)."
2-b584	B-263, Para. B.5.16.1	In the list, delete entire entry for DIDTYP650.
2-b585	B-263, Para. B.5.16.1	In the list, change "SRCENT020" to read "SRCENT650".
2-b586	B-263, Para. B.5.16.2	Line 2, change "document-type-code (DOCTYP010) is" to read "document-category-code (DOCTYP010 in the parent instance of Table 010) is".
2-b587	B-263, Para. B.5.16.2.b	Replace with "Because this table is a de facto child of Table 650, document-source-entity-identifier (SRCIDN010) inherited from Table 021 is really a document-source-enterprise-identifier (SRCENT650) existing in Table 650. Therefore SRCIDN010 assumes the identity SRCENT650."
2-b588	B-263, Para. B.5.16.2	In the list, delete entire entry for DIDTYP650.
2-b589	B-263, Para. B.5.16.2	In the list, change "SRCENT020" to read "SRCENT650".
2-b590	B-264, Fig. 17PAN1	Replace Figure 17PAN1, with Figure 17PAN1 Errata 2-b590. (See new figures at end of errata list.)
1-321	B-264, Fig. 17PAN1	Incorporated into 2-b590.
1-322	B-264, Fig. 17PAN1	Incorporated into 2-b590.

Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
1-323	B-264, Fig. 17PAN1	Incorporated into 2-b590.
1-324	B-264, Fig. 17PAN1	Superseded by 2-b590.
1-325	B-264, Fig. 17PAN1	Incorporated into 2-b590.
1-326	B-264, Fig. 17PAN1	Incorporated into 2-b590.
1-327	B-264, Fig. 17PAN1	Incorporated into 2-b590.
1-328	B-264, Figure 17PAN1	Superseded by 2-b590.
2-b591	B-264, Para. B.5.17.1.a	Change "-type-" to read "-category-"
2-b592	B-264, Para. B.5.17.1	In the list, in the last entry, change "document-type-code" to read "document-category-code".. Line 2, change "document-type-code" to read "document-category-code".
2-b593	B-264, Para. B.5.17.2	In the list, delete entire entry for ECPTYP250.
2-b594	B-265, Para. B.5.17.2	Line 2, change "document-type-code" to read "document-category-code".
2-b595	B-265, Para. B.5.17.3	In the list, delete entire entry for RFDTYP350.
2-b596	B-265, Para. B.5.17.3	Replace Figure 18AUD1, with Figure 18AUD1 Errata 2-b597. (See new figures at end of errata list.)
2-b597	B-267, Figure 18AUD1	Incorporated into 2-b597.
1-329	B-267, Figure 18AUD1	Change paragraph to read: " <u>Table 678. Audit action item status (AUDAGENSTAT)</u> . This table provides the status of each action which results from a configuration management audit."
1-330	B-268, Para. B.5.18.4	Lines 4 & 5, change "document-type-code (DOCTYP010) inherited from Table 011 cannot be 'DOCSUP', 'MODINST', 'MODREQ', 'PLNPROC', 'REPORT', or 'TM'." to read "document-category-code (DOCTYP010 in the parent instance in Table 010) cannot be 'DOCSUP', 'MODINST', 'MODREQ', or 'TECHMAN'."
2-b598	B-269, Para. B.5.18.7	In the list, delete entire entry for DOCTYP010.
2-b599	B-269, Para. B.5.18.7	In the list, delete entire entry for ECPTYP250.
2-b600	B-269, Para. B.5.18.8	First line, change "(SYSTEM-PROGRAM)" to read "(SYSTEM)".
1-331	B-270, Para. B.5.19.2	First line, change "(CI-DESG)" to read "(CI-DESIG)".
1-332	B-270, Para. B.5.19.4	Replace Figure 19CI2, with Figure 19CI2 Errata 2-b601. (See new figures at end of errata list.)
2-b601	B-272, Figure 19CI2	At the end of the paragraph, insert "The values of primary-equipment-configuration-item-product-identifier PCIIDN694) and support-equipment-configuration-item-product-identifier (SCIIDN694) cannot be the same for any one instance in the table."
2-b602	B-273, Para. B.5.19.5	At the end of the paragraph, insert "The values of program-system-name (SYSNAM698) and program-subsystem-name (SUBNAM698) cannot be the same for any one instance of the table."
2-b603	B-274, Para. B.5.19.9	At the end of the paragraph, insert "If the CCB Directive is issued as a document, a document identifier (DOCIDN010) is assigned;
2-b604	B-275, Para. B.5.19.15	

## Errata

Num. page,para,fig,etcchange

		however, if the CCB Directive is simply an on-line capture of the results of the CCB, a document identifier is not required."
2-b605	B-275, Para. B.5.19.15.a	Change "document-type-code (DOCTYP010)" to read "document-category-code (DOCTYP010 of the parent instance in Table 010)".
2-b606	B-275, Para. B.5.19.15.b (added)	Insert new paragraph that reads "b. Attributes document-source- entity-identifier (SRCIDN010) inherited from Table 010 and enterprise-identifier (ENTIDN002) inherited from Table 700 must both have the same value. therefore, they merge and assume the identity enterprise-identifier (ENTIDN002)."
2-b607	B-275, Para. B.5.19.15	In the list, after the entry for CCBNAM700, insert "DOCIDN010 document-identifier 0122 FK, AK1, O" in the appropriate columns.
2-b608	B-275, Para. B.5.19.15	In the list, delete entire entry for DOCTYP010.
2-b609	B-275, Para. B.5.19.15	In the list, in the entry for ENTIDN002, in the Key column, change "FK" to read "FK, AK1".
2-b610	B-276, Para. B.5.19.16.d	Delete entire paragraph.
2-b611	B-276, Para. B.5.19.16	In the list, delete entire entry for ECPTYP250.
2-b612	B-277, Para. B.5.19.17.d	Delete entire paragraph.
2-b613	B-277, Para. B.5.19.17	In the list, delete entire entry for RFDTP350.
2-b614	B-278, Para. B.5.20.1	In the list, delete entire entry for DOCTYP010.
2-b615	B-278, Para. B.5.20.2	In the list, delete entire entry for DOCTYP010.
2-b616	B-279, Figure 21REP1	Replace Figure 21REP1, with Figure 21REP1 Errata 2-b616. (See new figures at end of errata list.)
2-b617	B-280, Figure 21REP2	Replace Figure 21REP2, with Figure 21REP2 Errata 2-b617. (See new figures at end of errata list.)
2-b618	B-281, Figure 21REP3	Replace Figure 21REP3, with Figure 21REP3 Errata 2-b618. (See new figures at end of errata list.)
2-b619	B-282, Para. B.5.20.3	In the list, delete entire entry for DOCTYP010.
2-b620	B-282, Para. B.5.20.4	In the list, delete entire entry for DOCTYP010.
2-b621	B-283, Para. B.5.20.5	In the list, delete entire entry for DOCTYP010.
2-b622	B-283, Para. B.5.20.6	In the list, delete entire entry for DOCTYP010.
2-b623	B-283, Para. B.5.20.7	In the list, delete entire entry for DOCTYP010.
2-b624	B-284, Para. B.5.20.8	In the list, delete entire entry for DOCTYP010.
1-333	B-284, Para. B.5.20.10	First line, change "(REPREV-OOREVIEWER)" to read "(OO- REVIEWER)".
2-b625	B-285, Para. B.5.20.10	In the list, delete entire entry for DOCTYP010.
1-334	B-285, Para. B.5.20.11	First and second lines, change "(REPREV-OOREDLINE)" to read "(OO-REDLINE)".
2-b626	B-286, Para. B.5.20.11	In the list, delete entire entry for DOCTYP010.
2-b627	B-286, Para. B.5.20.12	Change "849" to read "819".

Errata

Num. page,para,fig,etc

change

- 2-b628 B-286, Para B.5.20.13 (added) Insert new paragraph that reads "Table 820, Correlation of drawing sheet to file (DWGREV-FILE). This table is a subtype of Table 802 for the case where the value of the document-category-code (DOCTYP010 in the parent instance in Table 010) is 'DWG'. It contains the subset of all instances in Table 820 which are individual drawing sheets. (For example, if an application such as AutoCad is used, each sheet of the drawing is a separate file.)
- a. Attribute document-identifier (DOCIDN010) inherited from Table 802 and engineering-drawing-document-alphanumeric-identifier (DWGNUM050) inherited from Table 052 must have the same value. Therefore, they merge and assume the identity engineering-drawing-document-alphanumeric-identifier (DWGNUM050).
  - b. Attribute document-source-entity-identifier (SRCIDN010) inherited from Table 802 and design-enterprise-defense-logistics--assigned-identification-code (DESCAG050) inherited from Table 052 must have the same value. Therefore, they merge and assume the identity design-enterprise-defense-logistics--assigned-identification-code (DESCAG050).

<b>Code</b>	<b>Data Element Title</b>	<b>DED</b>	<b>Key</b>
DESCAG050	design-enterprise-defense-logistics--assigned-identification-code	0001	FK
DWGNUM050	engineering-drawing-document-alphanumeric-identifier	0003	FK
FILADD900	enterprise-file-origination-office-address-text	0081	FK
FILDAT900	electronic-document-file-creation-date	0082	FK
FILIDN900	electronic-document-file-identifier	0206	FK
FILORG900	file-originator-human-name	0069	FK
FILTIM900	electronic-document-file-creation-time	0160	FK

Errata

Num. page,para,fig,etc

change

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>																
		<table border="1"> <tr> <td>REPIDN800</td> <td>document-representation-identifier</td> <td>0207</td> <td>FK</td> </tr> <tr> <td>REPREV801</td> <td>document-representation-revision-identifier</td> <td>0208</td> <td>FK</td> </tr> <tr> <td>CURREV052</td> <td>engineering-drawing-document-current-alphanumeric-revision-identifier</td> <td>0009</td> <td>FK</td> </tr> <tr> <td>SHTNUM052</td> <td>document-sheet-identifier</td> <td>0026</td> <td>FK</td> </tr> </table>	REPIDN800	document-representation-identifier	0207	FK	REPREV801	document-representation-revision-identifier	0208	FK	CURREV052	engineering-drawing-document-current-alphanumeric-revision-identifier	0009	FK	SHTNUM052	document-sheet-identifier	0026	FK
REPIDN800	document-representation-identifier	0207	FK															
REPREV801	document-representation-revision-identifier	0208	FK															
CURREV052	engineering-drawing-document-current-alphanumeric-revision-identifier	0009	FK															
SHTNUM052	document-sheet-identifier	0026	FK															
2-b629	B-286, Para B.5.20.14 (added)	Insert new paragraph that reads "B.5.20.14 Tables 821 through 849. Reserved.																
1-335	B-287, Para. B.5.21.1	First line, change "(DOCREVSTAT)" to read "(DOCREV-STAT)".																
2-b630	B-288, Figure 21REV1	Replace Figure 21REV1, with Figure 21REV1 Errata 2-b630. (See new figures at end of errata list.)																
2-b631	B-289, Figure 21REV2	Replace Figure 21REV2, with Figure 21REV2 Errata 2-b631. (See new figures at end of errata list.)																
2-b632	B-290, Figure 21REV3	Replace Figure 21REV3, with Figure 21REV3 Errata 2-b632. (See new figures at end of errata list.)																
2-b633	B-291, Figure 22REV4	Replace Figure 21REV4, with Figure 21REV4 Errata 2-b633. (See new figures at end of errata list.)																
1-336	B-291, Figure 22REV4	Incorporated into 2-b633.																
1-337	B-291, Figure 22REV4	Incorporated into 2-b633.																
1-338	B-291, Figure 22REV4	Incorporated into 2-b633.																
2-b634	B-292, Para. B.5.21.1	In the list, delete entire entry for DOCTYP010.																
2-b635	B-292, Para. B.5.21.2	In the list, delete entire entry for DOCTYP010.																
2-b636	B-293, Para. B.5.21.3	In the list, delete entire entry for DOCTYP010.																
2-b637	B-293, Para. B.5.21.4	In the list, delete entire entry for DOCTYP010.																
2-b638	B-293, Para. B.5.21.5	In the list, delete entire entry for DOCTYP010.																
2-b639	B-293, Para. B.5.21.6	In the list, delete entire entry for DOCTYP010.																
1-339	B-294, Para. B.5.21.6	In the list, move the entry (entire line) for SRCIDN010 to immediately after the entry for REVSTA850.																
2-b640	B-294, Para. B.5.21.8	In the list, delete entire entry for DOCTYP010.																
2-b641	B-295, Para. B.5.21.9	In the list, delete entire entry for DOCTYP010.																
1-340	B-296, Para. B.5.21.11	First line, change "(DOCREV-AASTAT)" to read "(AA-DOCSTAT)".																
2-b642	B-296, Para. B.5.21.11	In the list, delete entire entry for DOCTYP010.																
2-b643	B-297, Para. B.5.21.12	In the list, delete entire entry for DOCTYP010.																
1-341	B-297, Para. B.5.21.13	Second line, change "(DOCREV-AAAPP)" to read "(DOCREV-AAADOPT)".																

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-b644	B-297, Para. B.5.21.13.a	Delete subparagraph.
2-b645	B-297, Para. B.5.21.13	In the list, delete entire entry for DOCTYP010.
2-b646	B-297, Para. B.5.21.13	In the list, delete the entry for IMPCOD863.
2-b647	B-298, Para. B.5.21.14	In the list, delete entire entry for DOCTYP010.
2-b648	B-298, Para. B.5.21.15	In the list, delete entire entry for DOCTYP010.
1-342	B-298, Para. B.5.21.16	Second line, change "(AADOCSSUB-AAREVIEWER)" to read "(AA-REVIEWER)".
2-b649	B-299, Para. B.5.21.16	In the list, delete entire entry for DOCTYP010.
1-343	B-299, Para. B.5.21.17	Second line, change "(AADOSUB-AAREDLINE)" to read "(AA-REDLINE)".
2-b650	B-300, Para. B.5.21.17	In the list, delete entire entry for DOCTYP010.
2-b651	B-303, Figure B-3	In note under Activity 2-8, change "CASE 1" to "CASE 2".
2-b652	B-304, Figure B-4	In activity 3-3, change "revision is put in Application Activity Adoption status submit" to read "revision is reviewed by potential Application Activity*"; Beneath the activity 3-3 box, insert "* adoption status = 'SUBMIT'".
1-344	B-311, Figure 23FILE1	Entity 900, delete the entry that reads "file-name".
1-345	B-311, Figure 23FILE1	Entity 943, change the title to read "STAFF/943 (from 25ADD1)"
2-b653	B-311, Figure 23FILE1	Change the title of Table ACCESS/018 to ACCESS/018.
1-346	B-312, Para. B.5.22.1	In the list move entry (entire line) for SWIDEN170 from before the heavy line to before the entry for SWSORC170.
1-347	B-313, Para. B.5.22.1	In the list, delete the entire entry for FILNAM900.
1-348	B-313, Para. B.5.22.2	In the list after the entry for FILADD900, insert the new line: "FILDAT900 electronic-document-file-creation-date 0082 FK" in the appropriate columns.
1-349	B-313, Para. B.5.22.2	In the list after the entry for FILORG900 and before the heavy line, insert the new line: "FILTIM900 electronic-document-file-creation-time 0160 FK" in the appropriate columns.
2-b654	B-315, Para. B.5.23.1	Line 2, change "GENERIC-DOC/010" to read "GENERIC-DOCUMENT/010".
2-b655	B-315, Para. B.5.23.1	Last line, change "name, a document identifier, and a document type." to read "name, and a document identifier.
2-b656	B-315, Para. B.5.23.1	In the list, delete entire entry for DOCTYP010.
2-b657	B-315, Para. B.5.23.2	In the list, delete entire entry for DOCTYP010.
2-b658	B-315, Para. B.5.23.3	Line 2, change "document-type-code in Table 910 is" to read "document-category-code (DOCTYP010 in the parent instance of Table 010) is".
2-b659	B-316, Figure 24COM1	Replace Figure 24COM1, with Figure 24COM1 Errata 2-b659. (See new figures at end of errata list.)
2-b660	B-317, Figure 24COM2	Replace Figure 24COM2, with Figure 24COM2 Errata 2-b660. (See new figures at end of errata list.)

Errata

Num. page,para,fig,etc

change

2-b661	B-318, Figure 24COM3	In the second line of tables 916, 918, and 923, change "material-document-identifier" to read "document-identifier"
2-b662	B-320, Para. B.5.23.3	In the list, delete entire entry for DOCTYP010.
2-b663	B-320, Para. B.5.23.4	Line 3, change "document-type-code is" to read "document-category-code (DOCTYP010 in the parent instance of Table 010) is".
2-b664	B-320, Para. B.5.23.4	In the list, delete entire entry for DOCTYP010.
2-b665	B-320, Para. B.5.23.5	Line 2, change "document-type-code in Table 910 is" to read "document-category-code (DOCTYP010 in the parent instance of Table 010) is".
2-b666	B-320, Para. B.5.23.5	In the list, delete entire entry for DOCTYP010.
2-b667	B-321, Para. B.5.23.6	In the list, delete entire entry for DOCTYP010.
2-b668	B-321, Para. B.5.23.7.a	Delete entire paragraph.
2-b669	B-321, Para. B.5.23.7	In the list, replace the entry for MATDOC916 with "DOCIDN010 document-identifier 0122 FK" in the appropriate columns.
2-b670	B-321, Para. B.5.23.8	In the list, delete entire entry for DOCTYP010.
2-b671	B-321, Para. B.5.23.9.b	Delete entire paragraph.
2-b672	B-322, Para. B.5.23.9	In the list, replace the entry for MATDOC916 with "DOCIDN010 document-identifier 0122 FK" in the appropriate columns.
2-b673	B-322, Para. B.5.23.10	In the list, delete entire entry for DOCTYP010.
2-b674	B-323, Para. B.5.23.14.b	Line 1, delete "material-"; Line 1, change "MATDOC916" to read "DOCIDN010"; Line 2, change "MATDOC918" to read "DOCIDN010".
2-b675	B-324, Para. B.5.23.17	In the list, delete entire entry for DOCTYP010.
2-b676	B-325, Para. B.5.23.18	In the list, after the heavy line, insert the new line "PRDTYP927 product-type-code 0034 M" in the appropriate columns.
1-350	B-325, Para. B.5.23.18	Incorporated into 2-b676.
2-b677	B-329, Para. B.5.25.1	Line 2, change "document-type-code (DOCTYP010) in Table 020 is" to read "document-category-code (DOCTYP010 in the parent instance of Table 010) is".
2-b678	B-329, Para. B.5.25.1.a	Line 2, change "enterprise" to read "entity"; Lines 2 & 3, change "SRCENT020" to read "SRCIDN010" in two places.
2-b679	B-329, Para. B.5.25.1.a	In last sentence, delete "with document-type-code (DOCTYP010) inherited from Table 020".
2-b680	B-330, Figure 26CON1	Replace Figure 26CON1 with Figure 26CON1 Errata 2-b680. (See new figures and end of errata list.)
1-351	B-330, Figure 26CON1	Incorporated into 2-b680.
1-352	B-330, Figure 26CON1	Incorporated into 2-b680.
2-b681	B-331, Figure 26CON2	Replace Figure 26CON2 with Figure 26CON2 Errata 2-b681. (See new figures and end of errata list.)
1-353	B-331, Figure 26CON2	Incorporated into 2-b681.

Errata

Num. page,para,fig,etc

change

- 2-b682 B-334, Figure 26CON5 Replace Figure 26CON5 with Figure 26CON5 Errata 2-b682. (See new figures and end of errata list.)
- 1-354 B-334, Figure 26CON5 Incorporated into 2-b682.
- 1-355 B-334, Figure 26CON5 Incorporated into 2-b682.
- 1-356 B-334, Figure 26CON5 Incorporated into 2-b682.
- 2-b683 B-335, Figure 26CON6 Replace Figure 26CON6 with Figure 26CON6 Errata 2-b683. (See new figures and end of errata list.)
- 1-357 B-335, Figure 26CON6 Incorporated into 2-b683.
- 2-b684 B-336, Para. B.5.25.2 Line 2, change "document-type-code (DOCTYP010) is" to read "document-category-code (DOCTYP010 in the parent instance of Table 010) is".
- 2-b685 B-336, Para. B.5.25.2.a Lines 1 & 2, change "ENTIDN002, DOCNUM020, and DOCTYP010" to read "ENTIDN002 and DOCNUM020"
- 2-b686 B-336 & 337, Para. B.5.25.2 In the list, for all entries below the heavy line except the entry for CONDES951, change the Key to "M".
- 2-b687 B-338, Para. B.5.25.4.d Line 2, change "associate" to read "associated".
- 2-b688 B-338, Para. B.5.25.4.e Lines 1 & 2, delete "data-item-description-document-type-code (DIDTYP650), "; line 3, change "SRCENT020" to read "SRCENT650".
- 2-b689 B-341, Para. B.5.25.8.a Line 2, delete " document-type-code (DOCTYP010),".
- 1-358 B-343, Para. B.5.25.11 In the list for Table 960, delete the entire entry for SHPSTA960.
- 2-b690 B-344, Para. B.5.25.16 In the list, delete entire entry for DOCTYP010.
- 2-b691 B-345, Para. B.5.25.17 In the list, delete entire entry for DOCTYP010.
- 2-b692 B-345, Para. B.5.25.18 In the list, delete entire entry for DOCTYP010.
- 2-b693 B-347, Para. B.5.25.19 In the list, delete entire entry for DOCTYP010.
- 1-359 B-349, Para. B.5.25.24 Change to read "Table 974. Reserved."
- 1-360 B-349, Para. B.5.25.24 through B.5.25.27 Renummer as B.5.25.25 through B.5.25.28, respectively.
- 1-361 B-349, Para B.5.25.24 (added) Insert a new paragraph as follows:  
"B.5.25.24 Table 973, DD Form 250 status (DD250-STAT). This table contains the status of a DD Form 250.

Code	Data Element Title	DED	Key
SHPSTA973	shipping-document-process-disposition-status-code	0021	K
CONIDN950	contract-document-identifier	0015	FK
SHPIDN960	shipping-document-alphanumeric-identifier	0003	FK
STADAT973	shipping-document-process-disposition-status-date	0082	

Errata

Num. page,para,fig,etc

2-b694 B-352, Para. B.6.2

change

Under the heading of international Standards, insert "ISO 10303-41 Product data representation and exchange: Integrated resource: Fundamentals of product description and support", and "ISO 10303-44 Product data representation and exchange -- Integrated generic resource: Product structure configuration"

APPENDIX C

2-c1 C-1, Para. C.3.1

In the list, in the entry for B, change "Bitmap" to "Bit-string".

2-c2 C-1, Para. C.3.1

In the list, delete the line "D Date".

2-c3 C-1, Para. C.3.1

In the list, after the entry for L, insert new entry: "L Logical (element with only the domain values of Y [yes], N [no], and blank [unknown] or their mathematical equivalents)".

2-c4 C-1, Para. C.3.1

In the list, in the entry for S, change the definition to read: "String (consisting of the concatenation of two or more other data elements)".

2-c5 C-1, Para. C.3.1

In the list, after the entry for S, insert new entry: "YN Boolean (a data element with only the domain values of Y [yes] and N [no] or their mathematical equivalents)".

2-c6 C-3, DED 0001

Before the entry for assembled-product-design-enterprise-defense-logistics--assigned-identification-code, insert new role as follows:  
Role Title: approved-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code

Definition: The CAGE code that represents and/or denotes the organization whose number is used to identify an ECP that has been approved.. This DED is used in the following Table(s): 267.

1-362 C-4, DED 0001

In design-enterprise-defense-logistics--assigned-identification-code, sixth line, after "321, " insert "322, ".

2-c7 C-4, DED 0001

In design-enterprise-defense-logistics--assigned-identification-code, insert "820, " in the appropriate location.

2-c8 C-4, DED 0001

In deviation-request-document-source-enterprise-defense-logistics--assigned-identification-code definition, line 3, insert "369, " in the appropriate location.

2-c9 C-5, DED 0001

In engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code, in definition, line 3, insert "268, " in the appropriate location.

2-c10 C-5, DED 0001

In manufacturer-enterprise-defense-logistics--assigned-identification-code, line 3, change "260" to "268"

1-363 C-5, DED 0001

In manufacturer-enterprise-defense-logistics--assigned-identification-code, third line, after "491," insert "492, ".

Errata

Num. page,para,fig,etc

change

2-c11 C-5, DED 0001

After the entry for prior-deviation-request-document-source-enterprise-defense-logistics--assigned-identification-code, insert new role as follows:

Role Title: proposed-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code

Definition: The CAGE code that represents and/or denotes the organization whose number is used to identify a proposed ECP. This DED is used in the following Table(s): 267.

1-364 C-8, DED 0002

After the entry for UL, insert the following new line in the appropriate columns: "UN United Nations".

1-365 C-9, DED 0002

In international-document-source-enterprise-acronym-identification-code, last line of the second subparagraph, after "NATO", insert "UN".

1-366 C-9, DED 0002

In international-enterprise-acronym-identification-code, last line of the second subparagraph, after "NATO", insert "UN".

1-367 C-10, DED 0002

In united-states-defense-department-document-source-enterprise-acronym-identification-code, fourth line, after "472," insert "473,".

2-c12 C-12, DED 0003

Change the type to 'S'.

Delete the justification code 'L'

Change the size to '40'

In the definition, change "The document identifier...blank may be used." to read "The document identifier that represents the unique identification number of, and primary reference to, a document within the domain of all documents identified by a particular source. The document-source--assigned-type-code may be blank. [Note: a document-alphanumeric-identifier is one kind of (subtype of) document-identifier (DED 0122).]"

In list of Tables, insert "103", "421", and "433" in the appropriate locations.

In last line of list of Tables, change "704." to read

"704, 820.

This DED is comprised of the following Data Elements concatenated in the order listed:

DED Title

0176 document-source--assigned-type-code

0266 document-source--assigned-alphanumeric-identifier"

2-c13 C-12, DED 0003

Before the entry for assembly-engineering-drawing-document-alphanumeric-identifier, insert new role as follows:

Role Title: approved-engineering-change-proposal-document-alphanumeric-identifier

## Errata

Num. page,para,fig,etc

change

Definition: The document identifier that represents the unique identification number of, and primary reference to, an (approved) Engineering Change Proposal document within the domain of all documents identified by a particular source. Must be uppercase letters (except O), numbers, or dashes (-). (This is equivalent to MIL-PRF-49506 DED 0120.) This DED is used in the following Table(s): 267.

2-c14 C-12, DED 0003

In assembly-engineering-drawing-document-alphanumeric-identifier, in definition, line 2, change "drawing which" to read "drawing (within the domain of all documents identified by a particular source) which".

1-368 C-12, DED 0003

In assembly-engineering-drawing-document-alphanumeric-identifier, fifth line, after "321" insert ", 322".

2-c15 C-13, DED 0003

In component-index-list-drawing-document-alphanumeric-identifier, in definition, line 2, change "drawing which" to read "drawing (within the domain of all documents identified by a particular source) which".

2-c16 C-13, DED 0003

In controlling-document-alphanumeric-identifier, in definition, line 2, change "standard when" to read "standard (within the domain of all documents identified by a particular source) when".

2-c17 C-13, DED 0003

In controlling-index-list-drawing-document-alphanumeric-identifier, in definition, line 2, change "drawing which" to read "drawing (within the domain of all documents identified by a particular source) which".

2-c18 C-13, DED 0003

In current-deviation-request-document-alphanumeric-identifier, in definition, line 2, change "Deviation which" to read "Deviation (within the domain of all documents identified by a particular source) which".

2-c19 C-13, DED 0003

In data-item-description-document-alphanumeric-identifier, in definition, line 2, change "(DID). Must" to read "(DID) within the domain of all documents identified by a particular source. Must".

2-c20 C-13, DED 0003

Before the entry for deviation-request-document-alphanumeric-identifier, insert new entry as follows:

DED Title/Role Title: data-list-drawing-document-alphanumeric-identifier

Definition: "The document identifier that represents the unique identification number of, and primary reference to, a data list drawing within the domain of all documents identified by a particular source. Must be uppercase letters (except O), numbers, or dashes only; no other special characters allowed. This DED is used in the following Table(s): 069."

## Errata

Num. page,para,fig,etc

change

2-c21	C-13, DED 0003	In deviation-request-document-alphanumeric-identifier, in definition, line 2, change "Deviation. Must" to read "Deviation within the domain of all documents identified by a particular source. Must"; line 4, insert "369, " in the appropriate location..
2-c22	C-13, DED 0003	In engineering-change-proposal-document-alphanumeric-identifier, in definition, line 2, change "document. Must" to read "document within the domain of all documents identified by a particular source. Must"; line 4, insert "268, " in the appropriate location.
2-c23	C-14, DED 0003	In engineering-drawing-document-alphanumeric-identifier, in definition, line 2, change "drawing. Must" to read "drawing within the domain of all documents identified by a particular source. Must".
2-c24	C-14, DED 0003	After the entry for engineering-drawing-document-alphanumeric-identifier, insert new entry as follows: DED Title/Role Title: graphic-engineering-drawing-document-alphanumeric-identifier Definition: "The document identifier that represents the unique identification number of, and primary reference to, a graphical engineering drawing within the domain of all documents identified by a particular source. Must be uppercase letters (except O), numbers, or dashes only; no other special characters allowed. This DED is used in the following Table(s): 062, 064, 065, 069."
2-c25	C-14, DED 0003	In index-list-drawing-document-alphanumeric-identifier, in definition, line 2, change "drawing. Uppercase" to read "drawing within the domain of all documents identified by a particular source. Must be uppercase"; line 3, change "Table(s): 068." to read "Table(s): 065, 068."
2-c26	C-14, DED 0003	In modification-instruction-document-alphanumeric-identifier, in definition, line 2, change "instruction. Must" to read "instruction within the domain of all documents identified by a particular source. Must".
1-369	C-14, DED 0003	In modification-instruction-document-alphanumeric-identifier, third line, after "472" insert ", 473".
2-c27	C-14, DED 0003	In parts-list-drawing-document-alphanumeric-identifier, in definition, line 2, change "drawing. Must" to read "drawing within the domain of all documents identified by a particular source. Must"; line 3, change "Table(s): 068." to read "Table(s): 062, 064, 068."
2-c28	C-14, DED 0003	In primary-engineering-change-proposal-document-alphanumeric-identifier, in definition, line 2, change "ECP which" to read "ECP

## Errata

Num. page,para,fig,etc

change

		(within the domain of all documents identified by a particular source) which".
2-c29	C-14, DED 0003	In prior-deviation-request-document-alphanumeric-identifier, in definition, line 2, change "Deviation for" to read "Deviation (within the domain of all documents identified by a particular source) for".
2-c30	C-14, DED 0003	In program--unique-specification-document-alphanumeric-identifier, in definition, line 2, change "specification. This" to read "specification within the domain of all documents identified by a particular source. This".
2-c31	C-14, DED 0003	After the entry for program--unique-specification-document-alphanumeric-identifier, insert new role as follows: Role Title: proposed-engineering-change-proposal-document-alphanumeric-identifier Definition: The document identifier that represents the unique identification number of, and primary reference to, a (proposed) Engineering Change Proposal document within the domain of all documents identified by a particular source. Must be uppercase letters (except O), numbers, or dashes (-). (This is equivalent to MIL-PRF-49506 DED 0120.) This DED is used in the following Table(s): 267.
2-c32	C-15, DED 0003	In rapid-reaction-change-order-document-alphanumeric-identifier, in definition, line 2, change "Order. Must" to read "Order within the domain of all documents identified by a particular source. Must".
2-c33	C-15, DED 0003	In revision-notice-document-alphanumeric-identifier, in definition, line 2, change "(NOR). Must" to read "(NOR) within the domain of all documents identified by a particular source. Must".
2-c34	C-15, DED 0003	In shipping-document-alphanumeric-identifier, in definition, line 2, change "250 and" to read "250 (within the domain of all documents identified by a particular source) and".
1-370	C-15, DED 0003	In shipping-document-alphanumeric-identifier, last line, change "960." to "960, 973."
2-c35	C-15, DED 0003	In software-version-description-document-alphanumeric-identifier, in definition, line 2, change "(VDD). Must" to read "(VDD) within the domain of all documents identified by a particular source. Must".
2-c36	C-15, DED 0003	In technical-manual-document-alphanumeric-identifier, in definition, line 2, change "order. Must" to read "order within the domain of all documents identified by a particular source. Must".
2-c37	C-15, DED 0003	In united-states-air-force-technical-order-document-alphanumeric-identifier, in definition, line 2, change "Manual, excluding Time-Compliance Technical Orders. Must" to read "Manual within the domain of all documents identified by the U.S. Air Force. Must".

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-c38	C-15, DED 0003	In united-states-army-modification-work-order-document-alphanumeric-identifier, in definition, line 2, change "order. Must" to read "order within the domain of all documents identified by the U.S. Army. Must".
2-c38	C-16, DED 0003	In united-states-army-technical-manual-document-alphanumeric-identifier, in definition, line 2, change "Manual. Must" to read "Manual within the domain of all documents identified by the U.S. Army. Must".
2-c39	C-16, DED 0003	In united-states-defense-handbook-document-alphanumeric-identifier, in definition, line 2, change "a military handbook issued by" to read "a U.S. DOD-issued military handbook within the domain of all documents identified by".
2-c40	C-16, DED 0003	In united-states-defense-specification-document-alphanumeric-identifier, in definition, line 2, change "a military specification. Must" to read "a U.S. DOD-issued military specification within the domain of all documents identified by the U.S. DOD. Must".
2-c41	C-16, DED 0003	In united-states-defense-standard-document-alphanumeric-identifier, in definition, line 2, change "a military standard issued by" to read "a U.S. DOD-issued military standard within the domain of all documents identified by".
2-c42	C-16, DED 0003	In united-states-naval-air-technical-directive-document-alphanumeric-identifier, in definition, lines 1 & 2, change "a Technical Directive issued by" to read "a NAVAIR-issued Technical Directive within the domain of all documents identified by".
2-c43	C-16, DED 0004	Change DED title to read "document-category-code".
2-c44	C-16, DED 0004	Line 2 through 11, replace "Table(s): 010...968." with "Table(s): 010, 205, 212, 620."
1-371	C-16, DED 0004	Superseded by 2-c44
1-372	C-16, DED 0004	Superseded by 2-c44
1-373	C-16, DED 0004	Superseded by 2-c44
2-c45	C-17 & C-18, DED 0004	In list of Domain Values, delete entire entries for ANALYS, BOOK, PERIODL, PLNPROC, REPORT, and TRD.
2-c46	C-18, DED 0004	Change role title of affected-document-type-code to read "affected-document-category-code"
2-c47	C-18, DED 0004	Delete entire entry for component-document-type-code.
2-c48	C-19, DED 0004	Delete entire entry for contract-document-type-code.
2-c49	C-19, DED 0004	Delete entire entry for controlling-engineering-drawing-document-type-code.
2-c50	C-19, DED 0004	Delete entire entry for data-item-description-document-type-code.
2-c51	C-19, DED 0004	Delete entire entry for data-list-drawing-document-type-code.
2-c52	C-19, DED 0004	Delete entire entry for deviation-request-document-type-code.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-c53	C-19, DED 0004	Delete entire entry for engineering-change-proposal-document-type-code.
2-c54	C-20, DED 0004	Delete entire entry for engineering-drawing-document-type-code.
2-c55	C-20, DED 0004	Delete entire entry for index-list-drawing-document-type-code.
2-c56	C-20, DED 0004	Delete entire entry for modification-instruction-document-type-code
1-374	C-20, DED 0004	Superseded by 2-c56.
2-c57	C-20, DED 0004	Delete entire entry for modification-request-document-type-code.
2-c58	C-20, DED 0004	Delete entire entry for parts-list-drawing-document-type-code.
2-c59	C-20, DED 0004	Delete entire entry for primary-engineering-change-proposal-document-type-code.
2-c60	C-20, DED 0004	Delete entire entry for program--unique-specification-document-type-code.
2-c61	C-21, DED 0004	Delete entire entry for referenced-document-type-code
2-c62	C-21, DED 0004	Delete entire entry for revision-notice-document-type-code
2-c63	C-21, DED 0004	Delete entire entry for software-document-type-code
2-c64	C-21, DED 0004	Delete entire entry for software-support-document-type-code
2-c65	C-21, DED 0004	Delete entire entry for software-version-description-document-type-code
2-c66	C-21, DED 0004	Delete entire entry for supplemental-document-type-code
2-c67	C-21, DED 0004	Delete entire entry for technical-manual-document-type-code
2-c68	C-22, DED 0008	Line 1, change "space. (Source" to read "space. [NOTE: This is one kind of (subtype of) document-source--assigned-identifier (DED 0264).] (Source".
2-c69	C-22, DED 0008	In document-name, line 3, change "Table(s): 011, 040, ..., 049." to read "Table(s): 011."
1-375	C-22, DED 0008	Incorporated into 2-c69.
2-c70	C-22, DED 0008	At the end of the definition of document-name, insert a new subparagraph that reads: "This DED is used as part of the following DED string(s): DED Title 0265 document-unique-name"
2-c71	C-23, DED 0009	Before the entry for component-index-list-drawing-document-alphanumeric-revision-identifier, insert a new role as follows: Role Title: approved-engineering-change-proposal-document-alphanumeric-revision-identifier Definition: The identifier which represents the specific revision, in a series of revisions, to a ECP that has been approved. Limited to a dash (-) or an 'R' followed by 01 through 99 (for example: R01, R02, etc.). this DED is used in the following Table(s): 267.
2-c72	C-24, DED 0009	In deviation-request-document-alphanumeric-revision-identifier, in definition, line 4, insert "369, " in the appropriate location.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-c73	C-24, DED 0009	Delete entire entry for document-superseded-alphanumeric-revision-identifier.
2-c74	C-24, DED 0009	In engineering-change-proposal-document-alphanumeric-revision-identifier, in definition, line 3, insert "268, " in the appropriate location.
2-c75	C-24, DED 0009	In engineering-drawing-document-current-alphanumeric-revision-identifier, last line, change "052." to read "052, 820."
2-c76	C-25, DED 0009	Before the entry for revision-notice-document-alphanumeric-revision-identifier, insert a new role as follows: Role Title: proposed-engineering-change-proposal-document-alphanumeric-revision-identifier Definition: The identifier which represents the specific revision, in a series of revisions, to a proposed ECP. Limited to a dash (-) or an 'R' followed by 01 through 99 (for example: R01, R02, etc.). this DED is used in the following Table(s): 267.
1-376	C-27, DED 0014	Fourth line of the definition, change "...DODD 5230.9.)..." to read "...DODD 5230.9, Public Law 98-94 Sect 1217.)..."
1-377	C-28, DED 0015	In contract-document-identifier, last line, change "972." to "972, 973."
2-c77	C-29, DED 0015	In list of concatenated data elements, delete entire entry for DED 0004.
1-378	C-29, DED 0016	Third line of the definition, change "...DODD 5230.9.)..." to read "...DODD 5230.9, Public Law 98-94 Sect 1217.)..."
1-379	C-30, DED 0019	In product-quantity, change the Type to read 'FXPT'.
2-c78	C-33, DED 0021	In document-revision-approval-process-disposition-status-code, in definition, line 3, insert "267, " in the appropriate location.
1-380	C-34, DED 0021	In shipping-document-process-disposition-status-code, in the last line, change "960" to "973".
2-c79	C-34, DED 0023	Change type to 'YN' and delete "The valid domain...Yes, the item described by this document is a configuration item."
2-c80	C-35, DED 0024	In last line of definition, insert "566, " in the appropriate location.
2-c81	C-36, DED 0026	Line 3, change "052." to read "052, 820."
1-381	C-36, DED 0027	Fourth and fifth lines, change "219, 220, 221, 222, 224, 225, 226, 315, 316, 318, 319, 320, 321, 322, 323, 324, 326." to read "219, 224, 315, 316, 323, 324, 326."
2-c82	C-37, DED 0029	In geographic-place-name, at the end of the definition, insert ", 268".
2-c83	C-37, DED 0030	Change type to 'L' and delete "The valid domain...Yes, this is an interface control document."
2-c84	C-38, DED 0031	In ship-asset-identifier, at the end of the definition, insert ", 268".
2-c85	C-38, DED 0031	In vehicle-asset-identifier, at the end of the definition, insert ", 268".

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-c86	C-39, DED 0033	In document-source-entity-identifier, in the fourth line of the definition, insert "566, " in the appropriate location.
1-382	C-40, DED 0034	At the end of the first paragraph, change "914." to read "914, 927."
1-383	C-47, DED 0044	In document-distribution-controller-enterprise-office-name, second line of the definition, change "...information. This..." to read "...information. (Source of requirements: DODD 5230.24, DODD 5230.25, DODD 5230.9, Public Law 98-94, Section 1217.) This...".
2-c87	C-48, DED 0047	Fourth line of definition, change "323, 690," to read "323, 550, 690,".
2-c88	C-50, DED 0052	In definition of design-enterprise-identifier, line 4, insert "566, " in appropriate location.
1-384	C-51, DED 0052	In document-distribution-controller-enterprise-identifier, first line of the definition, change "...document. This..." to read "...document. (Source of requirements: DODD 5230.24, DODD 5230.25, DODD 5230.9, Public Law 98-94, Section 1217.) This...".
1-385	C-54, DED 0056	In product--tracking-base--identifier, fourth line, after "491," insert "492,".
2-c89	C-54, DED 0057	In product-change-effectivity-tracking-type-code, line 3, change "260" to read "268".
1-386	C-54, DED 0057	In product-change-effectivity-tracking-type-code, fourth line, after "491," insert "492,".
2-c90	C-54, DED 0057	In line 3 of definition, change "260" to read "268".
1-387	C-54, DED 0058	In product-starting-effectivity-sequential-tracking-identifier, fourth line, after "491," insert "492,".
1-388	C-57, DED 0068	In human-family-name, change the size to 20.
2-c91	C-59, DED 0069	In file-originator-human-name, line 2, insert "820, " in the appropriate location
2-c92	C-60, DED 0074	Change type to 'YN' and delete "The valid domain...Yes, item is susceptible to either electrostatic discharge or electromagnetic interference".
2-c93	C-61, DED 0077	Change type to 'L' and delete "The valid domain...Yes, first article testing is required.".
2-c94	C-61, DED 0079	Change type to 'YN' and delete "The valid domain...text of warning notice.".
2-c95	C-62, DED 0081	In enterprise-file-origination-office-address-text, line 2, insert "820, " in the appropriate location
2-c96	C-63, DED 0082	Change the type to 'S'. Delete the justification. Replace definition with "The date of an event. It may be expressed as (1) the year, month, and day (Gregorian calendar date) of the event, that is yyyyymmdd, (2) the year and day of year

Errata

Num. page,para,fig,etc

change

(Julian date) of the event, that is yyyyddd, or (3) the year, the letter 'W', the week of year, and the day of week of the event, that is yyyyWwwd, where d is the julian-week-period-day-code, dd is the julian-month-period-day-identifier and is limited to the range 1 to 31 (for mm = 1, 3, 5, 7, 8, 10, or 12), 1 to 30 (for mm = 4, 6, 9, or 11), 1 to 28 (for mm = 2 and either yyyy not evenly divisible by 4, or yyyy evenly divisible by 100 but not by 400), and 1 to 29 (for mm = 2 and either yyyy evenly divisible by 4 but not evenly divisible by 100, or yyyy evenly divisible by 400), ddd is the julian-year-period-day-identifier and is limited to the range 1 to 365 (for either yyyy not evenly divisible by 4 or yyyy evenly divisible by 100 but not 400), and 1 to 366 (for either yyyy evenly divisible by 4 but not evenly divisible by 100, or yyyy evenly divisible by 400), mm is the julian-month-period-code, W is the character 'W', ww is the julian-year-week-period-identifier, and yyyy is the julian-year-period-identifier. (See also: DED 0211, 0219, 0267, 0268, 0269 and 0270.) (Source of requirements: ISO 8601, ISO 10303-41.)

1-389 C-65, DED 0082

In document-distribution-restriction-determination-date, second line of the definition, change "...document. This..." to read "...document. (Source of requirements: DODD 5230.24, DODD 5230.25, DODD 5230.9, Public Law 98-94, Section 1217.) This..."

2-c97 C-66, DED 0082

In document-revision-approval-process-disposition-status-date, in definition, line 2, insert "267, " in the appropriate location.

2-c98 C-66, DED 0082

In electronic-document-file-creation-date, line 2, insert "820, " and "901, " in the appropriate location

1-390 C-66, DED 0082

Incorporated into 2-c98.

2-c99 C-68, DED 0082

Delete entire entry for "product-change-retrofit-completion-date".

2-c100 C-68, DED 0082

After entry for product-manufacture-date, insert new role as follows:  
 Role Title: "product-proposed-retrofit-completion-date"  
 Definition: "The date the is proposed for completion of the retrofit of items identified for change by retrofit. This DED is used in the following Table(s): 260, 290."

1-391 C-69, DED 0082

Before the entry for technical-document-government-data-rights-expiration-date, insert the following new entry:

**"shipping-document-process-disposition-status-date**

The date on which the shipping document achieved a particular status in the shipping document disposition process. This DED is used in the following Table(s): 973."

1-392 C-75, DED 0096

In document-source-organization-identifier, last line, delete "047,".

Errata

Num. page,para,fig,etc

2-c101 C-75, DED 0098  
1-393 C-78, DED 0108

2-c102 C-79, DED 0111  
2-c103 C-80, DED 0114

2-c104 C-88, DED 0119  
1-394 C-88, DED 0120

2-c105 C-89, DED 0122

2-c106 C-89, DED 0122

2- 107 C-89, DED 0122

2-c108 C-89, DED 0122

2-c109 C-90, DED 0122

2-c110 C-90, DED 0124

change

In definition, line 2, change "351" to read "369".

First line of the definition, delete the second period after "specification".

Change the size to 284.

Change "FXP" to read "FXPT"  
"T"

In the definition, Line 2, insert ", 267" in the appropriate location.

Second line of the definition, change "...contract document. This number..." to read "...contract document. For the initial issue of a contract, enter a hyphen (-); otherwise, this number...".

Change type to 'S'.

Delete justification.

Change size to 248.

Replace "The document identifier...alphanumeric string." with "The document identifier that represents the unique identification of, and primary reference to, a document within the domain of all documents identified by a particular source. The document-source--assigned-type-code may be blank.

In the list of tables, insert "566, ", "704, ", "916, ", and "918, " in the appropriate locations.

Between the line "967, 968." and the line beginning "This DED is used..." insert a new subparagraph that reads:

"This DED is comprised of the following data elements concatenated in the order listed:

DED Title  
0176 document-source--assigned-type-code  
0264 document-source--assigned-identifier"

In controlling-technical-manual-document-identifier, in the definition, line 2, change "manual which" to read "manual (within the domain of all documents identified by a particular source) which".

In modification-instruction-document-identifier, in the definition, line 2, change "document. This" to read "document within the domain of all documents identified by a particular source. This".

In modification-request-document-identifier, in the definition, line 2, change "document. This" to read "document within the domain of all documents identified by a particular source. This".

In software-support-document-alphanumeric-identifier, in the Role Title, delete "alphanumeric-"; in the definition, line 2, change "document in" to read "document (within the domain of all documents identified by a particular source) in".

Delete "0004 document-type-code".

Errata

Num. page,para,fig,etc

change

2-c111	C-91, DED 0128	Change type to 'B' and delete "The valid domain ... Yes".
2-c112	C-91, DED 0129	Change type to 'L'; in definition, lines 2 and 3, delete "or RFD"; and delete "The valid domain ... Y Interface effect".
2-c113	C-92, DED 0133	Change type to 'YN' and delete "The valid domain ... Yes a prior RFD exists for this problem".
2-c114	C-93, DED 0137	Change type to 'YN' and delete "The valid domain...Yes, this is the top-level document in the allocated baseline for the CI indicated".
2-c115	C-93, DED 0138	Change type to 'YN' and delete "The valid domain...Yes, this is the top-level document in the functional baseline for the CI indicated".
1-395	C-95, DED 0146	change "FXP to read "FXPT" T"
2-c116	C-97 & C-98, DED 0159	Change type to 'YN' and delete "The valid domain...have been made".
1-396	C-98, DED 0160	In the entry for <b>{}-time</b> , change the first line to read "0160 *{}-time". In the second and third lines change "HH is hours, MM is minutes, and SS is seconds based on Greenwich Mean Time." to read "HH is hours (00-23), MM is minutes (00-59), and SS is seconds (00-59) based on Greenwich Mean Time. (Source of requirements: DDRS generic element 16.)".
2-c117	C-98, DED 0160	In electronic-document-file-creation-time, line 2, change "802, 900," to read "802, 820, 900, 901,".
1-397	C-98, DED 0160	Incorporated into 2-c117.
1-398	C-102, DED 0170	In commercial-document-source-enterprise-name, second line, delete "049,".
1-399	C-103, DED 0172	Change the Type to read 'FXPT'.
2-c118	C-106, DED 0176	Replace DED title with "document-source--assigned-type-code". Change justification to "L". Change size to 8. Replace definition with "A code assigned by the document source that is used to differentiate between documents of different type that, otherwise would have the same identifier. Domain values sometimes are specified by standard, (for example: 'PL', 'DL', & 'IL' are specified for Parts Lists, Data Lists and Index Lists, respectively by ANSI Y14.34.) or sometimes identify a series of standardization documents (for example: AFR for Air Force Regulations, MIL-HDBK for Military Handbooks, FIPS for Federal Information Processing Standards, etc.). Must be a printable ASCII character."
2-c119	C-107, DED 0180	Change type to 'YN' and delete "The valid domain...Yes".
1-400	C-108, DED 0184	Change the Type to read 'FXPT'.
2-c120	C-110, DED 0192	Change Size to "40"; In definition, line 2, delete "421, ", "433, ", and "916, 918, "; Delete "This DED is...identifier".

Errata

Num. page,para,fig,etc

change

2-c121 C-112, DED 0198

Change type to 'L' and delete "The valid domain ... Section has been affected".

1-401 C-115, DED 0200

Change the Type to read 'FXPT'.

2-c122 C-116 & C-117, DED 0203

Change type to 'YN' and delete "The valid domain...Yes, approval is required".

2-c123 C-117, DED 0206

In electronic-document-file-identifier, line 2, insert "820, " in the appropriate location.

2-c124 C-117, DED 0207

Line 3, insert "820, " in the appropriate location.

2-c125 C-117, DED 0208

Last line, insert "820, " in the appropriate location.

2-c126 C-135, DED 0211

Replace as follows:

DED Title: "julian-month-period-code"

Type: "I"

Justification: blank

Size: "2"

Definition and Legal Values: "A code that represents or denotes the month using the Julian calendar system. (Source of requirements: ISO 8601, ISO 10303-41.)

This DED may be used as part of the following DED string(s):

DED Title

0082 {}-date

The valid domain values for this element are as follows:

Domain

Value	Meaning
1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December"

1-402 C-119, DED 0211

Superseded by 2-c126.

2-c127 C-120, DED 0215

Change type to 'YN' and delete "The valid domain...Yes, the file is compressed for storage".

2-c128 C-121, DED 0219

Change the type to "I"; delete "R" under justification; in the definition, in line 3, change "0001 through 9999." to read "1

Errata

Num. page,para,fig,etc

change

2-c129 C-121 & C-122, DED 0223

through 9999. (Note: because this is an integer, the entry '98' refers to the year 98, not the year 1998.) "

2-c130 C-124, DED 0229

Change type to 'L' and delete "The valid domain ... Yes".

1-403 C-127, DED 0239

Change size to 285.

2-c131 C-128, DED 0240

In document-current-change-control-authority-identifier, change the size to read "219".

1-404 C-129, DED 0243

Change type to 'YN' and delete "The valid domain...Yes, retrofit is recommended/required".

1-405 C-129, DED 0243

In document-generic-revision-identifier, fifth & sixth lines, delete "047, 049,".

2-c132 C-130, DED 0243

In document-generic-revision-identifier, sixth line, after "352," insert "357,".

After the entry for document-current-generic-revision-identifier, insert a new role as follows:

Role Title: "document-superseded-generic-revision-identifier"

Definition: "The identifier which represents the specific revision, in a series of revisions, to a document. This identifier is used in contrast to the new document revision which is assigned as the result of ECP approval. Must be uppercase letters, numbers or dash (-). The letter O shall not be used. This DED is used in the following Table(s): 271."

2-c133 C-134, DED 0259

In list of Tables, insert "223, ", "226, ", and "324, 326." in the appropriate locations.

1-406 C-134, DED 0259

Incorporated into 2-c133.

2-c134 C-135, DED 0264 (added)

Insert new DED 0264 as follows:

DED Title: "document-source--assigned-identifier"

Type: "C"

Justification: "L"

Size: "240"

Definition and Legal Values: "The document identifier that represents the identification of, and primary reference to, a document within the domain of all documents of similar type identified by a particular source. This could be either a title or an arbitrary alphanumeric string. Must be printable ASCII characters.

This DED is used as part of the following DED string(s):

DED Title

0122 document-identifier"

2-c135 C-135, DED 0265 (added)

Insert new DED 0265 as follows:

DED Title: "document-unique-name"

Type: "S"

Size: "248"

## Errata

Num. page,para,fig,etc

change

2-c136	C-135, DED 0266 (added)	<p>Definition and Legal Values: "The document name (or title) that represents the unique identification of, and primary reference to, a document within the domain of all documents identified by a particular source. The document-source-assigned-type-code may be blank. [Note: A document-unique-name is one kind of (subtype of) a document-identifier (DED 0122).] This DED is used in the following Tables(s): 040, 041, 042, 043, 044, 045, 046, 048.</p> <p>This DED is comprised of the following data elements concatenated in the order listed:</p> <p>DED Title 0176 document-source--assigned-type-code 0008 document-name"</p>
		<p>Insert new DED 0266 as follows:</p> <p>DED Title: "document-source--assigned-alphanumeric-identifier" Type: "C" Justification: "L" Size: "32"</p> <p>Definition and Legal Values: "The document identifier that represents the identification number of, and primary reference to, a document within the domain of all documents of similar type identified by a particular source. Only uppercase letters, numbers, dash (-), virgule (/), colon (:), decimal (.) and parentheses () are allowed. [NOTE: a document-source--assigned-alphanumeric-identifier is one kind of (subtype of) document-source--assigned-identifier (DED 0264).] This DED is used as part of the following DED string(s):</p> <p>DED Title 0003 document-alphanumeric-identifier"</p>
2-c137	C-135, DED 0267 (added)	<p>Insert new DED 0267 as follows:</p> <p>DED Title: "julian-year-period-day-identifier" Type: "I" Size: "3"</p> <p>Definition and Legal Values: "The ordinal number that represents a specific 24-hour period of time starting on the first day of January and ending on the last day of December in the Julian calendar system. The acceptable range of values is 1 through 366. (Source of requirements: ISO 8601, ISO 10303-41.) This DED may be used as part of the following DED string(s):</p>

Errata

Num. page,para,fig,etc

change

2-c138 C-135, DED 0268 (added)

DED Title  
0082 {}-date"  
Insert new DED 0268 as follows:  
DED Title: "julian-month-period-day-identifier"  
Type: "I"  
Size: "2"  
Definition and Legal Values: "The ordinal number that represents a specific 24-hour period of time starting on the first day of a month and ending on the last day of a month in the Julian calendar system. The acceptable range of values is 1 through 31. (Source of requirements: ISO 8601, ISO 10303-41.)  
This DED may be used as part of the following DED string(s):

2-c139 C-135, DED 0269 (added)

DED Title  
0082 {}-date"  
Insert new DED 0269 as follows:  
DED Title: "julian-week-period-day-code"  
Type: "I"  
Size: "1"  
Definition and Legal Values: "The ordinal number that represents a specific 24-hour period of time starting on the first day of a week and ending on the last day of a week in the Julian calendar system. The acceptable range of values is 1 through 7. (Source of requirements: ISO 8601, ISO 10303-41.)  
This DED may be used as part of the following DED string(s):

2-c140 C-135, DED 0270 (added)

DED Title  
0082 {}-date"  
The valid domain values for this element are as follows:  
Domain  
Value      Meaning  
1            Monday  
2            Tuesday  
3            Wednesday  
4            Thursday  
5            Friday  
6            Saturday  
7            Sunday

Insert new DED 0270 as follows:  
DED Title: "julian-year-period-week-code"

Errata

Num. page,para,fig,etc

change

Type: "I"

Size: "2"

Definition and Legal Values: "The ordinal number that represents a specific 7-day period of time within the Gregorian calendar system. The acceptable range of values is 1 through 53. The first week of the year (week 1) is the week that contains the first Thursday of the year. This is equivalent to saying that week 1 contains the date January 4th. (Source of requirements: ISO 8601, ISO 10303-41.)

This DED may be used as part of the following DED string(s):

DED Title

0082 {}-date"

APPENDIX D

2-d1 D-2, Para. D.5.1

Change entry for "affected-document-type-code" to read "affected-document-category-code".

2-d2 D-3, Para. D.5.1

Before the entry for area-of-responsibility, insert "approved-ecp-alphanumeric-identifier 0003 alias for: approved-engineering-change-proposal-document-alphanumeric-identifier", "approved-ecp-alphanumeric-revision-identifier 0009 alias for: approved-engineering-change-proposal-document-alphanumeric-revision-identifier", "approved-ecp-cage-code 0001 alias for: approved-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code", "approved-engineering-change-proposal-document-alphanumeric-identifier 0003 267.APPNUM267", approved-engineering-change-proposal-document-alphanumeric-revision-identifier 0009 267.APPREV267", and "approved-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code 0001 267.APPCAG267" in the appropriate columns.

2-d3 D-4, Para. D.5.1

Change entry for "assembly-design-cage-code." to read "assembled-product-design-cage-code".

2-d4 D-4, Para. D.5.1

In assembly-engineering-drawing-document-alphanumeric-identifier, Table.Field column, insert "322.ASSYNO316, 324.ASSYNO316, 326.ASSYNO316, " in the appropriate location. Incorporated into 2-d4.

1-407 D-4, Para. D.5.1

1-408 D-9, Para. D.5.1

In commercial-document-source-enterprise-name, Table.Field column, delete "049.SRCCOM048,".

2-d5 D-10, Para. D.5.1

Delete entire entry for component-document-type-code.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-d6	D-13, Para D.5.1	In configuration-item-product-nomenclature-text, in Table.Field or DED Title column, insert "550.CINOMN690, " in the appropriate location.
1-409	D-16, Para. D.5.1	In contract-document-identifier, Table.Field or DED Title column, at the end of the entry, insert ", 973.CONIDN973".
2-d7	D-17, Para. D.5.1	Delete entire entry for contract-document-type-code.
2-d8	D-19, Para. D.5.1	Delete entire entry for CONTRCT
2-d9	D-19, Para. D.5.1	Delete entire entry for controlling-drawing-document-type-code.
2-d10	D-20, Para. D.5.1	Delete entire entry for controlling-engineering-drawing-document-type-code.
2-d11	D-22, Para. D.5.1	Insert "data-list-drawing-alphanumeric-identifier 0003 alias for: data-list-drawing-document-alphanumeric-identifier" and data-list-drawing-document-alphanumeric-identifier 0003 069.DLNUMB069" in the appropriate columns after the entry for data-item-description-document-alphanumeric-identifier.
2-d12	D-22, Para. D.5.1	Delete entire entry for data-item-description-document-type-code.
2-d13	D-22, Para. D.5.1	Delete entire entry for data-list-drawing-document-type-code.
1-410	D-24, Para. D.5.1	Change the entry for "dd250-status" to read "dd250-status-code"
1-411	D-24, Para. D.5.1	After the entry for "dd250-status-code" insert the following new entry in the appropriate columns: "dd250-status-date 0082 alias for: shipping-document-process-disposition-status-date"
2-d14	D-25, Para. D.5.1	Delete entire entry for DID.
2-d15	D-26, Para. D.5.1	In deviation-request-document-alphanumeric-identifier, in Table.Field column, insert "369.RFDNUM350, " in the appropriate location.
2-d16	D-26, Para. D.5.1	In deviation-request-document-alphanumeric-revision-identifier, in Table.Field column, insert "369.RFDREV351, " in the appropriate location.
2-d17	D-27, Para. D.5.1	In deviation-request-document-source-enterprise-defense-logistics--assigned-identification-type-code, in Table.Field column, insert "369.RFDCAG350, " in the appropriate location.
2-d18	D-27, Para. D.5.1	Delete entire entry for deviation-request-document-type-code.
2-d19	D-28, Para. D.5.1	Delete entire entry for DL.
2-d20	D-28, Para. D.5.1	Delete entire entry for DOCSUP.
2-d21	D-28, Para. D.5.1	After entry for document-alias, insert new entry "document-category-code 0004 010.DOCTYP010, 205.DOCTYP205, 212.DOCTYP212, 670.DOCTYP670" in the appropriate columns.
2-d22	D-29, Para. D.5.1	In document-name, in Table.Field column, replace entry with "011.DOCTIT011 and part of data element string: document-unique-name"
1-412	D-29, Para D.5.1	Incorporated into 2-d22.
1-413	D-31, Para. D.5.1	Delete the entire entry for document-file-name.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-d23	D-31, Para. D.5.1	In document-parts-list-entry-sequence-identifier, Table.Field column, insert "223.PLSEQN224,", "226.PLSEQN224, ", and ", 324.PLSEQN316, 326.PLSEQN316" in the appropriate locations. Incorporated into 2-d23.
1-414	D-31, Para. D.5.1	
2-d24	D-32, Para. D.5.1	In document-representation-identifier, in Table.Field or DED Title column, insert "820.REPIDN800" in the appropriate location.
2-d25	D-33, Para. D.5.1	In document-representation-revision-identifier, in Table.Field or DED Title column, insert "820.REPREV801" in the appropriate location.
2-d26	D-34, Para. D.5.1	In document-revision-approval-process-disposition-status-code, in Table.Field column, insert "267.REVSTA850, " in the appropriate location.
2-d27	D-34, Para. D.5.1	In document-revision-approval-process-disposition-status-date, in Table.Field column, insert "267.STADAT850, " in the appropriate location.
2-d28	D-35, Para. D.5.1	In document-sheet-identifier, in Table.Field column, insert "820.SHTNUM052" in the appropriate location.
2-d29	D-35, Para. D.5.1	After the entry for document-short-distribution-statement-text, insert a new entry "document-source--assigned-alphanumeric-identifier 0266 Part of data element string: document-alphanumeric-identifier" in the appropriate columns.
2-d30	D-35, Para. D.5.1	After the entry for document-source--assigned-alphanumeric-identifier, insert a new entry "document-source--assigned-identifier 0264 Part of data element string: document-identifier" in the appropriate columns.
2-d31	D-35, Para. D.5.1	After the entry for document-source--assigned-identifier, insert a new entry "document-source--assigned-type-code 0176 Part of data element strings: document-alphanumeric-identifier, document-identifier, and document-unique-name" in the appropriate columns.
2-d32	D-36, Para. D.5.1	In document-source-enterprise-identifier, in Table.Field column, delete "020.SRCENT020, 021.SRCENT020, " and replace "650.SRCENT020, 651.SRCENT020" with "650.SRCENT650, 651.SRCENT650".
1-415	D-36, Para. D.5.1	In document-source-organization-identifier, Table.Field column, delete "047.SRCORG046,".
2-d33	D-36, Para. D.5.1	In document-superseded-alphanumeric-revision-identifier, in DED Title column, change "alphanumeric" to read "generic"; in DED No. column, change "0009" to read "0243".
2-d34	D-36, Para. D.5.1	In document-superseded-revision, in DED Title column, change "superseded-revision" to read "superseded-generic-revision"; in DED No. column, change "0009" to read "0243"; in Table.Field column, change "alphanumeric" to read "generic".

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-d35	D-36, Para. D.5.1	Delete entire entry for document-type-code.
2-d36	D-36, Para. D.5.1	Immediately before the entry for dod-indicator-code, insert a new entry "document-unique-name 0265 040.DOCTIT040, 041.DOCTIT040, 042.DOCTIT040, 043.DOCTIT040, 044.DOCTIT040, 045.DOCTIT040, 046.DOCTIT040, 048.DOCTIT040" in the appropriate columns.
2-d37	D-37, Para. D.5.1	Delete entire entry for DWG.
2-d38	D-37, Para. D.5.1	Delete entire entry for ECP.
2-d39	D-39, Para. D.5.1	In electronic-document-file-identifier, in Table.Field or DED Title column, insert "820.FILIDN900" in the appropriate location.
2-d40	D-39, Para. D.5.1	In electronic-document-file-creation-date, Table.Field column, insert "820.FILDAT900, " and 901.FILDAT900, " in the appropriate locations.
1-416	D-39, Para. D.5.1	Incorporated into 2-d40.
2-d41	D-39, Para. D.5.1	In electronic-document-file-creation-time, Table.Field column, insert 820.FILTIM900, " and "901.FILTIM900, " in the appropriate locations.
1-417	D-39, Para. D.5.1	Incorporated into 2-d41.
2-d42	D-40, Para. D.5.1	In engineering-change-proposal-document-alphanumeric-identifier, in the Table.Field column, change "D.5.1.8" to read "D.5.1.7".
2-d43	D-42, Para. D.5.1	In engineering-change-proposal-document-implementation-sequence-code, Table.Field column, insert "267.RETSEQ267" in the appropriate columns.
2-d44	D-42, Para. D.5.1	Delete entire entry for engineering-change-proposal-document-type-code.
2-d45	D-42, Para. D.5.1	In engineering-drawing-document-current-alphanumeric-revision-identifier, in the Table.Field column, insert ", 820.CURREV052" at the end.
2-d46	D-43, Para. D.5.1	Delete entire entry for engineering-drawing-document-type-code.
2-d47	D-44, Para. D.5.1	In enterprise-file-origination-office-address-text, in Table.Field column, insert "820.FILADD900, " in the appropriate location.
1-418	D-45, Para. D.5.1	Delete the entire entry for file-name.
2-d48	D-45, Para. D.5.1	In file-originator-human-name, in Table.Field column, insert "820.FILORG900, " in the appropriate location.
2-d49	D-46, Para. D.5.1	In geographic-place-name, in Table.Field column, insert ", 268.RETLOC260" in the appropriate location.
2-d50	D-46, Para. D.5.1	Insert "graphic-drawing-alphanumeric-identifier 0003 alias for: graphic-engineering-drawing-document-alphanumeric-identifier" in the appropriate columns after the entry for government-technical-monitor-division.
2-d51	D-46, Para. D.5.1	Delete entire entry for IL.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-d52	D-46, Para. D.5.1	Insert "graphic-engineering-drawing-document-alphanumeric-identifier 0003 062.GDWGNO062, 064.GDWGNO064, 065.GDWGNO065, 069.GDWGNO069" in the appropriate columns after the entry for graphic-drawing-revision.
2-d53	D-47, Para. D.5.1	In index-list-drawing-document-alphanumeric-identifier, in Table.Field column, insert "065.ILNUMB065"
2-d54	D-47, Para. D.5.1	Delete entire entry for index-list-drawing-document-type-code.
2-d55	D-48, Para. D.5.1	Immediately after the entry for international-organization-code insert "julian-month-period-code 0211 Part of data element string: {}-date", "julian-month-period-day-identifier 0268 Part of data element string: {}-date", "julian-week-period-day-code 0269 Part of data element string: {}-date", and "julian-year-period-day-identifier 0267 Part of data element string: {}-date" in the appropriate columns.
2-d56	D-48, Para. D.5.1	Immediately after the entry for julian-year-period-identifier insert "julian-year-period-week-identifier 0270 Part of data element string: {}-date" in the appropriate columns.
2-d57	D-49, Para. D.5.1	In manufacturer-enterprise-defense-logistics--assigned-identification-code, Table.Field column, change "260.MFRCAG515" to read "268.MFRCAG515".
1-419	D-49, Para. D.5.1	In manufacturer-enterprise-defense-logistics--assigned-identification-code, Table.Field column, after "491.MFRCAG515," insert "492.MFRCAG515,".
2-d58	D-49, Para. D.5.1	In material-document-identifier, in Table.Field column, delete "103.MATDOC103, ", "421.MATDOC421, ", "433.MATDOC433, ", and "916.MATDOC916, 918.MATDOC918, "; change "106.MATDOC103, 107.MATDOC103, 201.MATDOC421" to read "106.MATDOC106, 107.MATDOC106, 201.MATDOC201"; change "422.MATDOC421" to read "422.MATDOC201"; and change "434.MATDOC433, 435.MATDOC433" to read "434.MATDOC434, 435.MATDOC434".
1-420	D-53, Para. D.5.1	In modification-instruction-document-alphanumeric-identifier, Table.Field column, after "472.MINNUM462" insert ", 473.MINNUM462".
2-d59	D-53, Para. D.5.1	Delete entire the entry for modification-instruction-document-type-code.
1-421	D-53, Para. D.5.1	Incorporated into 2-d59.
2-d60	D-54, Para. D.5.1	Delete entire entry for modification-request-document-type-code.
2-d61	D-55, Para. D.5.1	Delete entire entry for MODINST.
2-d62	D-55, Para. D.5.1	Delete entire entry for MODREQ..
2-d63	D-56, Para. D.5.1	Delete entire entry for NOR.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
2-d64	D-57, Para. D.5.1	Delete entire entry for P-SPEC.
2-d65	D-57, Para. D.5.1	In the entry for part-product-identifier, in Table.Field column, change "D.5.1.12" to read "D.5.1.10".
2-d66	D-58, Para. D.5.1	In parts-list-document-item-identifier, Table.Field column, change "219.FINDID219, 220.FINDID219, 221.FINDID219, 222.FINDID219, 224.FINDID219, 226.FINDID219, 315.FINDID315, 316.FINDID315, 318.FINDID315, 319.FINDID315, 320.FINDID315, 321.FINDID315, 322.FINDID315, 323.FINDID315, 324.FINDID315, 326.FINDID315." to read "219.FINDID219, 224.FINDID219, 315.FINDID315, 316.FINDID315, 323.FINDID315, 324.FINDID315, 326.FINDID315." .
1-422	D-58, Para. D.5.1	Incorporated into 2-d66.
2-d67	D-58, Para. D.5.1	In parts-list-drawing-document-alphanumeric-identifier, in Table.Field column, insert "062.PLNUMB062, 064.PLNUMB064".
2-d68	D-59, Para. D.5.1	Delete entire entry for parts-list-drawing-document-type-code.
2-d69	D-59, Para. D.5.1	Delete entire entry for PL.
2-d70	D-60, Para. D.5.1	Delete entire entry for primary-ecp-document-type-code.
2-d71	D-60, Para. D.5.1	Delete entire entry for primary-engineering-change-proposal-document-type-code.
1-423	D-62, Para. D.5.1	In product--tracking-base--identifier, Table.Field column, after "491.BASNUM500," insert "492.BASNUM500,".
2-d72	D-62, Para. D.5.1	In product-baseline-type-code, in Table.Field column, change "351.BLTYP351" to read "369.BLTYP369".
2-d73	D-63, Para. D.5.1	In product-change-effectivity-tracking-type-code, Table.Field column, change "260.TRKTYP515" to read "268.TRKTYP515".
1-424	D-63, Para. D.5.1	In product-change-effectivity-tracking-type-code, Table.Field column, after "491.TRKTYP515," insert "492.TRKTYP515,".
2-d74	D-63, Para. D.5.1	Delete entire entry for "product-change-retrofit-completion-date".
2-d75	D-64, Para. D.5.1	Before the entry for product-replacement-type-code, insert "product-proposed-retrofit-completion-date 0082 260.RETCOM260, 290.RETCOM290".
2-d76	D-64, Para. D.5.1	In product-starting-effectivity-sequential-tracking-identifier, Table.Field column, change "260.STREFF259" to read "268.STREFF259".
1-425	D-64, Para. D.5.1	In product-starting-effectivity-sequential-tracking-identifier, Table.Field column, after "491.STREFF491," insert "492.STREFF491,".
1-426	D-65, Para D.5.1	In product-type-code, Table.Field column, add ", 927.PRDTYP927" at the end of the entry.
2-d77	D-65, Para. D.5.1	Delete entire entry for program--unique-specification-document-type-code.

## Errata

Num. page,para,fig,etc

2-d78 D-66, Para. D.5.1

change

After the entry for proposed-change-type-code, insert "proposed-ecp-alphanumeric-identifier 0003 alias for: proposed-engineering-change-proposal-document-alphanumeric-identifier", "proposed-ecp-cage-code 0001 alias for: proposed-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-code", "proposed-ecp-alphanumeric-revision-identifier 0009 alias for: proposed-engineering-change-proposal-document-alphanumeric-revision-identifier", "proposed-engineering-change-proposal-document-alphanumeric-identifier 0003 267.PRPNUM267", "proposed-engineering-change-proposal-document-alphanumeric-revision-identifier 0009 267.PRPREV267", and "proposed-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-code 0001 267.PRPCAG267" in the appropriate columns.

2-d79 D-67, Para. D.5.1

Delete entire entry for referenced-document-type-code.

2-d80 D-68, Para. D.5.1

In revised-technical-manual-document-identifier, in Table.Field column, change "571.RTMIDN610" to read "571.RTMIDN571".

2-d81 D-69, Para D.5.1

Delete the entry for "revision-notice-document-implementation-authorization-code".

2-d82 D-70, Para. D.5.1

Delete entire entry for revision-notice-document-type-code.

2-d83 D-76, Para. D.5.1

In ship-asset-identifier, in Table.Field column, insert ", 268.RETSHP260" in the appropriate location.

1-427 D-76, Para D.5.1

In shipping-document-alphanumeric-identifier, Table.Field, or DED Title column, at the end of the entry, insert ", 973.SHPIDN973".

1-428 D-76, Para D.5.1

In shipping-document-process-disposition-status-code, Table.Field or DED Title column, change to read "973.SHPSTA973".

1-429 D-76, Para D.5.1

After the entry for shipping-document-process-disposition-status-code, insert the following new entry in the appropriate columns: "shipping-document-process-disposition-status-date 0082 973.STATDT973".

2-d84 D-77, Para. D.5.1

Delete entire entry for software-document-type-code.

2-d85 D-79, Para. D.5.1

Delete entire entry for software-support-document-type-code.

2-d86 D-79, Para. D.5.1

Delete entire entry for software-version-description-document-type-code.

2-d87 D-85, Para. D.5.1

Delete entire entry for supplemental-document-type-code.

2-d88 D-85, Para. D.5.1

Delete entire entry for SVD.

2-d89 D-85, Para. D.5.1

Delete entire entry for SW.

2-d90 D-85, Para. D.5.1

Delete entire entry for SWDOC.

2-d91 D-87, Para. D.5.1

Delete entire entry for technical-manual-document-type-code.

2-d92 D-88, Para. D.5.1

Delete entire entry for TM.

## Errata

<u>Num.</u>	<u>page,para,fig,etc</u>	<u>change</u>
1-430	D-89, Para. D.5.1	In united-states-defense-department-document-source-enterprise-acronym-identification-code, Table.Field column, after "472.SRCDOD462," insert "473.SRCDOD462,".
2-d93	D-90, Para. D.5.1.1	In vehicle-asset-identifier, in Table.Field column, insert "268.RETVEH260" in the appropriate location.
2-d94	D-91, Para. D.5.1.1	Insert 566.DESENT210 in the appropriate location.
2-d95	D-91, Para. D.5.1.2	In the list, insert "322.DESCAG050, " and "820.DESCAG050, " in the appropriate locations.
1-431	D-91, Para. D.5.1.2	Incorporated into 2-d95.
2-d96	D-92, Para. D.5.1.3	In the list, insert '566.DOCIDN010, ', '704.DOCIDN010, ', '916.DOCIDN010, ', and '918.DOCIDN010, ' in the appropriate locations.
2-d97	D-92, Para. D.5.1.4	In the list, insert "103.DOCNUM020, ", 421.DOCNUM020, ", and "433.DOCMUM020, " in the appropriate locations.
1-432	D-92, Para. D.5.1.5	In the list, in the second and third lines, delete "047.DOCREV011, 049.DOCREV011,".
1-433	D-92, Para. D.5.1.5	In the list, after "352.DOCREV011" insert "357.DOCREV011,".
2-d98	D-93, Para. D.5.1.6	In the list, insert 566.SRCIDN010 in the appropriate location.
2-d99	D-93, Para. D.5.1.7	Replace entire paragraph text with "Reserved."
1-434	D-93, Para. D.5.1.7	Incorporated into 2-99.
1-435	D-93, Para. D.5.1.7	Incorporated into 2-99.
1-436	D-93, Para. D.5.1.7	Incorporated into 2-99.
2-d100	D-94, Para. D.5.1.8	In list, insert "268.ECPNUM250" in the appropriate location.
2-d101	D-94, Para. D.5.1.9	In list, insert "268.ECPGAG250" in the appropriate location.
2-d102	D-94, Para. D.5.1.10	Replace entire paragraph text with "Reserved."
2-d103	D-94, Para. D.5.1.11	In the list, delete "324.DWGNUM050, " and "326.DWGNUM050, "; insert "820.DWGNUM050, " in the appropriate location.
2-d104	D-95, Para. D.5.1.12	In the list, insert 566.PARNUM210 in the appropriate location.
2-d105	D-96, Para. D.5.2	After the entry for APPACT033, insert "APPECP267 0001 approved-engineering-change-proposal-document-source-enterprise-defense-logistics--assigned-identification-code" in the appropriate columns.
2-d106	D-96, Para. D.5.2	After the entry for APPL0C902, insert "APPNUM267 0001 approved-engineering-change-proposal-document-alphanumeric-identifier" in the appropriate columns.
2-d107	D-96, Para. D.5.2	After the entry for APPRDT952, insert "APPREV267 0001 approved-engineering-change-proposal-document-alphanumeric-revision-identifier" in the appropriate columns.
2-d108	D-96, Para. D.5.2	Change "BLTYPE351" to read BLTYPE369".
2-d109	D-97, Para. D.5.2	Delete entire entry for CDOCTY071.
2-d110	D-97, Para. D.5.2	Delete entire entry for CDWGTY082.
2-d111	D-100, Para. D.5.2	Delete entire entry for DIDTYP650.

Errata

Num. page,para,fig,etc

change

2-d112	D-101, Para. D.5.2	Immediately after the entry for DIVADD942, insert "DLNUMB069 0003 data-list-drawing-document-alphanumeric-identifier" in the appropriate columns.
2-d113	D-101, Para. D.5.2	Delete entire entry for DLTYPE069.
2-d114	D-101, Para. D.5.2	In DOCTYP010, change the DED Title to read "document-category-code".
2-d115	D-101, Para. D.5.2	Immediately after the entry for DOCTYP010, insert the new entry "DOCTYP205 0004 document-category-code" in the appropriate columns.
1-437	D-101, Para. D.5.2	Incorporated into 2-d115.
2-d116	D-101, Para. D.5.2	In DOCTYP212 and DOCTYP670, change the DED Title to read "document-category-code".
2-d117	D-101, Para D.5.2	Delete entire entry for DSUPTY620.
2-d118	D-101, Para D.5.2	Delete entire entries for DWGTYP062, DWGTYP064, DWGTYP065, DWGTYP069, DWGTYP163, DWGTYP165, and DWGTYP285.
1-438	D-103, Para. D.5.2	Delete entire entry for FILNAM900.
2-d119	D-103, Para. D.5.2	Immediately after the entry for FSUSDT970, insert "GDWGNO062 0003 graphic-engineering-drawing-document-alphanumeric-identifier", "GDWGNO064 0003 graphic-engineering-drawing-document-alphanumeric-identifier", "GDWGNO065 0003 graphic-engineering-drawing-document-alphanumeric-identifier", and "GDWGNO069 0003 graphic-engineering-drawing-document-alphanumeric-identifier", in the appropriate columns.
2-d120	D-104, Para. D.5.2	Immediately after the entry for ILCAGE068, insert "ILNUMB065 0003 index-list-drawing-document-alphanumeric-identifier", in the appropriate columns.
2-d121	D-104, Para D.5.2	Delete entire entries for ILTYPE065, IMPCOD309 and IMPCOD863.
2-d122	D-104, Para. D.5.2	Delete entire entries for MATDOC916 and MATDOC918
2-d123	D-105, Para D.5.2	Delete entire entries for MINTYP460, MRQTYP450, and NORTYP300.
2-d124	D-106, Para. D.5.2	In OLDREV271, in DED No. column, change to read "0243".
2-d125	D-106, Para D.5.2	Delete entire entry for PECPTY251
2-d126	D-107, Para. D.5.2	Immediately after the entry for PLCAGE068, insert "PLNUMB062 0003 parts-list-drawing-document-alphanumeric-identifier" and "PLNUMB064 0003 parts-list-drawing-document-alphanumeric-identifier" in the appropriate columns.
2-d127	D-107, Para D.5.2	Delete entire entries for PLTYPE062, PLTYPE064, PLTYPE068, and PLTYPE286.
1-439	D-107, Para. D.5.2	Immediately after the entry for PRDTYP914, insert the new line "PRDTYP927 0034 product-type-code" in the appropriate columns.

Errata

Num. page,para,fig,etc

change

2-d128 D-107, D.5.2

After the entry for PRPCOM900, insert "PRPCAG267 0001 proposed-engineering-change-proposal-document-source-enterprise-defense-logistics-assigned-identification-code", "PRPNUM267 0003 proposed-engineering-change-proposal-document-alphanumeric-identifier", and "PRPREV267 0009 proposed-engineering-change-proposal-document-alphanumeric-revision-identifier" in the appropriate columns.

2-d129 D-108, Para. D.5.2

After the entry for RETCOM260, insert "RETCOM290 0082 product-proposed-retrofit-completion-date" in the appropriate columns.

2-d130 D-108, Para. D.5.2

After the entry for RETLVL263, insert "RETSEQ267 0119 engineering-change-proposal-document-implementation-sequence-code" in the appropriate columns.

2-d131 D-109, Para D.5.2

Delete entire entry for RFDTYP350.

2-d132 D-113, Para. D.5.2

Delete entire entries for "SPCTYP620" and "SPECTY110".

1-440 D-113, Para D.5.2

Change the entry for "SHPSTA960" to read "SHPSTA973".

1-441 D-115, Para D.5.2

After the entry for STATDT956, insert the following new line in the appropriate columns: "STATDT973 0082 shipping-document-process-disposition-status-date".

2-d133 D-116, Para D.5.2

Delete entire entries for SWTYP165, SWTYPE163, SWTYPE164, SWTYPE166, SWTYPE230, and TMNTYP550.

CONCLUDING MATERIAL


1-442 137, Concluding Material

Under the listing for Custodians, Change the Air Force quantity to "10".

1-443 137, Concluding Material

Under the listing for Review Activities, in the entry for Air Force, after "13,", insert "16,".

FIGURES






FIGURE 01GEN3  
 GENERIC DEFINITION (Part 3 of 6)

ERRATA 2-b5




FIGURE 01GEN4  
GENERIC DEFINITION (Part 4 OF 6)

ERRATA 2-b6




FIGURE 01GEN5  
GENERIC DEFINITION (Part 5 of 6)

ERRATA 2-b7




FIGURE 01GEN6  
GENERIC DEFINITION (Part 6 of 6)

ERRATA 2-b8




FIGURE 02DWG1  
DRAWING DEFINITION (Part 1 of 3)  
ERRATA 2-b74




FIGURE 02DWG2  
DRAWING DEFINITION (Part 2 of 3)  
ERRATA 2-b75




FIGURE 02DWG3  
DRAWING DEFINITION (Part 3 of 3)  
ERRATA 2-b76




FIGURE 02DWG4  
 DOCUMENTS NOTED ON DRAWINGS  
 ERRATA 2-b77

GENERIC-MATID / 200 (from 5PIN1)

design-enterprise-identifier  
material-generic-identifier  
material-identification

may be referenced  
in notes of

PICDWGREV / 061 (from 2DWG2)

design-cage-code  
drawing-alphanumeric-identifier  
document-revision

GENERIC-PIN / 210 (from 5PIN2)

design-enterprise-identifier  
part-identifier

may be referenced  
in notes of

may reference in notes

may reference in notes

PLREV / 063 (from 2DWG2)

design-cage-code  
drawing-alphanumeric-identifier  
document-revision

may reference in notes

may reference in notes

Assertion: the relationship of  
Table 061 to 083 and of Table  
063 to 083 are mutually exclusive.

Assertion: the relationship of  
Table 061 to 084 and of Table  
063 to 084 are mutually exclusive.

DWG-REFMAT / 083

design-cage-code (FK)  
drawing-alphanumeric-identifier (FK)  
document-revision (FK)  
design-enterprise-identifier (FK)  
material-generic-identifier (FK)  
material-identification (FK)

DWGNOTE / 080 (from 2DWG4)

design-cage-code  
drawing-alphanumeric-identifier  
document-revision  
drawing-note-number

DWG-REFPIN / 084

design-cage-code (FK)  
drawing-alphanumeric-identifier (FK)  
document-revision (FK)  
design-enterprise-identifier (FK)  
part-identifier (FK)

may be referenced in

may reference

may reference

may be referenced in

DWGNOTE-MAT / 086

design-cage-code (FK)  
drawing-alphanumeric-identifier (FK)  
document-revision (FK)  
drawing-note-number (FK)  
design-enterprise-identifier (FK)  
material-generic-identifier (FK)  
material-identification (FK)

DWGNOTE-PIN / 087

design-cage-code (FK)  
drawing-alphanumeric-identifier (FK)  
document-revision (FK)  
drawing-note-number (FK)  
design-enterprise-identifier (FK)  
part-identifier (FK)

FIGURE 02DWG5  
PARTS/MATERIALS NOTED ON DRAWINGS  
ERRATA 2-b78




FIGURE 03SPEC1  
PROGRAM SPECIFICATION DEFINITION  
ERRATA 2-b152




FIGURE 03SPEC2  
 APPLICABLE DOCUMENTS LISTED IN PROGRAM SPECIFICATIONS

ERRATA 2-b153




FIGURE 03SPEC3  
PROGRAM SPECIFICATION CHANGE NOTICE  
**ERRATA 2-b154**




FIGURE 04SW1 SOFTWARE CODE & DOCUMENTS (Part 1 of 2)

ERRATA 2-b175




FIGURE 04SW2  
SOFTWARE CODE & DOCUMENTS (Part 2 of 2)  
ERRATA 2-b175






FIGURE 05PIN1  
 GENERIC MATERIAL DEFINITION  
**ERRATA 2-b212**




FIGURE 05PIN2  
 GENERIC PART NUMBER DEFINITION  
 ERRATA 2-b213




FIGURE 05PIN3  
 GENERIC PART/MATERIAL SUBSTITUTIONS  
 ERRATA 2-b214




FIGURE 05PIN4.1  
 ENGINEERING PARTS LIST STRUCTURE (Part 1 OF 3)

ERRATA 2-b215




FIGURE 05PIN4.2  
 ENGINEERING PARTS LIST STRUCTURE (Part 2 OF 3)

**ERRATA 2-b215**




FIGURE 06ECP1  
ENGINEERING CHANGE PROPOSAL (ECP) DEFINITION  
ERRATA 2-b244




FIGURE 06ECP2  
ECP-DOCUMENT CORRELATION (as approved)

ERRATA 2-b245




FIGURE 06ECP3  
 ENGINEERING CHANGE PROPOSAL EFFECTIVITY  
**ERRATA 2-b246**




FIGURE 06ECP4  
ENGINEERING CHANGE PROPOSAL IMPACT ON ASSEMBLIES  
ERRATA 2-b247




FIGURE 06ECP5  
ENGINEERING CHANGE PROPOSAL IMPLEMENTATION  
ERRATA 2-b247




FIGURE 07NOR1  
NOTICE OF REVISION (NOR) DEFINITION  
**ERRATA 2-b324**




FIGURE 07NOR2  
 NOR-ECP-CORRELATION (Part 1 of 3)  
 ERRATA 2-b325




FIGURE 07NOR3  
 NOR-ECP-DOCUMENT CORRELATION (ECP/NOR: as prepared) (Part 2 of 3)  
 ERRATA 2-b326




FIGURE 07NOR4  
 NOR-ECP-DOCUMENT CORRELATION (Part 3 of 3)  
 (ECP/NOR: as approved)

ERRATA 2-b326




FIGURE 07NOR5.1  
PROPOSED PARTS LIST STRUCTURE (Part 1 of 2)

**ERRATA 2-b327**




FIGURE 07NOR5.2  
PROPOSED PARTS LIST STRUCTURE (Parr 2 of 2)

**ERRATA 2-b327**




FIGURE 08BL1  
 BASELINES  
 ERRATA 2-b395




FIGURE 10RFD1  
REQUEST FOR DEVIATION (RFD) DEFINITION (Part 1 of 2)

ERRATA 2-b401




FIGURE 10RFD2  
 REQUEST FOR DEVIATION (RFD) DEFINITION (Part 2 OF 2)  
**ERRATA 2-b402**




FIGURE 10RFD3  
REQUEST FOR DEVIATION (RFD) EFFECTIVITY  
ERRATA 2-b403




FIGURE 10RFD4  
REQUEST FOR DEVIATION IMPACT ON ASSEMBLIES  
ERRATA 2-b404




FIGURE 10RFD5  
 REQUEST FOR DEVIATION IMPLEMENTATION  
 ERRATA 2-b405




FIGURE 11STDS1  
STANDARDIZATION DOCUMENTS  
ERRATA 2-b443




FIGURE 11STDS2  
 STANDARDIZATION DOCUMENTS  
**ERRATA 2-b444**




FIGURE 11STDS3  
STANDARDIZATION DOCUMENTS  
ERRATA 2-b445




FIGURE 11STDS4  
STANDARDIZATION DOCUMENTS  
ERRATA 2-b446




FIGURE 11STDS5  
STANDARDIZATION DOCUMENTS  
ERRATA 2-b447




FIGURE 12MOD1  
MODIFICATION REQUESTS/INSTRUCTIONS  
ERRATA 2-b489




FIGURE 12MOD2  
MODIFICATION REQUESTS  
**ERRATA 2-b490**




FIGURE 12MOD3  
MODIFICATION INSTRUCTIONS (Part 1 of 3)

ERRATA 2-b491




FIGURE 12MOD4  
MODIFICATION INSTRUCTIONS (Part 2 of 3)

ERRATA 2-b492




FIGURE 12MOD5  
 MODIFICATION INSTRUCTIONS (Part 3 of 3)  
 ERRATA 2-b493




FIGURE 13TRK1  
COMMON BASE-NUMBER DEFINITION  
ERRATA 2-b519




FIGURE 13TRK2  
SERIAL/LOT/BLOCK CORRELATION (PART 1 OF 4)  
ERRATA 2-b520




FIGURE 13TRK3  
SERIAL/LOT/BLOCK CORRELATION (PART 2 of 4)  
ERRATA 2-b521




FIGURE 14TM1  
 TECHNICAL MANUALS (Part 1 of 4)  
 ERRATA 2-b535




FIGURE 14TM2  
 TECHNICAL MANUALS (Part 2 of 4)  
 ERRATA 2-b536




FIGURE 14TM3  
 TECHNICAL MANUAL S (Part 3 of 4)  
 ERRATA 2-b537




FIGURE 14TM4  
TECHNICAL MANUALS (Part 4 of 4)  
**ERRATA 2-b538**




FIGURE 15SUP1  
DOCUMENT SUPPLEMENTS  
ERRATA 2-b562




FIGURE 15SUP2  
 DOCUMENT SUPPLEMENTS  
 ERRATA 2-b563




FIGURE 15SUP3  
DOCUMENT SUPPLEMENTS  
ERRATA 2-b564




FIGURE 15SUP4  
DOCUMENT SUPPLEMENTS  
ERRATA 2-b565




FIGURE 15SUP5  
DOCUMENT SUPPLEMENTS  
ERRATA 2-b566




FIGURE 15SUP6  
DOCUMENT SUPPLEMENTS  
ERRATA 2-b567




FIGURE 16DID1  
DATA ITEM DESCRIPTION (DID) DEFINITION  
ERRATA 2-b581




FIGURE 17PAN1  
 PROCURING ACTIVITY NUMBER (PAN) CORRELATION  
 ERRATA 2-b590




FIGURE 18AUD1  
AUDIT ACTIONS  
ERRATA 2-b597




FIGURE 19CI2  
CONFIGURATION CONTROL BOARD

ERRATA 2-b601




FIGURE 21REP1  
 DOCUMENT REPRESENTATION RELEASE STATUS (Part 1 of 2)

ERRATA 2-b616




FIGURE 21REP2  
 DOCUMENT REPRESENTATION RELEASE STATUS  
 (Part 2 of 2)

ERRATA 2-b617




FIGURE 21REP3  
DOCUMENT REPRESENTATION ORIGINATING ORGANIZATION REVIEW

ERRATA 2-b618




FIGURE 22REV1  
 DOCUMENT REVISION CDCA APPROVAL STATUS  
 ERRATA 2-b630





FIGURE 22REV2  
 DOCUMENT REVISION CDCA REVIEW STATUS  
 ERRATA 2-b631






FIGURE 22REV4  
 DOCUMENT REVISION AA REVIEW STATUS  
 ERRATA 2-b633




FIGURE 24COM1  
 COMPANY DOCUMENTS/PARTS/MATERIALS  
 ERRATA 2-b659




FIGURE 24COM2  
COMPANY PARTS  
ERRATA 2-b660





FIGURE 26CON1  
 CONTRACT & CDRL DEFINITION (Part 1 of 2)

ERRATA 2-b680

\*Defined in the U.S. DOD Enterprise Data Model (EDM)



**FIGURE 26CON2**  
**CONTRACT & CDRL DEFINITION (Part 2 OF 2)**  
**ERRATA 2-b681**




FIGURE 26CON5  
 CDRL CONTENTS  
 ERRATA 2-b682




FIGURE 26CON6  
CDRL-SUBMITTAL REVIEW  
ERRATA 2-b683